
SKELETON ECOSYSTEM







Shell Token SHELL BEP20

0x85C279031A06b359Ef4CEDb5fa5489e2751886bb







Table of Contents

Table of Contents	1
Disclaimer	2
Overview	3
Creation/Audit Date	3
Verified Socials	3
Contract Functions Analysis	4
Contract Safety and Weakness	8
Detected Vulnerability Description	12
Contract Flow Graph	14
Contract Interaction Graph	15
Inheritance Graph	16
Contract Desciptions	17
Audit Scope	24



Global Disclaimer

This document serves as a disclaimer for the crypto smart contract audit conducted by Skeleton Ecosystem. The purpose of the audit was to review the codebase of the smart contracts for potential vulnerabilities and issues. It is important to note the following:

Limited Scope: The audit is based on the code and information available up to the audit completion date. It does not cover external factors, system interactions, or changes made after the audit. The audit itself can not guarantee 100% safaty and can not detect common scam methods like farming and developer sell-out.

No Guarantee of Security: While we have taken reasonable steps to identify vulnerabilities, it is impossible to guarantee the complete absence of security risks or issues. The audit report provides an assessment of the contract's security as of the audit date.

Continued Development: Smart contracts and blockchain technology are evolving fields. Updates, forks, or changes to the contract postaudit may introduce new risks that were not present during the audit.

Third-party Code: If the smart contract relies on third-party libraries or code, those components were not thoroughly audited unless explicitly stated. Security of these dependencies is the responsibility of their respective developers.

Non-Exhaustive Testing: The audit involved automated analysis, manual review, and testing under controlled conditions. It is possible that certain vulnerabilities or issues may not have been identified.

Risk Evaluation: The audit report includes a risk assessment for identified vulnerabilities. It is recommended that the development team carefully reviews and addresses these risks to mitigate potential exploits.

Not Financial Advice: This audit report is not intended as financial or investment advice. Decisions regarding the use, deployment, or investment in the smart contract should be made based on a comprehensive assessment of the associated risks.

By accessing and using this audit report, you acknowledge and agree to the limitations outlined above. Skeleton Ecosystem and its auditors shall not be held liable for any direct or indirect damages resulting from the use of the audit report or the smart contract itself.

Please consult with legal, technical, and financial professionals before making any decisions related to the smart contract.



Overview

Contract Name	WDIStandardToken (Shell Token)
Ticker/Simbol	SHELL
Blockchain	Binance Smart Chain BEP20
Contract Address	0x85C279031A06b359Ef4CEDb5fa5489e2751886bb
Creator Address	0x519FEb33dD540629c35910337b5CB1A41DBBAFCe
Current Owner Address	0x519FEb33dD540629c35910337b5CB1A41DBBAFCe
Contract Explorer	https://bscscan.com/address/0x85c279031a06b359ef4cedb5fa548 9e2751886bb#code
Compiler Version	v0.8.17+commit.8df45f5f
License	MIT
Optimisation	Yes with 1500 Runs
Total Supply	100,000,000 SHELL
Decimals	18

Creation/Audit

Contract Deployed	24.01.2023
Audit Created	29.01.2024
Audit Update	V 1.0


Verified Socials

Website	
Telegram	https://t.me/SHELL_TOKEN_Official_Chat
Twitter (X)	http://x.com/shell_token

Contract Function Analysis

Pass Attention Item Alsky Item





Contract Verified	✓	The contract source code is uploaded to blockchain explorer and is open source, so everybody can read it.
Contract Ownership		0x519FEb33dD540629c35910337b5CB1A41DBBAFCe Deployer
Buy Tax	5 %	Shows the taxes for purchase transactions. Above 10% may be considered a high tax rate. More than 50% tax rate means may not be tradable
Sell Tax	5 %	Shows the taxes for sell transactions. Above 10% may be considered a high tax rate. More than 50% tax rate means may not be tradable.
Honeypot Analyse	~	Holder is able to buy and sell. If honeypot: The contract blocks sell transfer from holder wallet. Multiple events may cause honeypot. Trading disabled, extremely high tax
Liqudity Status	~	Liqudity Locker status 29.01.2024: 92.2% locked on Mudra Locker for <i>27 days</i> .
Trading Disable Functions	>	No Trading suspendable function found If a suspendable code is included, the token maybe neither be bought or sold (honeypot risk). If contract is renounced this function can't be used
Set Fees function	↑ max 15%	Fee Setting function found. Max 15% The contract owner may contain the authority to modify the transaction tax. If the transaction tax is increased to more than 49%, the tokens may not be able to be traded (honeypot risk).
Proxy Contract	✓	Not a proxy contract!
Mint Function	>	No Mint Function detected Mint function is transparent or non-existent. Hidden mint functions may increase the amount of tokens in circulation and effect the price of the token. Owner can mint new tokens and sell.



Balance Modifier Function	>	No Balance Modifier function found. If there is a function for this, the contract owner can have the authority to modify the balance of tokens at other addresses. For example revoke the bought tokens from the holders wallet. Common form of scam: You buy the token, but it's disappearing from your wallet. No Blacklist Setting function found.
Function		If there is a blacklist, some addresses may not be able to trade normally. Example: you buy the token and right after your Wallet getting blacklisted. Like so you will be unable to sell. Honeypot Risk.
Whitelist Function	A	Whitelist Setting function found. If there is a function for this Developer can set zero fee or no max wallet size for adresses (for example team wallets can trade without fee. Can cause farming)
Owner Analysis	>	No authorised hidden owner For contract with a hidden owner, developer can still manipulate the contract even if the ownership has been abandoned.
Retrieve Ownership Function	~	No functions found which can retrieve ownership of the contract. If this function exists, it is possible for the project owner to regain ownership even after relinquishing it. Also known as fake renounce.
Self Destruct Function	✓	No Self Destruct function found. If this function exists and is triggered, the contract will be destroyed, all functions will be unavailable, and all related assets will be erased.
Specific Tax Changing Function	✓	No Specific Tax Changing Functions found. If it exists, the contract owner may set a very outrageous tax rate for assigned address to block it from trading. Can assign all wallets at once!
Trading Cooldown Function	>	No Trading Cooldown Function found. If there is a trading cooldown function, the user will not be able to sell the token within a certain time or block after buying. Like a temporary honeypot.
Max Transaction and Holding Modify Function	A	Max Transaction and Holding Modify function found. If there is a function for this, the maximum trading amount or maximum position can be modified. Can cause honeypot
Transaction Limiting Function	>	No Transaction Limiter Function Found. The number of overall token transactions may be limited (honeypot risk)



Details of Risk - Attention Items

The following functions are listed as functions may be triggered by the owner of the contract.

Whitelist (Set excluded)

[Remedation: Renounce Ownership]

If there is a function for this Developer can set zero fee or no max wallet size for adresses (for example team wallets can trade without fee)

```
ftrace | funcSig
function setExclusionFromFee(address account1, bool value1) public onlyOwner {
   isExcludeFromFee[account1] = value1;
function setExclusionFromTxLimit(address account, bool value) public onlyOwner {
    isExcludeFromTxLimit[account1] = value1;
ftrace | funcSig
function setExclusionFromWalletLimit(address account), bool value() public onlyOwner {
   isExcludeFromWalletLimit[account†] = value†;
```

Max Transaction and Holding Modify function

[Remedation: Renounce Ownership]

If there is a function for this, the maximum trading amount or maximum position can be modified. Can cause honeypot

Max wallet and transaction ammount can not set under 0.5% Honeypot warning removed.

```
function updateMaxWalletAmount(uint256 maxWallet) external onlyOwner {
   require(maxWallet† <= 100 ether && maxWallet† >= 0.5 ether, "TDP4");
   tokenInfo.maxPercentageForWallet = maxWallet1;
   maxAmountForWallet = (maxWallet * tokenInfo.totalSupply) / 100 ether;
function updateMaxTransactionAmount(uint256 maxTxt) external onlyOwner {
   require(maxTxt <= 100 ether && maxTxt >= 0.5 ether, "TDP4");
   tokenInfo.maxPercentageForTx = maxTx1;
   maxAmountForTx = (maxTx† * tokenInfo.totalSupply) / 100 ether;
```





Set Trading Fees

(max 15%) Trading fee can not be set above 15%

[Remedation: Renounce Ownerhip]


The contract owner may contain the authority to modify the transaction tax. If the transaction tax is increased to more than 49%, the tokens may not be able to be traded (honeypot risk).

```
ftrace | funcSig
function updateMarketingBuyTax(uint256 taxt) external onlyOwner {
    tokenInfo.marketingTaxBuy = tax1;
    require(totalBuyTaxFees() <= 15 ether, "TDP1");
function updateMarketingSellTax(uint256 taxt) external onlyOwner {
    tokenInfo.marketingTaxSell = taxt;
   require(totalSellTaxFees() <= 15 ether, "TDP1");
ftrace | funcSig
function updateDevBuyTax(uint256 taxt) external onlyOwner {
    tokenInfo.devTaxBuy = tax1;
    require(totalBuyTaxFees() <= 15 ether, "TDP1");
function updateDevSellTax(uint256 taxt) external onlyOwner {
    tokenInfo.devTaxSell = tax1;
    require(totalSellTaxFees() <= 15 ether, "TDP1");
function updateLpBuyTax(uint256 taxt) external onlyOwner {
    tokenInfo.lpTaxBuy = taxt;
    require(totalBuyTaxFees() <= 15 ether, "TDP1");
ftrace | funcSig
function updateLpSellTax(uint256 taxt) external onlyOwner {
    tokenInfo.lpTaxSell = taxt;
    require(totalSellTaxFees() <= 15 ether, "TDP1");
```



Contract Security

Total Findings: 6



- **High Severity Issues:** High possibility to cause problems, need to be resolved.
- Medium Severity Issue: Will likely cause problems, recommended to resolve.
- Low Severity Issues: Won't cause problems, but for improvement purposes could be adjusted.
- Informational Severity Issues: Not harmful in any way, information for the developer team.



Contract Weakness Classisication

THE SMART CONTRACT WEAKNESS CLASSIFICATION REGISTRY (SWC REGISTRY) IS AN IMPLEMENTATION OF THE WEAKNESS CLASSIFICATION SCHEME PROPOSED IN EIP-1470. IT IS LOOSELY ALIGNED TO THE TERMINOLOGIES AND STRUCTURE USED IN THE COMMON WEAKNESS ENUMERATION (CWE) WHILE OVERLAYING A WIDE RANGE OF WEAKNESS VARIANTS THAT ARE SPECIFIC TO SMART CONTRACTS.

- High severity Issues: (0)
- Medium severity issues: (0)
- Low severity issues: (4)
 - Missing Events
 - Floating Pragma
 - Outdated Compiler Version
 - Approve Front Running Attack
- Informational severity issues: (2)
 - Public Functions Should be Declared External
 - State Variables Should be Declared Constant



ID	Description	AI	Manual	Result
SWC-100	Function Default Visibility	Passed	Passed	Passed
SWC-101	Integer Overflow and Underflow	Passed	Passed	Passed
SWC-102	Outdated Compiler Version	Low	Passed	Passed
SWC-103	Floating Pragma	Low	Passed	Passed
SWC-104	Unchecked Call Return Value	Passed	Passed	Passed
SWC-105	Unprotected Ether Withdrawal	Passed	Passed	Passed
SWC-106	Unprotected SELFDESTRUCT Instruction	Passed	Passed	Passed
SWC-107	Reentrancy	Passed	Passed	Passed
SWC-108	State Variable Default Visibility	Passed	Passed	Passed
SWC-109	Uninitialized Storage Pointer	Passed	Passed	Passed
SWC-110	Assert Violation	Passed	Passed	Passed
SWC-111	Use of Deprecated Solidity Functions	Passed	Passed	Passed
SWC-112	Delegatecall to Untrusted Callee	Passed	Passed	Passed
SWC-113	DoS with Failed Call	Passed	Passed	Passed
SWC-114	Transaction Order Dependence	Passed	Passed	Passed
SWC-115	Authorization through tx.origin	Passed	Passed	Passed
SWC-116	Block values as a proxy for time	Passed	Passed	Passed
SWC-117	Signature Malleability	Passed	Passed	Passed
SWC-118	Incorrect Constructor Name	Passed	Passed	Passed
SWC-119	Shadowing State Variables	Passed	Passed	Passed
SWC-120	Weak Sources of Randomness from Chain Attributes	Passed	Passed	Passed
SWC-121	Missing Protection against Signature Replay Attacks	Passed	Passed	Passed
SWC-122	Lack of Proper Signature Verification	Passed	Passed	Passed
SWC-123	Requirement Violation	Passed	Passed	Passed
SWC-124	Write to Arbitrary Storage Location	Passed	Passed	Passed
SWC-125	Incorrect Inheritance Order	Passed	Passed	Passed
SWC-126	Insufficient Gas Griefing	Passed	Passed	Passed



SWC-127	Arbitrary Jump with Function Type Variable	Passed	Passed	Passed
SWC-128	DoS With Block Gas Limit	Passed	Passed	Passed
SWC-129	Typographical Error	low	Passed	Passed
SWC-130	Right-To-Left-Override control character (U+202E)	Passed	Passed	Passed
SWC-131	Presence of unused variables	Passed	Passed	Passed
SWC-132	Unexpected Ether balance	Passed	Passed	Passed
SWC-133	Hash Collisions With Multiple Variable Length Arguments	Passed	Passed	Passed
SWC-134	Message call with hardcoded gas amount	Passed	Passed	Passed
SWC-135	Code With No Effects	Passed	Passed	Passed
SWC-136	Unencrypted Private Data On-Chain	Passed	Passed	Passed



Detected High and Medium Severity Vulnerability Description.

No high or Medium Severity Issues found



Approve Front Running Attack (2 Items)

Item: 1	Location:	Line 91-95	Severity: Low	
			2 LOVV	

Function	The approve() method overrides current allowance				
	regardless of whether the spender already used it or				
	not, so there is no way to increase or decrease				
	allowance by a certain value atomically unless the token				
	owner is a smart contract, not an account.				
	This can be abused by a token receiver when they try to				
	withdraw certain tokens from the sender's account.				
	Meanwhile, if the sender decides to change the amount				
	and sends another approve transaction, the receiver can				
	notice this transaction before it's mined and can				
	extract tokens from both the transactions, therefore,				
	ending up with tokens from both the transactions. This				
	is a front-running attack affecting the ERC20				
	Approve function.				
	The function approve can be front-run by abusing				
	the approve function.				
Remedation	1. Introduce mechanisms that limit the maximum				
Kemedation					
	acceptable gas price for transactions. This can				
	help prevent front-runners from drastically				
	increasing the gas fees to prioritize their				
	transactions.				
	2. Use transaction taxes to prevent against front-run				
	attack				
	actack				

```
function approve(address spender), uint256 amount() public virtual override returns (bool) {
 address owner = _msgSender();
     _approve(owner, spender1, amount1);
return true;
```






Item: 2 Location: Line 189-197 Severity: Low

Function The <u>_spendAllowance()</u> method overrides current allowance regardless of whether the spender already used it or not, so there is no way to increase or decrease allowance by a certain value atomically unless the token owner is a smart contract, not an account. This can be abused by a token receiver when they try to withdraw certain tokens from the sender's account. Meanwhile, if the sender decides to change the amount and sends another approve transaction, the receiver can notice this transaction before it's mined and can extract tokens from both the transactions, therefore, ending up with tokens from both the transactions. This is a front-running attack affecting the ERC20 Approve function. The function approve can be front-run by abusing the approve function. Remedation 1. Introduce mechanisms that limit the maximum acceptable gas price for transactions. This can help prevent front-runners from drastically increasing the gas fees to prioritize their transactions. 2. Use transaction taxes to prevent against front-run attack



Contract Flow Graph






Contract Interaction Graph





Inheritance Graph





Contract Functions

Contract	Туре	Bases			
L	Function Name	Visibility	Mutability	Modifiers	
IERC20	Interface				
L	totalSupply	External 🌡		NO	
L	balanceOf	External 🌡		NO	
L	transfer	External 🌡		NO	
L	allowance	External 🌡		NO	
L	approve	External 🌡		NO	
L	transferFrom	External 🎚		NO[
IERC20Metada ta	Interface	IERC20			
L	name	External 🌡		NO[
L	symbol	External 🌡		NO	
L	decimals	External 🌡		NO[
Context	Implementation				
L	_msgSender	Internal 🖺			
L	_msgData	Internal 🖺			
ERC20	Implementation	Context, IERC20, IERC20Metadat a			
L		Public 🌡		NO	
L	name	Public 🌡		МО[



Contract	Туре		Bases	
L	symbol	Public 🌡		NO
L	decimals	Public 🌡		NO
L	totalSupply	Public 🌡		NO[
L	balanceOf	Public 🌡		NO
L	transfer	Public 🌡		NO
L	allowance	Public 🌡		NO
L	approve	Public 🌡		NO
L	transferFrom	Public 🌡		NO
L	increaseAllowan ce	Public 🌡		NOÏ
L	decreaseAllowa nce	Public 🌡		NO[
L	_transfer	Internal 🖺		
L	_mint	Internal 🖺		
L	_burn	Internal 🖺		
L	_approve	Internal 🖺		
L	_spendAllowanc e	Internal 🖺		
L	_beforeTokenTr ansfer	Internal 🖺		
L	_afterTokenTran sfer	Internal 🖺		
IUniswapV2Fac tory	Interface			
L	feeTo	External 🏻		NOÏ



Contract	Туре	Bases		
L	feeToSetter	External 🌡		NO[
L	getPair	External 🌡		NO
L	allPairs	External 🌡		NO
L	allPairsLength	External 🏻		NO[
L	createPair	External 🏻		NO
L	setFeeTo	External 🌡		NO
L	setFeeToSetter	External 🌡		NO[
IUniswapV2Ro uter01	Interface			
L	factory	External 🌡		№
L	WETH	External 🌡		№
L	addLiquidity	External 🏻		NO
L	addLiquidityETH	External 🌡	ŒÐ	NO
L	removeLiquidity	External 🌡		NO
L	removeLiquidity ETH	External 🌡		NO[
L	removeLiquidity WithPermit	External 🌡		NO[
L	removeLiquidity ETHWithPermit	External 🌡		NO[
L	swapExactToke nsForTokens	External 🌡		NO[
L	swapTokensFor ExactTokens	External 🌡		NOÏ



Contract	Туре		Bases	
L	swapExactETHF orTokens	External 🌡	d D	NO[
L	swapTokensFor ExactETH	External 🌡		NO[
L	swapExactToke nsForETH	External 🌡		NO[
L	swapETHForExa ctTokens	External 🌡	ďD	NO[
L	quote	External 🎚		NOÏ
L	getAmountOut	External 🌡		NOĮ
L	getAmountIn	External 🌡		NO
L	getAmountsOut	External 🌡		NOÏ
L	getAmountsIn	External 🏻		МО[
IUniswapV2Ro uter02	Interface	IUniswapV2Rou ter01		
L	removeLiquidity ETHSupportingF eeOnTransferTo kens	External 🌡		NO[
L	removeLiquidity ETHWithPermit SupportingFee OnTransferToke ns	External 🌡		NO
L	swap Exact Toke ns For Tokens Su pporting Fee On Transfer Tokens	External 🌡		иоД
L	swapExactETHF orTokensSuppo	External 🏻	d D	NO[



Contract	Туре	Bases		
	rtingFeeOnTran sferTokens			
L	swapExactToke nsForETHSuppo rtingFeeOnTran sferTokens	External 🌡		NO[
Ownable	Implementation	Context		
L		Public 🌡		NO
L	owner	Public 🌡		NO
L	_checkOwner	Internal 🖺		
L	renounceOwner ship	Public 🌡		onlyOwner
L	transferOwners hip	Public 🌡		onlyOwner
L	_transferOwners hip	Internal 🖺		
WDIStandardT oken	Implementation	ERC20, Ownable		
L		Public 🌡		ERC20
L	getTokenInfo	Public 🌡		NO
L	totalBuyTaxFees	Public 🌡		NO
L	totalSellTaxFees	Public 🌡		NO
L	totalTaxFees	Public 🌡		NO
L	getMarketingBu yTax	External 🏻		МО[
L	getMarketingSe IITax	External 🌡		МО[



Contract	Туре		Bases	
L	getDevBuyTax	External 🌡		NO
L	getDevSellTax	External 🌡		NO
L	getLpBuyTax	External 🌡		NO[
L	getLpSellTax	External 🌡		NO[
L	setExclusionFro mFee	Public 🌡		onlyOwner
L	setExclusionFro mTxLimit	Public 🌡		onlyOwner
L	setExclusionFro mWalletLimit	Public 🌡		onlyOwner
L	updateMarketin gWallet	External 🌡		onlyOwner
L	updateDevWall et	External 🌡		onlyOwner
L	updateMarketin gBuyTax	External 🌡		onlyOwner
L	updateMarketin gSellTax	External 🌡		onlyOwner
L	updateDevBuyT ax	External 🌡		onlyOwner
L	updateDevSellT ax	External 🌡		onlyOwner
L	updateLpBuyTa x	External 🌡		onlyOwner
L	updateLpSellTax	External 🏻		onlyOwner
L	updateMaxWall etAmount	External 🌡		onlyOwner



Contract	Туре		Bases	
L	updateMaxTran sactionAmount	External 🌡		onlyOwner
L	_swapAndAddLi quidity	Internal 🖺		onlySwapping
L	_transfer	Internal 🖺		
L		External 🌡	ap	NO

Function Function can modify is payable



Audit Scope

Audit Method.

Our smart contract audit is an extensive methodical examination and analysis of the smart contract's code that is used to interact with the blockchain. Goal: discover errors, issues and security vulnaribilities in the code. Findings getting reported and improvements getting suggested.

Automatic and Manual Review

We are using automated tools to scan functions and weeknesses of the contract. Transfers, integer over-undeflow checks such as all CWE events.

Tools we use:

Visual Studio Code CWE SWC Solidity Scan SVD

In manual code review our auditor looking at source code and performing line by line examination. This method helps to clarify developer's coding decisions and business logic.

Skeleton Ecosystem

nttps://skeletonecosystem.com

https://github.com/SkeletonEcosystem/Audits

