

2.	от катета $\pm 0,5^\circ$ везде		от гипотенузы $\pm 0,5^\circ$ везде		
	10°	$64,5^\circ$	10°	282°	
	20°	$69,4^\circ$	20°	$287,8^\circ$	
	30°	$74,5^\circ$	30°	$292,8^\circ$	
	40°	$79,2^\circ$	40°	298°	
	50°	$84,4^\circ$	50°	303°	
	60°	$89,4^\circ$	60°	$307,5^\circ$	запрещается нанести
	70°	$94,5^\circ$	70°	312°	
	80°	$99,5^\circ$	80°	318°	
	90°	104°	90°	323°	
	100°	109	100°	328°	
	110°	$114,2^\circ$	110°	333°	
	120°	120°	120°	338°	
	130°	124°	130°	343°	
	140°	129°	140°	$347,5^\circ$	

поляризатор

300° - разр. верт.



200° - разр. гориз.



Необыкновенный: 200°

Обыкновенный: 207.2° - больше

Отр. луч по милли	Угол преломления $\pm 0.5^\circ$		
	обыкновенный	необыкновенный	
10°	64.3°	216°	203.5°
20°	69.3°	211.5°	201.8°
30°	74.5°	209.2°	200.8°
40°	79.3°	208°	200.5°
50°	84.2°	207.1°	200.3°
60°	89.4°	207°	200.3°
70°	94.5°	207°	201.2°
80°	99.5°	207.5°	202°
90°	104.2°	208°	203°

100°	109,5°	209,5°	204°
110°	114°	211°	206°
120°	120°	213°	208,2°
130°	124,5°	215,5°	210,5°
140°	129,2°	218,5°	213,5°

При нормальном падении луча $(59 \pm 0,1)^\circ$ обыкновенный луч интерферирует полнок. Вклуч. отражение. Угол луча: $230^\circ \pm 3^\circ$

Необыкновенный: луча $(51 \pm 0,5)^\circ$

Угол луча: $(225 \pm 4)^\circ$