



## Interactive Visualization with Plotly - Plotly Express - 1

*One should look for what is and not what he thinks should be. (Albert Einstein)*

# Plotly Express: Topic introduction

In this part of the course, we will cover the following concepts:

- Introduction to `plotly express`
- Organize and visualize data with `plotly express`

# Warm up

- Check out this *interactive graphic* from The Guardian about dog breeds and how they are related to each other
- What surprised you?
- What did you already know?

# Module completion checklist

Objective	Complete
Define Plotly Express	
Describe univariate plots in Plotly Express	

# What is `plotly`?

- `Plotly` is a powerful graphing library that is used to create interactive, publication-quality graphs
- In `plotly`, you can create line plots, scatter plots, area charts, bar charts, error bars, box plots, histograms, heatmaps, subplots, multiple-axes, polar charts, and bubble charts
- [Click here](#) for more about `plotly`



# What is different about `plotly express`?

- `plotly express` contains functions that can create entire figures at once
- It can be referred as `plotly express` or `PX`
- `plotly express` is a built-in part of the `plotly` library which is the recommended for creating most common figures
- Using the `plotly express` we can create a majority of the most commonly-used interactive visualizations in data science with single line of code
- With `plotly express`, you can make professional interactive visualizations easily and quickly

# Module completion checklist

Objective	Complete
Define Plotly Express	✓
Describe univariate plots in Plotly Express	

# Load the dataset and libraries

- In this course, we will be using the inbuilt tips dataset that's available in plotly

```
# Load the libraries and the dataset
import plotly.express as px

# Load the dataset
tips_dataset = px.data.tips()
# Top 5 entires of the dataset
tips_dataset.head()
```

	total_bill	tip	sex	smoker	day	time	size
0	16.99	1.01	Female	No	Sun	Dinner	2
1	10.34	1.66	Male	No	Sun	Dinner	3
2	21.01	3.50	Male	No	Sun	Dinner	3
3	23.68	3.31	Male	No	Sun	Dinner	2
4	24.59	3.61	Female	No	Sun	Dinner	4




# Describe univariate plots in `plotly express`

- A univariate plot shows the ins and outs of a single variable
- There are different type of univariate plots available in `plotly express`:
  - Histograms
  - Box plots
  - Strip plots
  - Violin plots
  - ECDF plots
- We will talk about a subset of these univarite plots

# Histograms

- A histogram is a very easy way to visualize the distribution of a single variable. However, with interactive histograms we are not limited to a single variable
- plotly express allows us to create layered histograms, where layers can be toggled
- plotly express also has built-in datasets for use with plotting tools, which we will be using in next slides to create visualization

```
# Create a histogram using plotly function `histogram`
fig = px.histogram(tips_dataset,                                #<- set
dataset                                                    #<- set x
                    x="total_bill",
variable
                    color="day",                             #<- set
grouping variable
                    hover_data = tips_dataset.columns)        #<- add
column names
fig.show()
```




# Histograms (cont'd)

- While that is a gorgeous plot, we might want to make some changes to make it look more professional
- Let's create the plot to measure bill on a daily basis and add the labels, the color scheme and the number of bins

```
fig = px.histogram(tips_dataset,  
                  x="total_bill",  
                  color="day",  
                  hover_data = tips_dataset.columns,  
                  title='Bill by Day',  
                  labels={'total_bill': 'Total Bill'},  
                  nbins=50,  
                  color_discrete_sequence =  
px.colors.sequential.Rainbow_r)  
fig.show()
```


Bill by Day



# Histograms (cont'd)

- Try the following:
  - toggling the different color boxes in the legend
  - hovering over a bin, drawing a box with your mouse on the plot
  - clicking the reset axes button

```
fig = px.histogram(tips_dataset,  
                  x="total_bill",  
                  color="day",  
                  hover_data = tips_dataset.columns,  
                  title='Bill by Day',  
                  labels={'total_bill': 'Total Bill'},  
                  nbins=50,  
                  color_discrete_sequence =  
px.colors.sequential.Rainbow_r)  
fig.show()
```




# Histograms (cont'd)

- Let's create histogram for gender wise total bill and try different `plotly` colors to build histograms
- For more info on colors in `plotly`, click [here](#)

```
fig = px.histogram(tips_dataset,  
                  x="total_bill",  
                  color="sex",  
                  hover_data = tips_dataset.columns,  
                  title='Bill by Gender',  
                  labels={'total_bill': 'Total Bill'},  
                  nbins=50,  
                  color_discrete_sequence =  
px.colors.sequential.Purp)  
fig.show()
```


Bill by Gender



# Box plots

- With interactive box plots, each box plot can be toggled on or off, so all our variables can be visible at once
- We can choose to set the toggle using the `color` attribute
- In this case, we set the `color` attribute to `day` column so we can toggle to analyze the total bill across various days

```
# Construct a box plot using plotly function `box`  
fig = px.box(tips_dataset,  
             y="total_bill",  
             color="day")  
fig.show()
```






# Box plots (cont'd)

- This set of box plots is lovely, but let's increase the level of visual interest
- What if we changed the color sequence, the title, the labels, and added an extra grouping variable?
- While you can toggle the color variable, you can't toggle the x variable, so be sure which grouping you want to be able to toggle

```
fig = px.box(tips_dataset,  
            x='sex',  
            y='total_bill',  
            color='day',  
            labels={'total_bill':'Total Bill', 'sex':'Sex'},  
            title='Total Bill grouped by Day and Sex',  
            color_discrete_sequence =  
px.colors.sequential.Electric)  
fig.show()
```




# Marginal plots

- Marginal plots are small subplots above or to the right of a main plot, use the argument `marginal` to create small box plot above the main histogram

```
# Construct marginal plot by providing marginal argument
fig = px.histogram(tips_dataset, x="total_bill",
                  color="sex",
                  marginal="box",
                  hover_data = tips_dataset.columns,
                  title='Bill by Gender',
                  labels={'total_bill': 'Total Bill'},
                  nbins=50)

fig.show()
```

Bill by Gender





# Knowledge check



# Module completion checklist

Objective	Complete
Define Plotly Express	✓
Describe univariate plots in Plotly Express	✓

# Congratulations on completing this module!

You are now ready to try Tasks 1-3 in the Exercise for this topic

