




Dataset: journal.pone.0216416_Takashi2019_diabetes_type1_dataset_preproce DBSCAN elbow plot 1.0 minPoints **→** 21 **→** 41 22 -- 42 23 - 43 24 - 44 0.5 -25 -- 45 26 Average Silhouette width 27 -- 47 28 -- 48 29 -- 49 0.0 -30 -- 50 31 -- 51 32 -- 52 33 - 53 34 -- 54 35 -- 55 -0.5 **-**36 --56 37 - 57 38 58 39 **--** 59 40 -1.0 **-**40 30 50 **Epsilon**







Dataset: journal.pone.0216416_Takashi2019_diabetes_type1_dataset_preproce Clustering: HDBSCAN Parameters used: minPoints = 3 Cluster 3 1.00 -0.75 -Cluster size (normalized to [0, 1]) 0.50 -0.25 -0.00 -0 3 2 Cluster number

Hyperparameter combinations ranked by its average Silhouette score minPoints = 48 epsilon = 39.46252 minPoints = 47 epsilon = 39.20665 minPoints = 37epsilon = 39.25402 minPoints = 37epsilon = 37.74425 minPoints = 36 epsilon = 37.72093 minPoints = 32 epsilon = 37.3467 minPoints = 23epsilon = 35.96295 minPoints = 22 epsilon = 35.54263minPoints = 21 epsilon = 35.10972 minPoints = 21 epsilon = 33.809360.0 0.5 -1.0-0.51.0

Silhouette score

Dataset: journal.pone.0216416_Takashi2019_diabetes_type1_dataset