Dataset: journal.pone.0158570_S2File_depression_heart_failure_v2.csv

K−Means elbow plot

Dataset: journal.pone.0158570_S2File_depression_heart_failure_v2.csv

Clustering: KMEANS
Parameters used: k = 3

Dataset: journal.pone.0158570_S2File_depression_heart_failure_v2.csv

DBSCAN elbow plot

Dataset: journal.pone.0158570_S2File_depression_heart_failure_v2.csv
Clustering: DBSCAN
Parameters used: minPoints = 43, epsilon = 123.1177

Dataset: journal.pone.0158570_S2File_depression_heart_failure_v2.csv

DBSCAN clustering with visual inspection
Parameters used: minPoints = 29, epsilon = 75

Dataset: journal.pone.0158570_S2File_depression_heart_failure_v2.csv

HDBSCAN elbow plot

Dataset: journal.pone.0158570_S2File_depression_heart_failure_v2.csv

Clustering: HDBSCAN
Parameters used: minPoints = 17

Dataset: journal.pone.0158570_S2File_depression_heart_failure_v2.c

Hyperparameter combinations ranked by its average Silhouette score

Dataset: journal.pone.0158570_S2File_depression_heart_failure_v2.csv

Algorithms ranked by their average Silhouette score