

# Mark Scheme (Results) Summer 2010

GCSE

GCSE Mathematics (5384F)  
Non-Calculator Paper 11F

Edexcel is one of the leading examining and awarding bodies in the UK and throughout the world. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers.

Through a network of UK and overseas offices, Edexcel's centres receive the support they need to help them deliver their education and training programmes to learners.

For further information please call our Customer Services on + 44 1204 770 696, or visit our website at [www.edexcel.com](http://www.edexcel.com).

If you have any subject specific questions about the content of this Mark Scheme that require the help of a **subject specialist**, you may find our Ask The Expert email service helpful.

Ask The Expert can be accessed online at the following link:

<http://www.edexcel.com/Aboutus/contact-us/>

Summer 2010

Publications Code UG024455

All the material in this publication is copyright

© Edexcel Ltd 2010

**NOTES ON MARKING PRINCIPLES****1 Types of mark**

M marks: method marks

A marks: accuracy marks

B marks: unconditional accuracy marks (independent of M marks)

**2 Abbreviations**

cao - correct answer only

isw - ignore subsequent working

oe - or equivalent (and appropriate)

indep - independent

ft - follow through

SC: special case

dep - dependent

**3 No working**

If no working is shown then correct answers normally score full marks

If no working is shown then incorrect (even though nearly correct) answers score no marks.

**4 With working**

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If it is clear from the working that the “correct” answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.

If there is no answer on the answer line then check the working for an obvious answer.

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks. Discuss each of these situations with your Team Leader.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

**5 Follow through marks**

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

**6 Ignoring subsequent work**

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: e.g. incorrect canceling of a fraction that would otherwise be correct

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect e.g. algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

**7 Probability**

Probability answers must be given as fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

**8 Linear equations**

Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded.

**9 Parts of questions**

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

**10 Range of answers**

Unless otherwise stated, when an answer is given as a range (e.g. 3.5 - 4.2) then this is inclusive of the end points (e.g. 3.5, 4.2) and includes all numbers within the range (e.g. 4, 4.1)

5384F/11F				
Question	Working	Answer	Mark	Notes
1 (a)		116	1	B1 cao
(b)		-11	1	B1 cao
(c)		6.77	1	B1 cao
(d)		5	1	B1 cao
2 (a)		6.5	1	B1 for $6.5 \pm 0.2$
(b)		35	1	B1 for $35 \pm 2$
3 (a)	$\frac{44}{50}$	$\frac{22}{25}$	2	M1 for $\frac{44}{50}$ A1 for $\frac{22}{25}$ cao
(b)	$\frac{33}{50} \times 100$	66	2	M1 for $\frac{33}{50} \times 100$ o.e. A1 cao or M1 for attempt to write 33 out of 50 as a fraction out of 100 or a decimal eg $\frac{33}{50} \times \frac{2}{2}$ or $\frac{66}{100}$ or 0.66 A1 cao

Question	Working	Answer	Mark	Notes
4		L1R3 (L2R1) L3R4 L4R2	2	B2 for all correct (B1 for 1 correct)
5	$42 - 12 = 30$ $30 \div 2 = 15$	15	2	M1 for $42 - 12 \div 2$ oe A1 cao or M1 for $2x + 12 = 42$ oe A1 cao or M1 for a correctly labelled flow diagram/number machine A1 cao  SC B1 for 9
6	$55 \div 5 = 11$ , $11 \times 7$ or $55 \times 7 = 385$ , $385 \div 5$	77	2	M1 for $55 \div 5$ or 11 seen or $5 \times 7$ or 385 seen A1 for 77 or £0.77(p)
7 (a)	$2x + x + x$	Explanation	1	B1 for $2x + x + x$ oe seen
(b)		7	2	M1 for $28 \div 4$ oe or $4x = 28$ A1 cao

Question	Working	Answer	Mark	Notes
8 (a)		Accurate drawing	2	B2 cao (any orientation) $\pm 2\text{mm}$ (B1 for any isometric drawing of a cuboid) Ignore presence of hidden lines
(b)	$3 \times 4$	12	2	M1 for a correct method to find the area of one 'face' of the cuboid A1 cao or ft from (a)
9 (a)	$600 + 500 + 600 + 500 = 2200$	2.2(00)	3	M1 for $\Sigma$ weights or digits 22 M1 for '2200' $\div 1000$ A1 for 2.2(00) or 2 kg 200g
(b)	$2.79 + 1.85 + 1.85 = 6.49$	6.49	2	M1 for $2.79 + 1.85 + 1.85$ oe or $279 + 185 + 185$ oe or 649 seen A1 for 6.49  SC B1 for 4.64
10 (a)		$m^3$	1	B1 cao
(b)	$2 \times 5 + 12$	22	2	M1 for $2 \times 5$ or 10 seen A1 cao
(c)	$22 = 4w - 2$ $w = (22 + 2) \div 4$	6	2	M1 for $22 = 4w - 2$ or $22 + 2 \div 4$ oe A1 cao

Question	Working	Answer	Mark	Notes
11 (a)	$4 \times 6$	24	2	M1 for $4 \times 6$ A1 cao
(b)	$24 \div 6 = 4$ $4 \div 2 = 2$	2	2	M1 for ' $24$ ' $\div 6 \div 2$ oe eg ' $24$ ' $\div 12$ A1 (ft)
12 (i)	$180 - 110 = 70$ $180 - 2 \times 70$	40	4	M1 for $180 - 110$ or 70 seen M1 for $180 - 2 \times "70"$ or $110 - '70'$ A1 cao
(ii)		Reasons		B1 for two out of three of: angles on a (straight) line add to $180^\circ$ ; isosceles triangle (accept 2 sides equal or 2 angles equal); sum of angles in a triangle is equal to $180^\circ$  <b>OR</b>  B1 for two out of three of: angles on a (straight) line add to $180^\circ$ ; isosceles triangle (accept 2 sides equal or 2 angles equal); exterior angle of a triangle is equal to the sum of the opposite interior angles



Question	Working	Answer	Mark	Notes
13	$300 \div 6 = 50$ $300 \div 10 \times 3 = 90$ $300 - 50 - 90$  or $\frac{1}{6} + \frac{3}{10} = \frac{7}{15}$ $\frac{7}{15} \times 300 = 140$  $300 - 140$	160	4	M1 for $300 \div 6$ or 50 seen M1 for $300 \div 10 \times 3$ oe or $30 + 30 + 30$ or 90 seen M1 (dep on at least 1 previous M1) for $300 - "50" - "90"$ A1 cao  or M1 for $\frac{1}{6} + \frac{3}{10}$ or $\frac{7}{15}$ oe  M1 for $"\frac{7}{15}" \times 300$ or 140 seen or $1 - "\frac{7}{15}"$ or $\frac{8}{15}$ o.e. seen M1 (dep on at least 1 previous M1) for $300 - '140'$ or 160 seen or $"\frac{8}{15}" \times 300$ A1 cao

Question	Working	Answer	Mark	Notes
14	$40 \div (2 + 3) = 8$ $8 \times 2$ $8 \times 3$	16, 24	3	M1 for $40 \div (2 + 3)$ oe or 8 seen or $\frac{2}{5}$ seen or $\frac{3}{5}$ seen or listing at least 3 multiples of 2 and 3 M1 for ' $8$ ' $\times 2$ or ' $8$ ' $\times 3$ oe A1 for 16 and 24 in correct places  SC : B2 for 24, 16 SC: If M0 scored, B1 for just one correct answer in the correct place
15 (a)		3, -3, -1	2	B2 for all 3 correct (B1 for 1 or 2 correct)
(b)		Graph	2	B2 for a fully correct graph  or  B1 ft for "7 points" plotted correctly $\pm 2$ mm B1 for smooth curve drawn through their points provided B1 awarded in (a)  Note: A straight line drawn from (-1, -3) to (0, -3) gets a maximum of B1
(c)		-2.3 and 1.3	1	B1 for -2.3 and 1.3 or ft $\pm 2$ mm on a graph with exactly 2 points of intersection with the x axis

Question	Working	Answer	Mark	Notes
16		Triangle at (1,-2), (-1, -2), (1, -5)	2	B2 for triangle at (1, -2), (-1, -2), (1, -5) (B1 for rotation of $180^\circ$ about the wrong centre) or for a rotation of $90^\circ$ , centre (1,0) clockwise or anticlockwise.
17		Translation by $\begin{pmatrix} 3 \\ -2 \end{pmatrix}$	2	B1 for translation B1 (indep) for $\begin{pmatrix} 3 \\ -2 \end{pmatrix}$ or 3 to the right and 2 down oe  Note: B0 if more than one transformation given.
18	$8x - 12 = 5x + 7$ $8x - 5x = 7 + 12$ $3x = 19$	$\frac{19}{3}$ oe	3	M1 for $4 \times 2x - 4 \times 3$ or $8x - 12$ seen or an intent to divide by 4 throughout eg $\frac{5x+7}{4}$ oe seen M1 for correct method to isolate terms in $x$ <b>and</b> isolate number terms on opposite sides of a 4 term equation eg ' $8x$ ' - $5x = 7 + '12'$ or $3x = 19$ A1 for $\frac{19}{3}$ oe (accept 6.33 or better)

Further copies of this publication are available from  
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467  
Fax 01623 450481

Email [publications@linneydirect.com](mailto:publications@linneydirect.com)

Order Code UG024455  
June 2010

For more information on Edexcel qualifications, please visit [www.edexcel.com/quals](http://www.edexcel.com/quals)

Edexcel Limited. Registered in England and Wales no.4496750  
Registered Office: One90 High Holborn, London, WC1V 7BH