Centre No.			Paper Reference		Surname	Initial(s)						
Candidate No.			5	5	4	3	H	/	11	В	Signature	

Paper Reference(s)

5543H/11B Edexcel GCSE

Mathematics B (Modular) - 2544

Paper 11 – Section B (Non-Calculator)

Higher Tier

Unit 3 Test

Monday 18 June 2007 – Afternoon

Time for Section B: 30 minutes

Materials required for examination

Ruler graduated in centimetres and millimetres, protractor, compasses, pen, HB pencil, eraser.
Tracing paper may be used.

Items included with question papers

Nil

Instructions to Candidates

In the boxes above, write your centre number, candidate number, your surname, initials and signature. Check that you have the correct question paper.

Answer ALL the questions. Write your answers in the spaces provided in this question paper.

You must NOT write on the formulae page. Anything you write on the formulae page will gain NO credit.

If you need more space to complete your answer to any question, use additional answer sheets.

Information for Candidates

The marks for individual questions and the parts of questions are shown in round brackets: e.g. (2). This section has 9 questions. The total mark for this section is 25. The total mark for this paper is 50. There are 8 pages in this question paper. Any blank pages are indicated. Calculators may be used for Section A only.

Advice to Candidates

Show all stages in any calculations.

Work steadily through the paper. Do not spend too long on one question.

If you cannot answer a question, leave it and attempt the next one.

Return at the end to those you have left out.

This publication may be reproduced only in accordance with Edexcel Limited copyright policy.

©2007 Edexcel Limited.

N29459A W850/R5543H/57570 6/6/6





Examiner's use only

Team Leader's use only


GCSE Mathematics (Modular) 2544

Formulae: Higher Tier

You must not write on this formulae page.


Anything you write on this formulae page will gain NO credit.

Volume of a prism = area of cross section \times length




Volume of sphere $=\frac{4}{3}\pi r^3$

Surface area of sphere = $4\pi r^2$




Volume of cone $=\frac{1}{3}\pi r^2 h$

Curved surface area of cone = πrl



In any triangle ABC



The Quadratic Equation

The solutions of $ax^2 + bx + c = 0$ where $a \ne 0$, are given by

$$x = \frac{-b \pm \sqrt{(b^2 - 4ac)}}{2a}$$

Sine Rule $\frac{a}{\sin A} = \frac{b}{\sin B} = \frac{c}{\sin C}$

Cosine Rule $a^2 = b^2 + c^2 - 2bc \cos A$

Area of triangle $=\frac{1}{2}ab \sin C$

Leave blank **SECTION B** Answer ALL NINE questions. Write your answers in the spaces provided. You must write down all stages in your working. You must NOT use a calculator for this section. **1.** Here is a trapezium. Diagram NOT accurately drawn 5 cm -10 cm Work out the area of the trapezium. $..... cm^2 \\$ Q1 (Total 2 marks) **2.** Here are the first five terms of an arithmetic sequence. 7 4 10 13 16 Find, in terms of n, an expression for the nth term of the sequence.

3

Q2

(Total 2 marks)

3.	Work out 25.6 × 1.6 You must show all your working.	Leave	
	(Total 3 marks)	Q3	
4.	Bob measures the length of his book. The length of the book is 22 cm correct to the nearest centimetre. (i) Write down the maximum possible length it could be.		
	cm		
	(ii) Write down the minimum possible length it could be.		
	cm (Total 2 marks)	Q4	
5.	Write 450 000 in standard form.		
		Q5	
	(Total 1 mark)		

6.	(a)	Expand $3(5p-2)$		blank
	(b)	Expand and simplify $3(2x+1) + 2(3x-1)$	(1)	
	(c)	Factorise $a^2 - 16a + 64$	(2)	
7.	(a)	Work out $3^6 \div 3^2$	(2) (Total 5 marks)	Q6
	(b)	Write down the value of $36^{\frac{1}{2}}$	(1)	
	(c)	$3^n = \frac{1}{9}$ Find the value of n .	(1)	
			n =(1) (Total 3 marks)	Q 7

Leave blank **8.** Diagram **NOT** accurately drawn 0 P and Q are two points on a circle centre O. The tangents to the circle at P and Q intersect at the point T. (a) Write down the size of angle OQT. **(1)** (b) Calculate the size of the obtuse angle POQ. **(2)** (c) Give reasons why angle PQT is 70° **(2) Q8** (Total 5 marks)

9. Write $\frac{x}{x-2} - \frac{3}{x(x-2)}$ as a single fraction in its simplest form. Description of the property o
(Total 2 marks) TOTAL FOR SECTION B: 25 MARKS
(Total 2 marks) TOTAL FOR SECTION B: 25 MARKS
(Total 2 marks) TOTAL FOR SECTION B: 25 MARKS
(Total 2 marks) TOTAL FOR SECTION B: 25 MARKS
(Total 2 marks) TOTAL FOR SECTION B: 25 MARKS
(Total 2 marks) TOTAL FOR SECTION B: 25 MARKS
(Total 2 marks) TOTAL FOR SECTION B: 25 MARKS
(Total 2 marks) TOTAL FOR SECTION B: 25 MARKS
(Total 2 marks) TOTAL FOR SECTION B: 25 MARKS
(Total 2 marks) TOTAL FOR SECTION B: 25 MARKS
(Total 2 marks) TOTAL FOR SECTION B: 25 MARKS
(Total 2 marks) TOTAL FOR SECTION B: 25 MARKS
(Total 2 marks) TOTAL FOR SECTION B: 25 MARKS
(Total 2 marks) TOTAL FOR SECTION B: 25 MARKS
(Total 2 marks) TOTAL FOR SECTION B: 25 MARKS
(Total 2 marks) TOTAL FOR SECTION B: 25 MARKS
(Total 2 marks) TOTAL FOR SECTION B: 25 MARKS
(Total 2 marks) TOTAL FOR SECTION B: 25 MARKS
(Total 2 marks) TOTAL FOR SECTION B: 25 MARKS
(Total 2 marks) TOTAL FOR SECTION B: 25 MARKS
TOTAL FOR SECTION B: 25 MARKS
TOTAL FOR SECTION B: 25 MARKS
TOTAL FOR PAPER: 50 MARKS
END

