
Oregon State University

Diagram Notations - UML



Announcement

- Sprint 3 is done
- Sprint 2 grading by Thu
- Informal feedback on class (google form) today



Some UML diagrams

- Activity Diagram
- Class Diagram
- Communication Diagram
- Component Diagram
- Composite Structure Diagram
- Deployment Diagram
- Interaction Overview Diagram
- Object Diagram
- Package Diagram
- Sequence Diagram
- State Machine Diagram
- Timing Diagram
- Use Case Diagram



Use Case Diagrams

- Use Case Diagram at its simplest is a representation of a user's interaction with a system.
- Use Cases similar to User Stories, but more formal and more complex



Use Case Includes

- Summary of usage requirements
- From users point of view
- Basic Course of Events
- Alternative Paths
- Preconditions / Postconditions




Actor

UseCase

"Participates-In" association





Includes vs. Generalization vs. Extends

• Use "includes" when you are repeating yourself in two or more separate use cases and you want to avoid repetition.



Include

Factors use cases into additional ones


The control of the control



Includes vs. Generalization vs. Extends

- Use "includes" when you are repeating yourself in two or more separate use cases and you want to avoid repetition.
- Use "generalization", when you have a use case that is a special type of another use case

Generalization





Includes vs. Generalization vs. Extends


- Use "includes" when you are repeating yourself in two or more separate use cases and you want to avoid repetition.
- Use "generalization", when you have a use case that is a special type of another use case
- Use "extends" when you are describing a variation on normal behavior - you can completely reuse another's behavior, but is dependent either on runtime or system implementation decision

Extends

Variation to normal behavior

Factors use cases into additional ones

Normal behavior



Exercise

• Get (buy/rent) the (SE) book from Amazon



Class Diagrams



But first, Object Terminology Review

- An object mirrors real world entity
- Examples:
 - Person, student, book, card, game, etc.



Object Terminology Review

- Objects Contain (class):
 - attributes (variables)
 - functionality (methods)
- Objects can have properties or be acted upon



Inheritance

- Allows one Class to automatically "assume" the attributes of another class
- Defines an "is a" relationship for classes



Building an Object Oriented Model

Our model should:

- represent entities
- show connections and interactions
- show enough detail to evaluate designs



Classes

A class describes a group of objects with:

- similar properties (attributes)
- common behavior (operations)
- common relationships
- common meaning



Example class:

```
employee:
```


has a name, employee#, department

an employee is

hired, fired;

an employee works in one or more projects







UML Class Diagram parts

Objects do not exist in isolation UML supports:

- Association
- Aggregation and Composition
- Generalization
- Dependency




Class Associations

- Most generic kind of relationship
 - Instructor <teaches a> class
 - Kid <plays with a > friend
 - Employee <works in an> office

:Employee	Works in	:Office
-name -employee number -department +works in a project()		-Number of rooms -Number of desks
	+add employee() +remove employee()	
+get fired()		I 7 V



Example of an association class




Aggregation and Composition

- Aggregation a more specific kind of relationship
 - "has-a-relationship"
 - "is a part of relationship"
 - part can exist independent of the whole
- bird <is-part-of-a> flock, airplane type <has-a> engine model
- Composition: more specific yet
 - consists-of relationship
 - contains relationship
 - part cannot exist independent of the whole
- house <consists-of a> room, university <contains a> department



Aggregation and Composition example




Generalization

- <child> is more specific versions of the <parent>
- <child> inherits attributes, associations, & operations from the <parent>
- <child> can override an inherited aspect



Generalization example





Example: University system

- 1. System records for each university employee
 - Details
 - (mailing) Address
- 2. Students
 - buy parking pass
 - enroll in classes
 - enroll in (health) seminars
- Faculty
 - buy parking pass
 - write grant funding
 - teach classes



Example








Exercise

- Book buying in Amazon system
 - Specific book versions may have differences (online, hard copy, soft copy)
 - Books are written by authors
 - Books have reviews
 - A user (or their account)





http://www.uml-diagrams.org/class-diagrams-overview.html



Informal Early Feedback

• http://tinyurl.com/cs361-ief