Panoramic X-ray Readout (Mock)

Category: 23_Dental_Scans
Scan Date: 2015-07-01
Index Note: Image-only (no text layer)

This synthetic page simulates an image-only scan for pipeline testing. All identifiers are fictitious; use for ingestion, OCR, and indexing QA. Handwritten-like marks, stamps, and tables are intentionally inconsistent.

Handwritten-like marks, stamps, and tables are intentionally inconsistent. This synthetic page simulates an image-only scan for pipeline testing. Do not intermingle with real PII – this data is entirely mock. Legibility varies due to skew, copier noise, and mixed templates.

R1C1	R1C2	R1C3
R2C1	R2C2	R2C3
R3C1	R3C2	R3C3
R4C1	R4C2	R4C3

Panoramic X-ray Readout (Mock)

Category: 23_Dental_Scans
Scan Date: 2015-07-01
Index Note: Image-only (no text layer)

This synthetic page simulates an image-only scan for pipeline testing. Handwritten-like marks, stamps, and tables are intentionally inconsistent. All identifiers are fictitious; use for ingestion, OCR, and indexing QA. Do not intermingle with real PII - this data is entirely mock.

Page includes unit refs, dates, and procedural notes for realism. Do not intermingle with real PII - this data is entirely mock. This synthetic page simulates an image-only scan for pipeline testing. Legibility varies due to skew, copier noise, and mixed templates.

RECEIVED

Panoramic X-ray Readout (Mock)

Category: 23_Dental_Scans

Scan Date: 2015-07-01

Index Note: Image-only (no text layer)

Legibility varies due to skew, copier noise, and mixed templates. This synthetic page simulates an image-only scan for pipeline testing. Page includes unit refs, dates, and procedural notes for realism.

Do not intermingle with real PII - this data is entirely mock. Page includes unit refs, dates, and procedural notes for realism. Handwritten-like marks, stamps, and tables are intentionally inconsistent.

RECEIVED