

SF 600 Chronological Record of Medical Care

Category: 02_Service_Treatment_Records_Scans
Scan Date: 2009-05-08
Index Note: Image-only (no text layer)

Page includes unit refs, dates, and procedural notes for realism. This synthetic page simulates an image-only scan for pipeline testing. All identifiers are fictitious; use for ingestion, OCR, and indexing QA. Do not intermingle with real PII - this data is entirely mock. Handwritten-like marks, stamps, and tables are intentionally inconsistent.

This synthetic page simulates an image-only scan for pipeline testing. Page includes unit refs, dates, and procedural notes for realism. Do not intermingle with real PII - this data is entirely mock. Handwritten-like marks, stamps, and tables are intentionally inconsistent. All identifiers are fictitious; use for ingestion, OCR, and indexing QA.

R1C1	R1C2	R1C3	R1C4	R1C5
R2C1	R2C2	R2C3	R2C4	R2C5
R3C1	R3C2	R3C3	R3C4	R3C5
R4C1	R4C2	R4C3	R4C4	R4C5

SF 600 Chronological Record of Medical Care

Category: 02_Service_Treatment_Records_Scans

Scan Date: 2009-05-08

Index Note: Image-only (no text layer)

Legibility varies due to skew, copier noise, and mixed templates. All identifiers are fictitious; use for ingestion, OCR, and indexing QA. Handwritten-like marks, stamps, and tables are intentionally inconsistent. This synthetic page simulates an image-only scan for pipeline testing.

Page includes unit refs, dates, and procedural notes for realism. This synthetic page simulates an image-only scan for pipeline testing. Handwritten-like marks, stamps, and tables are intentionally inconsistent.

RECEIVED

SF 600 Chronological Record of Medical Care

Category: 02_Service_Treatment_Records_Scans

Scan Date: 2009-05-08

Index Note: Image-only (no text layer)

All identifiers are fictitious; use for ingestion, OCR, and indexing QA. This synthetic page simulates an image-only scan for pipeline testing. Page includes unit refs, dates, and procedural notes for realism. Handwritten-like marks, stamps, and tables are intentionally inconsistent. Legibility varies due to skew, copier noise, and mixed templates.

All identifiers are fictitious; use for ingestion, OCR, and indexing QA. Do not intermingle with real PII - this data is entirely mock. This synthetic page simulates an image-only scan for pipeline testing. Legibility varies due to skew, copier noise, and mixed templates. Handwritten-like marks, stamps, and tables are intentionally inconsistent.