

v0.1.2 UAT Test Plan

Sunday 2026-03-29 - Manual UAT Execution

Prepared by: GPT-4o (Architect) | Reviewed by: Claude Opus 4.6 (Engineer) | QA Executor: Skip Snow
Total: 34 test cases | Estimated: 5 hours | Generated: 2026-03-28 10:03 PST

Stop Criterion

Stop when all P1 cases pass and no P1 failures are open.

Test Schedule

- Provider Search: 30 minutes
- Specialty Identification: 25 minutes
- Clinical Trials Search: 25 minutes
- About ChatHealthy / Skip Snow: 20 minutes
- Safety Filter: 20 minutes
- Lead Capture: 20 minutes
- HIPAA Consent Flow: 25 minutes
- External Provider Lookup: 20 minutes
- URL Guardian: 20 minutes
- Chat UX: 25 minutes
- Validated Provider Web Research: 15 minutes
- Unanswerable Questions: 15 minutes

Total: ~260 minutes (4.3 hours)

Test Cases by Feature

Feature 1: Provider Search

P1

Acceptance Criteria

- Search returns a maximum of 10 results.
- Filters by city, county, and state are functional for DE and MS.

Test Cases

TC-001

Input: Search for 'cardiologist' in 'Jackson, MS'

Expected: List of up to 10 cardiologists in Jackson, MS

Pass/Fail: Pass if 10 or fewer results are returned, fail otherwise

Result: ☐ PASS ☐ FAIL Notes: _____

TC-002

Input: Search for 'dentist' in 'Wilmington, DE'

Expected: List of up to 10 dentists in Wilmington, DE

Pass/Fail: Pass if 10 or fewer results are returned, fail otherwise

Result: ☐ PASS ☐ FAIL Notes: _____

TC-003

Input: Search for 'pediatrician' with no location

Expected: Error message or prompt to enter location

Pass/Fail: Pass if user is prompted for location, fail otherwise

Result: ☐ PASS ☐ FAIL Notes: _____

Feature 2: Specialty Identification

P1

Acceptance Criteria

- AI query expansion provides relevant specialties.
- NUCC taxonomy lookup is accurate.

Test Cases

TC-004

Input: Query 'heart specialist'

Expected: Includes 'cardiologist' in results

Pass/Fail: Pass if 'cardiologist' is included, fail otherwise

Result: ☐ PASS ☐ FAIL Notes: _____

TC-005

Input: Query 'skin doctor'

Expected: Includes 'dermatologist' in results

Pass/Fail: Pass if 'dermatologist' is included, fail otherwise

Result: ☐ PASS ☐ FAIL Notes: _____

TC-006

Input: Query 'eye care'

Expected: Includes 'ophthalmologist' in results

Pass/Fail: Pass if 'ophthalmologist' is included, fail otherwise

Result: ☐ PASS ☐ FAIL Notes: _____

Feature 3: Clinical Trials Search

P2

Acceptance Criteria

- Search returns recruiting studies only.
- Condition and location filters are functional.

Test Cases

TC-007

Input: Search for 'diabetes' trials in 'MS'

Expected: List of recruiting diabetes trials in MS

Pass/Fail: Pass if only recruiting trials are listed, fail otherwise

Result: ☐ PASS ☐ FAIL Notes: _____

TC-008

Input: Search for 'cancer' trials in 'DE'

Expected: List of recruiting cancer trials in DE

Pass/Fail: Pass if only recruiting trials are listed, fail otherwise

Result: ☐ PASS ☐ FAIL Notes: _____

TC-009

Input: Search for 'asthma' trials with no location

Expected: Error message or prompt to enter location

Pass/Fail: Pass if user is prompted for location, fail otherwise

Result: ☐ PASS ☐ FAIL Notes: _____

Feature 4: About ChatHealthy / Skip Snow

P3

Acceptance Criteria

- Q&A is contextually accurate based on provided PDFs.
- Information is up-to-date and relevant.

Test Cases

TC-010

Input: Ask 'What is ChatHealthy?'

Expected: Accurate description of ChatHealthy

Pass/Fail: Pass if description matches business plan, fail otherwise

Result: ☐ PASS ☐ FAIL Notes: _____

TC-011

Input: Ask 'Who is Skip Snow?'

Expected: Accurate professional background of Skip Snow

Pass/Fail: Pass if background matches LinkedIn PDF, fail otherwise

Result: ☐ PASS ☐ FAIL Notes: _____

Feature 5: Safety Filter

P1

Acceptance Criteria

- Triggers on 26 keywords with appropriate response.
- Semantic classifier operates at 0.80 confidence threshold.

Test Cases

TC-012

Input: Message containing 'suicide'

Expected: Emergency response triggered

Pass/Fail: Pass if emergency response is triggered, fail otherwise

Result: ☐ PASS ☐ FAIL Notes: _____

TC-013

Input: Message containing 'chest pain'

Expected: Emergency response triggered

Pass/Fail: Pass if emergency response is triggered, fail otherwise

Result: ☐ PASS ☐ FAIL Notes: _____

TC-014

Input: Message containing 'pain'

Expected: Probe response triggered

Pass/Fail: Pass if probe response is triggered, fail otherwise

Result: ☐ PASS ☐ FAIL Notes: _____

Feature 6: Lead Capture (Follow-Up Offer)

P2

Acceptance Criteria

- Follow-up offer triggered on every 5th user message (RULE 6 in system prompt)
- System asks: Would you like someone from the ChatHealthy.AI team to follow up with you personally?
- If user shows interest: collect email, then trigger HIPAA consent flow
- Duplicate email detection: if email already exists in DB, do not create new record
- Refusal respected: if user declines, do not ask again in same session

Test Cases

TC-016

Input: Send 5 messages (greeting, provider search, follow-up, specialty question, another question). Observe if follow-up offer appears.

Expected: After 5th message, assistant asks if user wants someone to follow up personally

Pass/Fail: Pass if follow-up offer appears after 5th user message

Result: ☐ PASS ☐ FAIL Notes: _____

TC-017

Input: Accept follow-up offer, provide email test_uat_YYYYMMDD@test.com

Expected: Email captured, consent flow initiated

Pass/Fail: Pass if system asks for consent after capturing email

Result: ☐ PASS ☐ FAIL Notes: _____

TC-018

Input: Try to submit the same email again in a new session

Expected: Duplicate detected, no new record created

Pass/Fail: Pass if system recognizes duplicate and does not create new record

Result: ☐ PASS ☐ FAIL Notes: _____

TC-018b

Input: Decline the follow-up offer. Continue chatting. Observe if offer repeats.

Expected: System respects refusal and does not re-ask

Pass/Fail: Pass if no repeat offer after user declines

Result: ☐ PASS ☐ FAIL Notes: _____

Feature 7: HIPAA Consent Flow (Two-Tier)

P1

Acceptance Criteria

- System asks Tier 1: May we save a verbatim transcript of this conversation with your contact details?
- If Tier 1 declined, system asks Tier 2: May we save a de-identified summary instead?
- Tier 1 Yes: full chat_history stored verbatim with consent_verbatim=true
- Tier 1 No + Tier 2 Yes: LLM summarizes, deidentify scrubs PII, stored in notes with consent_summary=true
- Both declined: contact fields only, no history stored

Test Cases

TC-019

Input: Conversation: ask about providers, provide email when asked. When asked 'May we save a verbatim transcript?' answer YES.

Expected: Record stored with consent_verbatim=true and full chat_history array

Pass/Fail: Pass if MongoDB record has consent_verbatim=true and chat_history is non-empty array

Result: ☐ PASS ☐ FAIL Notes: _____

TC-020

Input: Same flow, answer NO to verbatim. When asked 'May we save a de-identified summary?' answer YES.

Expected: Record stored with consent_summary=true, notes contains de-identified summary, no chat_history

Pass/Fail: Pass if consent_verbatim=false, consent_summary=true, notes has text, no chat_history field

Result: ☐ PASS ☐ FAIL Notes: _____

TC-021

Input: Same flow, answer NO to both verbatim and summary.

Expected: Record stored with email and name only. No chat_history, no notes with conversation content.

Pass/Fail: Pass if consent_verbatim=false, consent_summary=false/null, no chat_history

Result: ☐ PASS ☐ FAIL Notes: _____

TC-021b

Input: Provide email, consent verbatim. Verify the consent exchange itself is included in stored chat_history.

Expected: The consent question and answer are part of the stored transcript (evidence of consent)

Pass/Fail: Pass if chat_history contains the consent question and user answer

Result: ☐ PASS ☐ FAIL Notes: _____

Feature 8: External Provider Lookup

P2

Acceptance Criteria

- Constructs valid search URLs for Healthgrades, Zocdoc, etc.
- URLs are functional and accurate.

Test Cases

TC-021

Input: Lookup 'Dr. Smith' on Healthgrades

Expected: Valid Healthgrades URL constructed

Pass/Fail: Pass if URL is valid, fail otherwise

Result: ☐ PASS ☐ FAIL Notes: _____

TC-022

Input: Lookup 'Dr. Jones' on Zocdoc

Expected: Valid Zocdoc URL constructed

Pass/Fail: Pass if URL is valid, fail otherwise

Result: ☐ PASS ☐ FAIL Notes: _____

Feature 9: URL Guardian

P1

Acceptance Criteria

- Validates URLs in tool results and LLM text.
- Defangs broken links appropriately.

Test Cases

TC-023

Input: Validate URL 'https://example.com'

Expected: URL is validated successfully

Pass/Fail: Pass if URL is validated, fail otherwise

Result: ☐ PASS ☐ FAIL Notes: _____

TC-024

Input: Validate broken URL 'https://broken-link.com'

Expected: Link is defanged

Pass/Fail: Pass if link is defanged, fail otherwise

Result: ☐ PASS ☐ FAIL Notes: _____

Feature 10: Chat UX

P2

Acceptance Criteria

- Think timer displays elapsed seconds.
- Stop/dismiss button is functional.

Test Cases

TC-025

Input: Initiate chat and observe think timer

Expected: Timer displays elapsed seconds

Pass/Fail: Pass if timer is accurate, fail otherwise

Result: ☐ PASS ☐ FAIL Notes: _____

TC-026

Input: Press stop/dismiss button during chat

Expected: Chat is stopped/dismissed

Pass/Fail: Pass if chat stops, fail otherwise

Result: ☐ PASS ☐ FAIL Notes: _____

Feature 12: Validated Provider Web Research

P2

Acceptance Criteria

- Constructs and validates external links.
- Converts broken links to text.

Test Cases

TC-027

Input: Request more info on 'Dr. White'

Expected: Valid external links constructed

Pass/Fail: Pass if links are valid, fail otherwise

Result: ☐ PASS ☐ FAIL Notes: _____

TC-028

Input: Request info on provider with broken link

Expected: Broken link converted to text

Pass/Fail: Pass if link is converted, fail otherwise

Result: ☐ PASS ☐ FAIL Notes: _____

Feature 13: Unanswerable Question Handling

P1

Acceptance Criteria

- When the answer is not in the provided context documents, system calls record_unknown_question BEFORE responding
- System does NOT hedge (no 'I think', 'probably', 'might')
- Unknown question is stored de-identified in AboutUs.AboutSkip collection
- System still provides a helpful response after recording the question

Test Cases

TC-037

Input: Ask: What is the capital of France?

Expected: System calls record_unknown_question (not in context docs), then responds honestly that this is outside its scope

Pass/Fail: Pass if question is recorded to DB and response does not use hedging language

Result: ☐ PASS ☐ FAIL Notes: _____

TC-038

Input: Ask: What medications should I take for my condition?

Expected: System declines personal medical advice (RULE 3), calls record_unknown_question

Pass/Fail: Pass if system declines advice and records the question

Result: ☐ PASS ☐ FAIL Notes: _____

TC-039

Input: Ask: When was ChatHealthy founded? (answer not in context docs)

Expected: System calls record_unknown_question rather than guessing

Pass/Fail: Pass if system does NOT fabricate an answer and records the question

Result: ☐ PASS ☐ FAIL Notes: _____

TC-040

Input: Ask: Does ChatHealthy accept insurance?

Expected: System records unknown question, responds honestly that it does not know

Pass/Fail: Pass if no hedging, question recorded, honest response

Result: ☐ PASS ☐ FAIL Notes: _____

Exploratory Testing Suggestions

- Test provider search with special characters in the input.
- Attempt to trigger safety filter with near-miss keywords.
- Enter invalid email formats in lead capture.
- Test HIPAA consent flow with rapid tier switching.
- Validate URLs with unusual domain extensions.

Pre-Validated by Claude (2026-03-28)

- Safety filter edge cases: 10/10 pass (pain->PROBE, chest pain->EMERGENCY, suicide->EMERGENCY, etc.)
- State carryover: 3/3 pass (DE carries across city and county follow-ups)
- E2E regression: 13/14 pass (1 transient failure during HF rebuild)
- Code scan: all print/console.log clean, all API/DB calls wrapped in try/except
- Blob storage: admin + dev-brain containers created, deprecated container deleted

Sign-off

QA Executor (Skip Snow) _____ Date: _____

Implementation Engineer (Claude Opus 4.6) _____ Date: _____

Enterprise Architect (GPT-4o) _____ Date: _____