

```
MINGW64:/c/Users/Alvar
Alvar@Skipz MINGW64 ~
$ git --version
git version 2.55.0.windows.5

Alvar@Skipz MINGW64 ~
$ |
```

```
MINGW64:/c/Users/Alvar
Alvar@Skipz MINGW64 ~
$ git --version
git version 2.55.0.windows.5


Alvar@Skipz MINGW64 ~
$ git config --global user.name "Alvaro Figueiredo"


Alvar@Skipz MINGW64 ~
$ git config --global user.email "alvarofig010@outlook.com"

Alvar@Skipz MINGW64 ~
$ git config --global core.editor notepad

Alvar@Skipz MINGW64 ~
$
```

```
MINGW64/c/Users/Alvar
Alvar@Skipz MINGW64 ~
$ git --version
git version 2.35.0.windows.5
Alvar@Skipz MINGW64 ~
$ git config --global user.name "Alvaro Figueiredo"
Alvar@Skipz MINGW64 ~
$ git config --global user.email "alvarofig010@outlook.com"
Alvar@Skipz MINGW64 ~
$ git config --global core.editor notepad
Alvar@Skipz MINGW64 ~
$ git config user.name
Alvaro Figueiredo
Alvar@Skipz MINGW64 ~
$ git config user.email
alvarofig010@outlook.com
Alvar@Skipz MINGW64 ~
$ git config core.editor
notepad
Alvar@Skipz MINGW64 ~
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackends=channel
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=master
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
user.name=Alvaro Figueiredo
user.email=alvarofig010@outlook.com
core.editor=notepad
Alvar@Skipz MINGW64 ~
$ |
```





```
MINGW64/c/Users/Alvar/aula-git-github
Alvar@Skipz MINGW64 ~
$ git config user.name
Alvaro Figueiredo

Alvar@Skipz MINGW64 ~
$
git config user.email
alvarofig010@outlook.com

Alvar@Skipz MINGW64 ~
$ git config core.editor
notepad

Alvar@Skipz MINGW64 ~
$ git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=channel
core.autocrlf=true
core.fscache=true
core.sylmlinks=false
pull.rebase=false
credential.helper=manager
init.defaultbranch=master
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
user.name=Alvaro Figueiredo
user.email=alvarofig010@outlook.com
core.editor=notepad

Alvar@Skipz MINGW64 ~
$ git clone https://github.com/Skipz/aula-git-github.git
Cloning into 'aula-git-github'...
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (4/4), done.

Alvar@Skipz MINGW64 ~
$ cd aula-git-github

Alvar@Skipz MINGW64 ~/aula-git-github (main)
$ cd aula-git-github
bash: cd: aula-git-github: No such file or directory

Alvar@Skipz MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean

Alvar@Skipz MINGW64 ~/aula-git-github (main)
$ |
```

```
MINGW64/c/Users/Alvar/aula-git-github
.idea/

nothing added to commit but untracked files present (use "git add" to track)

Alvar@Skipz MINGW64 ~/aula-git-github (main)
$ ll
total 1
-rw-r--r-- 1 Alvar 197609 17 Aug 28 19:03 README.md
drwxr-xr-x 1 Alvar 197609  0 Aug 28 20:47 teste/

Alvar@Skipz MINGW64 ~/aula-git-github (main)
$ git add
Nothing specified, nothing added.
hint: Maybe you wanted to say 'git add .' ?
hint: Disable this message with "git config set advice.addEmptyPathsSpec false"

Alvar@Skipz MINGW64 ~/aula-git-github (main)
$ git add .
warning: in the working copy of '.idea/workspace.xml', LF will be replaced by CRLF the next time Git touches it

Alvar@Skipz MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
    new file:   .idea/aula-git-github.iml
    new file:   .idea/material_theme_project_new.xml
    new file:   .idea/misc.xml
    new file:   .idea/modules.xml
    new file:   .idea/vcs.xml
    new file:   .idea/workspace.xml

Alvar@Skipz MINGW64 ~/aula-git-github (main)
$
```

```
MINGW64/c/Users/Alvar/aula-git-github

Alvar@Skipz MINGW64 ~/aula-git-github (main)
$ git pull --rebase origin main
error: cannot pull with rebase: You have unstaged changes.
error: Please commit or stash them.

Alvar@Skipz MINGW64 ~/aula-git-github (main)
$ git pull
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 208.97 KiB | 6.74 MiB/s, done.
From https://github.com/Skipzzzz/aula-git-github
  60095db..6c90b19  main    -> origin/main
hint: Waiting for your editor to close the file... unix2dos: converting file C:/Users/Alvar/aula-git-github/.git/MERGE_MSG to DOS format...
dos2unix: converting file C:/Users/Alvar/aula-git-github/.git/MERGE_MSG to Unix format...
Merge made by the 'ort' strategy.
 Git-github.pdf | Bin 0 -> 257038 bytes
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 Git-github.pdf

Alvar@Skipz MINGW64 ~/aula-git-github (main)
$ git push
Enumerating objects: 13, done.
Counting objects: 100% (13/13), done.
Delta compression using up to 16 threads
Compressing objects: 100% (11/11), done.
Writing objects: 100% (11/11), 2.64 KiB | 1.32 MiB/s, done.
Total 11 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), done.
To https://github.com/Skipzzzz/aula-git-github.git
  6c90b19..92747e0  main -> main

Alvar@Skipz MINGW64 ~/aula-git-github (main)
$
```

```

MINGW64/C:/Users/Alvar/aula-git-github
(use "git restore <file>..." to discard changes in working directory)
modified:   .idea/material_theme_project_new.xml

no changes added to commit (use "git add" and/or "git commit -a")

Alvar@Skipz MINGW64 ~/aula-git-github (main)
$ git add .
warning: in the working copy of '.idea/workspace.xml', LF will be replaced by CRLF the next time Git touches it
Alvar@Skipz MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   .idea/material_theme_project_new.xml
        modified:   .idea/workspace.xml

Alvar@Skipz MINGW64 ~/aula-git-github (main)
$ git commit
hint: waiting for your editor to close the file... unix2dos: converting file C:/Users/Alvar/aula-git-github/.git/COMMIT_EDITMSG to DOS format...
dos2unix: converting file C:/Users/Alvar/aula-git-github/.git/COMMIT_EDITMSG to UNIX format...
Aborting commit due to empty commit message.

Alvar@Skipz MINGW64 ~/aula-git-github (main)
$ git add .
Alvar@Skipz MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   .idea/material_theme_project_new.xml
        modified:   .idea/workspace.xml

Alvar@Skipz MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   .idea/material_theme_project_new.xml
        modified:   .idea/workspace.xml

Alvar@Skipz MINGW64 ~/aula-git-github (main)

```

```

MINGW64/C:/Users/Alvar/aula-git-github

no changes added to commit (use "git add" and/or "git commit -a")

Alvar@Skipz MINGW64 ~/aula-git-github (main)
$ git add .
warning: in the working copy of '.idea/workspace.xml', LF will be replaced by CRLF the next time Git touches it
Alvar@Skipz MINGW64 ~/aula-git-github (main)
$ git commit -m "Primeiro commit do projeto: classe Java Teste vazia."
[main a8d11e3] Primeiro commit do projeto: classe Java Teste vazia.
 3 files changed, 1 insertion(+)
 create mode 100644 .idea.java
 create mode 100644 teste.java

Alvar@Skipz MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean

Alvar@Skipz MINGW64 ~/aula-git-github (main)
$ git push
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 16 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (5/5), 550 bytes | 550.00 KiB/s, done.
Total 5 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/Skipzzzz/aula-git-github.git
   39eb9f7..a8d11e3  main -> main



Alvar@Skipz MINGW64 ~/aula-git-github (main)
$ git fecth
git: 'fecth' is not a git command. See 'git --help'.

The most similar command is
   fetch

Alvar@Skipz MINGW64 ~/aula-git-github (main)
$ git fetch
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 1010 bytes | 67.00 KiB/s, done.
From https://github.com/Skipzzzz/aula-git-github
   a8d11e3..c9a1236  main
    -> origin/main

Alvar@Skipz MINGW64 ~/aula-git-github (main)

```



```

MINGW64/C:/Users/Alvar/aula-git-github
alvar@Skipz MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is behind 'origin/main' by 1 commit, and can be fast-forwarded.
(use "git pull" to update your local branch)

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   .idea/workspace.xml

no changes added to commit (use "git add" and/or "git commit -a")

alvar@Skipz MINGW64 ~/aula-git-github (main)
$ git pull
Updating a8d11e3..c9a1236
Fast-forward
 teste.java | 7 ++++++
 1 file changed, 7 insertions(+)

alvar@Skipz MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   .idea/workspace.xml

no changes added to commit (use "git add" and/or "git commit -a")

alvar@Skipz MINGW64 ~/aula-git-github (main)
$ git push
Everything up-to-date

alvar@Skipz MINGW64 ~/aula-git-github (main)
$ git pull
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 960 bytes | 106.00 KiB/s, done.
From https://github.com/SkipzZZZZ/aula-git-github
   c9a1236..ab66f7c  main       -> origin/main
Updating c9a1236..ab66f7c
Fast-forward
 teste.java | 1 +
 1 file changed, 1 insertion(+)

alvar@Skipz MINGW64 ~/aula-git-github (main)
$

```

```

MINGW64/C:/Users/Alvar/aula-git-github
no changes added to commit (use "git add" and/or "git commit -a")

alvar@Skipz MINGW64 ~/aula-git-github (main)
$ git pull
Updating a8d11e3..c9a1236
Fast-forward
 teste.java | 7 ++++++
 1 file changed, 7 insertions(+)

alvar@Skipz MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   .idea/workspace.xml

no changes added to commit (use "git add" and/or "git commit -a")

alvar@Skipz MINGW64 ~/aula-git-github (main)
$ git push
Everything up-to-date

alvar@Skipz MINGW64 ~/aula-git-github (main)
$ git pull
remote: Enumerating objects: 5, done.
remote: Counting objects: 100% (5/5), done.
remote: Compressing objects: 100% (3/3), done.
remote: Total 3 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
Unpacking objects: 100% (3/3), 960 bytes | 106.00 KiB/s, done.
From https://github.com/SkipzZZZZ/aula-git-github
   c9a1236..ab66f7c  main       -> origin/main
Updating c9a1236..ab66f7c
Fast-forward
 teste.java | 1 +
 1 file changed, 1 insertion(+)

alvar@Skipz MINGW64 ~/aula-git-github (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
    modified:   .idea/workspace.xml

no changes added to commit (use "git add" and/or "git commit -a")

alvar@Skipz MINGW64 ~/aula-git-github (main)
$

```