

Source: [KBiologyMasterIndex](#)

# 1 | Bio-Molecules Quiz Review

#disorganized

## 1.1 | Paul's Review Sheet

... is here

### 1.1.1 | Carbohydrates

- Set 1, carbs. See Luke De's video + [KBhBIO101Carbs](#)
  - *Glucose vs. fructose* — both monosaccharides, one is a 6-carbon ring and one is a 5-carbon ring
  - *Mono vs. di. vs. polysaccharide* — carbohydrates made out of a single, double, and multiple monomer (single-unit) carbohydrates
  - *Starch vs. glycogen vs. cellulose* — lots of alpha glucose in less branches, lots of alpha glucose in more branches, lots of beta glucose in organized lattice respectively.
    - Starch — plant food reserve
    - Glycogen — animal energy reserve
    - Cellulose — cell wall in plants
- Set 2, lipids. See Luke De's video + [KBhBIO101Lipids](#)
  - *Triglyceride vs. fatty acid vs. phospholipid* see [KBhBIO101StructuresofCarbs](#)
    - Glycerol => a fatty acid
    - Triglyceride => three of 'em above
    - Phospholipid => two fatty acid + phosphate head
  - *Saturated vs unsaturated fatty acids* see also [KBhBIO101StructuresofCarbs](#)
    - Saturated Fats => no double bonds in the carbon chain of fatty acids — think! butter
    - Unsaturated Fats => double bonds in the carbon chain of fatty acids — think! olive oil
- Identify functional groups
  - Amino acid groups — see [KBhBIO101AminoAcids](#)
    - carboxyl —  $\text{O}=\text{C}-\text{R}-\text{OH}$
    - carboxylic acid —  $\text{H}-\text{O}-\text{C}=\text{O}$  (left side of backbone)
    - carbonyl —  $\text{C}=\text{O}$  — part of carboxyl
    - amide —  $\text{RC}(=\text{O})\text{NR}'\text{R}''$  (frequently shown in side chains of amino acids — see Amine)
    - amino/amine —  $\text{H}_3\text{N}^+$  (right side of backbone)
    - hydroxyl —  $\text{OH}$  group. Need I say more?
    - ester — take a carboxylic acid and replace the hydrogen with a  $\text{R}-\text{O}$  group #ASK
    - ether —  $\text{R}-\text{O}-\text{R}$  structure. Commonly shown as an alcohol group ( $\text{H}-\text{O}-\text{C}$ ) as part of the carboxyl
- Monomers vs Polymers [KBhBIO101StructuresofCarbs](#)
  - Monomer — single molecule (such as a monosaccharide) that could be chained together to make polymers
  - Polymers — complex molecules built from monomers
  - Building polymers — dehydration reaction — taking out water molecules
  - Destructing polymers — hydration reaction — adding in water molecules

### 1.1.2 | Cell Structures

- Prokaryotic vs. Eukaryotic
  - Prokaryotic cells — often in single-cellular cells, has a cell wall, and contained in capsules
  - Eukaryotic cells — in multicellular cell elements, contains a plasma membranes and nucleus
- Compare and contrast a typical animal cell with a typical plant cell. Be able to label diagrams of each. (See... problem set 1)
  - Animal Cell
    - No cell wall
    - No chloroplast
    - Has Cytoplasm
    - Has Ribosomes
    - Has Mitochondria
    - No plastids — organelle pigments
    - Has Cilia — Hair-like items on the outer surface
  - Plant Cell
    - Has cell wall
    - Has chloroplast — photosynthesis
    - Has cytoplasm
    - Has Ribosomes
    - Has Mitochondria
    - Has plastids — organelle pigments
    - Mostly has no Cilia
- Endosymbiotic theory
  - Endosymbiotic theory states that organelles within our current eukaryotic cells — the mitochondria and chloroplasts — are originally prokaryotic cells in their own right. This is because they divide independently through binary fission, and also contains circular DNA that is independent of the main cell itself.
- Organizing organelles based on membranes #ASK
  - Membranous organelles — possess own plasma => regulates own macromolecule consumption, hormones, etc. Perhaps original prokaryotic cells
    - Endoplasmic reticulum => forms the network of transferring proteins and other elements
    - Golgi body/Golgi apparatus => packs, sorts, and modifies proteins and other elements throughout the cell
  - Non-membranous organelles — does not possess own plasma => mostly part of the cytoskeleton of a cell
    - Ribosomes => protein synthesizer in the cell
    - Centrosome => forms flagella, cilia, and handles cells divisions
    - Lysosomes => digesting large nutrients and changing them to what cells could process and work on energy metabolism
    - Mitochondria => store ATP and extract energy from ATP
    - Vacuoles => storing water, nutrients, waste
    - Plastids => creates colours displayed in the chromoplasts
- Cell Components. Basically all of these exist only in Eukaryotic cells
  - chloroplast and mitochondria
    - Chloroplast — found in plants + does photosynthesis
    - Mitochondria — found in animals + store ATP and extract energy from ATP
  - cell wall and plasma membrane

- Cell Wall — found in plants => surround the cell: hard
- Plasma membrane — found in animals => surround the cell: soft [\[KBhBIO101Lipids\]](#)
- rough endoplasmic reticulum (ER) and smooth ER
  - Rough ER — covered by ribosomes and folds [\[KBhBIO101Proteins\]](#)
  - Smooth ER — not covered by ribosomes and makes [\[KBhBIO101Lipids\]](#)
- cytosol, cytoplasm and cytoskeleton
  - Cytosol => liquid found inside cells; the “cytoplasm” floats within it
  - Cytoplasm => all the stuff within the cell
  - Cytoskeleton => complex network of proteins + fibres that organize the rest of the cell
- nucleus and nucleolus
  - nucleus => centre of the cell, stores DNA
  - nucleolus => largest part of the nucleus that makes ribosomes
- lysosomes and food vacuoles
  - Lysosomes => vesicles that contains enzymes that breaks down biomolecules
  - Food Vacuoles => vesicles that stores food and other resources
- cytoskeleton and microtubules
  - Cytoskeleton => complex network of proteins + fibres that organize the rest of the cell
  - Microtubules => Polymers of tubulin protein that provides the main structure of eukarotic cells
- flagella and cilia
  - Flagella => a bacteria’s tail — allow them to move and also act as an sensory organ. longer than a cilia, and moves in sinusoidal pattern.
  - Cilium => a cell’s “hair” — provides sensory and communications functions. Motile cilia could move about to “grab” things, and non-motile cilia can’t move. more abundant than the flagella, and moves in circular pattern if they do move, and moves in circular pattern if they do move
- Ribosomes and Golgi apparatus
  - Ribosomes => synthesizes proteins
  - Golgi apparatus => packs, modifying, and moving proteins

### 1.1.3 | Plasma Membrane Structure + transport

- Lipid structure and substructures: [\[KBhBIO101Lipids\]](#)
- Functions of cell membrane
  - Phospholipid structures [\[KBhBIO101StructuresOfLipids\]](#)
  - Transmembrane proteins [\[KBhBIO101CellTransport\]](#)
  - Hydrophobic + hydrophilic parts of a phospholipid [\[KBhBIO101StructuresOfLipids\]](#) + [\[KBhBIO101FluidMosaic\]](#)
- Passive + active transport [\[KBhBIO101CellTransport\]](#)
- Cell transport process
  - Simple diffusion ( #ASK same thing as passive transport + osmosis )=> non-polar molecules needed “fall in”
  - Facilitated diffusion => specific polar molecules go along the gradient to get into the cell through transporter proteins
  - Phagocytosis => take a piece of the membrane with you to form a vesicle to introduce large solid elements, recycling the membrane after done — “cell eating”
  - Pinocytosis => take a piece of the membrane with you to form a vesicle to introduce large area of the “outside” in — fluid and solid and all, recycling the membrane after done — “cell drinking”
  - Endocytosis => Phagocytosis + Pinocytosis
  - Exocytosis => opposite of endocytosis

- Defining...
  - Isotonic => inside and outside have the same level of “osmolarity”: probability for osmosis to happen through a semipermeable membrane
  - Hypertonic => inside has less osmolarity than the outside: water/other elements will flow out of the cell
  - Hypotonic => outside has less osmolarity than the inside: water/other elements will flow into the cell

#### 1.1.4 | **Proteins Structures and Function**

- Overall structure, monomers/building blocks, functions, and examples of proteins => [\[KBhBIO101Proteins\]](#)
- “peptide” => a chain of amino-acids
- Polymerization via dehydration
  - Take two amino acids, take the H-O out of the alcohol, take the H out of the Amine. Fill the hole with the other one
- Protein structure
  - Primary structure, secondary structure => [\[KBhBIO101Proteins\]](#)
  - Amino acids, N & C terminus => [\[KBhBIO101AminoAcids\]](#). N terminus (Amine), C terminus (Carboxylic.)
  - Secondary structure — H bonds between H-O, H-N
  - Tertiary structure => see the [\[KBhBIO101Proteins\]](#) articles
- The functions of proteins are varied because the primary sequence can be varied, effectively building any shape protein to do its specific function
- Form = function is the idea that the shape or form a protein takes through the combination of primary, secondary, tertiary, or quaternary structure determines how it will then function. Any changes to the structure will have some impact on its function and the more the structure is affected the more the function is likely to be impacted
- Functions => defense, movement, structure, transport



## 1.2 | Helpful review items

Bonding in organic compounds, a review.

Common nonpolar bonds

Carbon-carbon  
Carbon-hydrogen  
Carbon-sulfur

Common dipole interactions

Carbon-nitrogen  $\delta^+ - \delta^-$     Carbon-oxygen  $\delta^+ - \delta^-$   
Nitrogen-oxygen  $\delta^+ - \delta^-$     Hydrogen-oxygen  $\delta^+ - \delta^-$

Common ionic interactions


they come from acid-base interactions.

However, sometimes they are permanent. Look at the amino acid chart for those.


Why hydrogen bonding is excellent

Hydrogen bonding allows stronger dipole-dipole bonds than dipole-dipole bonds. They are still good ol covalent bonds.

These bonds basically combines Hydrogen w/ the most electronegative atoms.




Reading a line-angle representation.



In this type of representations, start with a line. End the line at every carbon.



Now, it is assumed that carbon is not going to just be happy with  $\text{C}-\text{C}-\text{C}-\text{C}$ .



so, we still the missing orbitals with hydrogen.




Figure 1: Screen Shot 2020-10-09 at 11:58:55 AM.png