Source: [KBe2020math530refExr0nRetIndex]

### 1 | Prompt

Which of the following systems have a unique solution? You do NOT have to solve the 3 variable system by hand; you can graph it or use other resources. What does this have to do with linearly dependent/independent vectors??

## 2 | Ideas

I first focused on the systems of 2 var 2 equs. I thought of the first set

$$2x - 3y = 1$$
$$x + 3y = 3$$

as asking

$$(1,3) \stackrel{?}{\in} \text{span}((2,1),(-,31))$$

but that didn't really get me anywhere.

Then, I tried writing it as a matrix equation:

$$\begin{bmatrix} 2 & -3 \\ 1 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix} = \begin{bmatrix} 1 \\ 3 \end{bmatrix}$$

I figured that because we wanted to know whether the system is linearly independent or not, which is a boolean value, I had to compress the matrix down to some number that can then be compared. The only way I know how to do that is by taking the determinant, so I tried to find some connection between the determinant of a 2x2 matrix and whether it's component rows interpreted as vectors of  $\mathbb{F}^2$  are linearly dependant.

# 3 | Lemma

A pair of vectors u,v in a vector space V over  $\mathbb{F}^2$  are linearly dependent iff  $\begin{vmatrix} u_1 & u_2 \\ v_1 & v_2 \end{vmatrix} = 0$ .

# 4 | **Proof**

#### In the forwards direction

Showing that if u, v are linearly dependent, then

$$\begin{vmatrix} u_1 & u_2 \\ v_1 & v_2 \end{vmatrix} = 0$$

Suppose u,v are linearly dependent. Then, we can write v as  $au:a\in\mathbb{F}$ . Then the target determinant can be written as

$$\begin{vmatrix} u_1 & u_2 \\ au_1 & au_2 \end{vmatrix} = u_1 a u_2 + -u_2 a u_1$$

Because  $u_1 a u_2 = -u_2 a u_1$ , their sum is clearly 0.

Exr0n · **2020-2021** 

#### In the reverse direction

Showing that if  $\begin{vmatrix} a & b \\ c & d \end{vmatrix} = 0$ , then the vectors (a,b),(c,d) are linearly dependent.

Two vectors  $u,v\in\mathbb{F}^2:u=(a,b),v=(c,d)$  and  $a,b,c,d\in\mathbb{F}$  are linearly dependent if one is a linear combination of the other, or (a,b)=u=av=(ac,ad) wlog.

$$\begin{vmatrix} a & b \\ c & d \end{vmatrix} = ad - bc = 0$$
$$\Rightarrow ad = bc$$
$$\Rightarrow \frac{a}{c} = \frac{b}{d}$$

If we define

$$a = \frac{a}{c} = \frac{b}{d}$$

then it is clear that

$$a = ac$$
$$b = ad$$

Exr0n · 2020-2021 Page 2