Source: [KBBiologyMasterIndex]

0.1 | **#flo #ret**

1 | Notes

1.0.1 | **Overview**

- · Organisms turn genes on and off which is called Gene Expression
 - This can be done in response to external and internal signals
 - · These signals are based off of environmental factors
 - · This is also be done in order to specialize cells
 - Certain cells need certain genes to preform their specific role

Differential Gene Expression - Human Cells can express about 20% of it's protein coded genes at any given time - Most cells contain the same genome - Each cell type must use specific parts of this genome - This is called Differential gene expression - Exception would be cells of the immune system - Due to the importance of gene expression when it has issues it can affect the organism significantly - Process of Gene expression in a Eukaryotic cell - Chromatin (DNA unpacking) -> - RNA processing -> - Transport to cytoplasm -> - Translation -> - Protein processing -> - Transport to cellular destination-> - This process can often be equated to transcription for Prokaryote cells

1.0.2 | Regulation of Chromatin Structure

- The chromatin structure itself allows for the regulation of gene expression
 - This is partially due to the location of the promoter
- · Chemical modifications to the histone proteins can affect the structure
 - · This in turn can affect gene expression
 - · Histone proteins are the proteins in which the DNA is wrapped
 - There are many types of modifications that can take place
 - · Histone acetylation can tend to promote transcriptions by opening up the chromatin
 - Additional methyl groups tend to close up the chromatin and decrease transcription
 - · DNA methylation occurs in most plants and animals as well as fungi
 - · Methylated DNA will stay methalated through cell divisions
 - · This accounts for genomic imprinting
 - These epigenetic markers can be inherited
 - There is continually more evidence for the importance of epigentics in gene expression ### Regulation of Transcription
- Chromatin changes are not permanent and can be reversed
- The next step of gene expression regulation is in the transcription factors
 - These either allow for or inhibit transcription
- · These factors usually bind to proteins, but some of them bind to DNA
- High levels of transcription factors created for specific genes are associated with another protein thought creatively of as specific transcription factors
- Gene expression is dramatically increased or decreased by the binding of specific transcription factors

- These are either activators or repressors
- There are many transcription factors

•