Source: [KBBiologyMasterIndex]

0.1 | **#flo #ret**

1 | Notes

1.0.1 | **Overview**

- · Organisms turn genes on and off which is called Gene Expression
 - This can be done in response to external and internal signals
 - These signals are based off of environmental factors
 - · This is also be done in order to specialize cells
 - Certain cells need certain genes to preform their specific role

Differential Gene Expression - Human Cells can express about 20% of it's protein coded genes at any given time - Most cells contain the same genome - Each cell type must use specific parts of this genome - This is called Differential gene expression - Exception would be cells of the immune system - Due to the importance of gene expression when it has issues it can affect the organism significantly - Process of Gene expression in a Eukaryotic cell - Chromatin (DNA unpacking) -> - RNA processing -> - Transport to cytoplasm -> - Translation -> - Protein processing -> - Transport to cellular destination-> - This process can often be equated to transcription for Prokaryote cells

1.0.2 | Regulation of Chromatin Structure

- The chromatin structure itself allows for the regulation of gene expression
 - This is partially due to the location of the promoter
- Chemical modifications to the histone proteins can affect the structure
 - · This in turn can affect gene expression
 - · Histone proteins are the proteins in which the DNA is wrapped
 - There are many types of modifications that can take place
 - Histone acetylation can tend to promote transcriptions by opening up the chromatin
 - Additional methyl groups tend to close up the chromatin and decrease transcription
 - DNA methylation occurs in most plants and animals as well as fungi
 - · Methylated DNA will stay methalated through cell divisions

•