# 1 | beneath the surface of things

### 1.1 | scale

# 1.1.1 | wood seems solid, but is mostly empty space (atoms). Quantum effects are noticable on even smaller scales

Atoms are like Propeller analogy: easy for something small and fast to get through, but hard for something large and slow.

### 1.2 | unintuitive

Small (quantum mechanics) and fast (special relativity) things behave unintuitively

### 1.3 | particle history

### 1.3.1 electron and proton

known to exist in 1926

### 1.3.2 | **photon**

no mass, created/detsroyed easily, was thought of as a funky 'almost particle' until it was discovered that they behave similarly to electrons and that electrons can be created/destroyed easily too

Exr0n · 2020-2021 Page 1 of 5

- 1.4 | fundamental discoveries in 1924-1928
- 1.4.1 | matter has wave properties
- 1.4.2 | fundamental laws are probabliistic
- 1.4.3 | heisenburg uncertainty
- 1.4.4 discrete electron spin
- 1.4.5 | every particle has an antiparticle
- 1.4.6 | multiple momentums simultaneously
- 1.4.7 | no two electrons can be in the same state of motion at the same time?
- 1.5 unlike classical mechanics, properties and actions are not as distinct in the quantum world
- 1.6 | quantum mechanics won't follow common sense, which is to be expected because common sense is based on much larger things
- 1.7 | subatomic vs fundamental particles
- 1.7.1 hundreds of subatomic particles, but only a few are fundamental
- 1.7.2 most are composite
- 1.7.3 | just like how there are hundreds of atoms but they are all composed of electrons, protons, neutrons
- 1.7.4 | there are 24 fundamental particles excluding the higgs boson, graviton (which is not yet proven), and antiparticles.
- 2 | how small is small? How fast is fast? (scale)
- 2.1 | convienent units
- 2.1.1 | femtometer (fm,  $10^{-15}m$ )
  - 1. roughly a proton diameter
  - 6 miles is geometrically centered between the smallest particle probe and the radius of the known universe.
  - 3. smallest prob is  $10^{-18}$  meters. The plank length is  $10^{-35}$  meters
- 2.1.2 | speed of light (c,  $3 \times 10^8 m/s^2$ )
  - 1. not as sped as distances are small
  - 2. atoms and molecules vibrate roughly  $10^{-5}c$  or  $10^{-6}c$

Exr0n · 2020-2021 Page 2 of 5

- 3. the lighter something is, the faster it can go, so its likely that the rest-massless photon is the fastest
- 4. some theoretical tachyon business which can maybe go faster

### 2.1.3 | time

- 1. humans
  - (a) image flashed for a hundreth of a second (10 ms) can be precieved but not a thousandth
  - (b) average human reaction time is 150-300ms
- 2. time to cross diameter of a proton at sped of light =  $10^{-23}s$
- 3. particles that live long enough to leave trails in the detector live roughly  $10^{-10}$  to  $10^{-6}$
- 4. longest living is proton for 15 min (10<sup>3</sup>)

### 2.1.4 | mass

- 1. mass is inertia, measured by how hard it is to accelerate them (change their motion)
- 2. often measured as energy via  $E=mc^2$ 
  - (a) proton = 938MeV is easier to say than  $1.67 \times 10^{-27} kg$

# 2.1.5 electron volt (eV, energy auired by an electron being accelerated through an electric potential of 1 volt)

- 1. roughly a photon of red light
- 2. particle accelerators are made to create high energy particles that can then be converted to mass
- 3. modern accelerators go to roughly 1TeV, while protons move with only 1eV on the surface of the sun and weigh almost 1GeV.

## 2.1.6 | charge ( $e, 1.6 \times 10^{-19}C$ )

- 1. protons and electrons have the same magnitude of charge, deemed one unit. quarks have fractional charges
- open questions
  - (a) why is charge quantized/descrete
  - (b) what happens near charged particles? inf charge as dist □ zero
  - (c) if particles are physically sized, why dont parts of the particle repel itself

#### 2.1.7 | spin

- 1. two types: spin and orbital motion
- 2. measured with angular momentum
- 3. fundamental particles don't have a descernible spin but do have an angular momentum

Exr0n · 2020-2021 Page 3 of 5

- 4.  $\hbar = \frac{h}{2\pi} = 1.05 \times 10^{-34} kgm^2/s$
- 5. orbital angular momentum must be a multiple of  $\hbar$  and spin angular momentum can be a multiple of  $\frac{1}{2}\hbar$ ?
- 6. a particle type can have many spins, but the change in spin is often so drastic that they are considered two different particles

### 2.1.8 | fundamental constants

- most units are chosen arbitrarily based on earths size or something, but there are two fundamental ones
- 2. plank's constant h defines the quantum scale... larger h would make the universe 'lumpier' or 'more pixelated'
- 3. the speed of light c is the fastest speed, or something.
- 4. there is expected to be a third constant to form a complete basis, but we haven't found one yet
  - (a) it would be a length or a time

## 3 | meet the leptons

- 3.1 | types (flavor) electron, muon, tau
- 3.2 | conserve {charge, flavor, energy, momentum}
- 3.3 | neutrinos are like the soul of its particle tiny mass but same flavor
- 3.4 they have multiples of half unit spins or something
- 3.5 any particles can be created as long as everything is conserved

## 4 | the rest of the extended family

- 4.1 | quarks
- 4.1.1 | six of them in groups of three
- 4.1.2 they group up in the wild to make up other composite particles
- 4.1.3 particles have integer charge, but quarks come in one-third multiples of charge

### 4.1.4 | baryon number

- another type of 'charge' that is also conserved
- 2. protons and neutrons are both baryonic (meaning they have baryon number?)
- 3. like leptons, the lightest baryon cannot decay because there is nothing to decay into (the proton)
- 4. quarks have one-third baryon number also

Exr0n · 2020-2021 Page 4 of 5

## 4.1.5 | antiquarks

- 1. makes up meson with another singular quark (For a total baryon number of 0)
- 2. antiquark particles are unstable

## 4.1.6 | color

- 1. red, green, blue, antired, antigreen, antiblue
- 2. all three or a normal with an anti is colorless..??? ended page 71

Exr0n · 2020-2021 Page 5 of 5