1 | beneath the surface of things

1.1 | scale

1.1.1 | wood seems solid, but is mostly empty space (atoms). Quantum effects are noticable on even smaller scales

Atoms are like Propeller analogy: easy for something small and fast to get through, but hard for something large and slow.

1.2 | unintuitive

Small (quantum mechanics) and fast (special relativity) things behave unintuitively

1.3 | particle history

1.3.1 electron and proton

known to exist in 1926

1.3.2 | **photon**

no mass, created/detsroyed easily, was thought of as a funky 'almost particle' until it was discovered that they behave similarly to electrons and that electrons can be created/destroyed easily too

Exr0n · 2020-2021 Page 1 of 4

- 1.4 | fundamental discoveries in 1924-1928
- 1.4.1 | matter has wave properties
- 1.4.2 | fundamental laws are probabliistic
- 1.4.3 | heisenburg uncertainty
- 1.4.4 discrete electron spin
- 1.4.5 | every particle has an antiparticle
- 1.4.6 | multiple momentums simultaneously
- 1.4.7 | no two electrons can be in the same state of motion at the same time?
- 1.5 unlike classical mechanics, properties and actions are not as distinct in the quantum world
- 1.6 | quantum mechanics won't follow common sense, which is to be expected because common sense is based on much larger things
- 1.7 | subatomic vs fundamental particles
- 1.7.1 | hundreds of subatomic particles, but only a few are fundamental
- 1.7.2 most are composite
- 1.7.3 | just like how there are hundreds of atoms but they are all composed of electrons, protons, neutrons
- 1.7.4 | there are 24 fundamental particles excluding the higgs boson, graviton (which is not yet proven), and antiparticles.
- 2 | how small is small? How fast is fast? (scale)
- 2.1 | convienent units
- 2.1.1 | femtometer (fm, $10^{-15}m$)
 - 1. roughly a proton diameter
 - 6 miles is geometrically centered between the smallest particle probe and the radius of the known universe.
 - 3. smallest prob is 10^{-18} meters. The plank length is 10^{-35} meters
- 2.1.2 | speed of light (c, $3 \times 10^8 m/s^2$)
 - 1. not as sped as distances are small
 - 2. atoms and molecules vibrate roughly $10^{-5}c$ or $10^{-6}c$

Exr0n · 2020-2021 Page 2 of 4

- 3. the lighter something is, the faster it can go, so its likely that the rest-massless photon is the fastest
- 4. some theoretical tachyon business which can maybe go faster

2.1.3 | time

- 1. humans
 - (a) image flashed for a hundreth of a second (10 ms) can be precieved but not a thousandth
 - (b) average human reaction time is 150-300ms
- 2. time to cross diameter of a proton at sped of light = $10^{-23}s$
- 3. particles that live long enough to leave trails in the detector live roughly 10^{-10} to 10^{-6}
- 4. longest living is proton for 15 min (10³)

2.1.4 | mass

- 1. mass is inertia, measured by how hard it is to accelerate them (change their motion)
- 2. often measured as energy via $E=mc^2$
 - (a) proton = 938MeV is easier to say than $1.67 \times 10^{-27} kg$

2.1.5 electron volt (eV, energy auired by an electron being accelerated through an electric potential of 1 volt)

- 1. roughly a photon of red light
- 2. particle accelerators are made to create high energy particles that can then be converted to mass
- modern accelerators go to roughly 1TeV, while protons move with only 1eV on the surface of the sun and weigh almost 1GeV.

2.1.6 | charge ($e, 1.6 \times 10^{-19}C$)

- 1. protons and electrons have the same magnitude of charge, deemed one unit. quarks have fractional charges
- open questions
 - (a) why is charge quantized/descrete
 - (b) what happens near charged particles? inf charge as dist □ zero
 - (c) if particles are physically sized, why dont parts of the particle repel itself

2.1.7 | spin

- 1. two types: spin and orbital motion
- 2. measured with angular momentum
- 3. fundamental particles don't have a descernible spin but do have an angular momentum

Exr0n · 2020-2021 Page 3 of 4

- 4. $\hbar = \frac{h}{2\pi} = 1.05 \times 10^{-34} kgm^2/s$
- 5. orbital angular momentum must be a multiple of \hbar and spin angular momentum can be a multiple of $\frac{1}{2}\hbar$?
- 6. a particle type can have many spins, but the change in spin is often so drastic that they are considered two different particles

2.1.8 | fundamental constants

- most units are chosen arbitrarily based on earths size or something, but there are two fundamental ones
- 2. plank's constant *h* defines the quantum scale... larger *h* would make the universe 'lumpier' or 'more pixelated'
- 3. the speed of light c is the fastest speed, or something.
- 4. there is expected to be a third constant to form a complete basis, but we haven't found one yet
 - (a) it would be a length or a time

3 | meet the leptons

Exr0n · 2020-2021 Page 4 of 4