

1 | Escape Velocity and Gravitational Potential Energy

1.1 | Newton's Universal Gravitation Law

$$\vec{F}_g = -\frac{GM_1M_2}{r^2}\hat{r} \quad (1)$$

where, \vec{F}_g is the force of gravity on M_2 ; M_1 and M_2 are two point masses; G the universal gravitation constant; r the magnitude of the vector \vec{r} from M_1 to M_2 and \hat{r} the unit vector in the \vec{r} direction.

1.2 | Equation for Gravitational Potential Energy

1.2.1 | Needed Definitions

To begin, we need to modify the **Newton's Universal Gravitation Law** to fit the parameters of the scenario. Namely, we need to treat both Earth and our object as point masses, and assign M_1 to be Earth and M_2 to be our object.

Also, it is necessary to define the coordinate system: that our object, M_2 , is defined to be to the **left///more negative** side of the coordinate compared to the location occupied by the Earth, $M_e = M_1$ (as, per the problem, the "zero" point is set at $r = \infty$.)

With this assumption, we could therefore claim \vec{r} to be pointing from the origin to the **negative** side of the axis, rendering it represented by the value -1 for this system.

Hence, with the necessary variable substitutions as highlighted before, we arrive at the following equation:

$$F_{em}^{\vec{r}}(r) = \frac{GM_eM_2}{r^2} \quad (2)$$

1.2.2 | Deducing Gravitational Potential energy

The general equation for work is as follows:

$$W = F(x)dx \quad (3)$$

In this case, as we will be deducing the total gravitational potential energy as per the setup above, we need to be integrating upon $F_{em}^{\vec{r}}(r)dr$. Hence, the integral — with bounds $[0, \infty]$ — is therefore:

$$W = \int_0^\infty \frac{GM_eM_2}{r^2}dr \quad (4)$$

Determining the total energy