

Cyver Core integrates with multiple ticket and work management platforms, so you can easily export tickets and findings to the tooling your Dev team uses. That makes it easier to move tickets into remediation, so you can quickly roll changes into sprints, fix them, and sync the status in the Cyver Core portal.


CHECK YOUR AZURE SETTINGS

The first step to linking your Cyver Pentest Portal to Azure DevOps is to set up third-party access in Azure.

[1. Enable Third-Party Application Access via OAUTH](#)


PENTESTER PORTAL - ALLOW THE CLIENT TO CONNECT AZURE DEVOPS

The client can connect Azure DevOps to export tickets and status information by enabling the toggle into Clients -> Open a client -> Client Portal tab:




CLIENT PORTAL - LINK CYVER CORE TO YOUR AZURE DEVOPS ACCOUNT


1. Go to **Settings** from the Menu



2. Click **Integrations**




3. Select **Azure DevOps**



4. Follow the steps to give Azure DevOps permission and **make** the necessary **status configurations or more**.

5. Enable **Adjust Azure DevOps Project per {Project}** for the Client (Manager) to select different Azure DevOps project per portal project


6. Choose the Default Parent work item to link findings in **Link Findings to Parent work item** - you will have the possibility to change this per project as well.




Your Azure DevOps account is now connected!

CONFIGURE AZURE DEVOPS

1. Open a **project**
2. Click on **Actions**
3. Press **Configure Azure DevOps**




4. Select an Azure DevOps project from the list



5. Modify the **Parent work item** if needed.

CREATE A NEW AZURE DEVOPS TICKET



1. Open a Finding


2. Click on **Create Azure DevOps Ticket**

3. Select the **Type** of Ticket

4. The **Parent work item** remains the one stated per project level, but you can change it for any reasons.

5. Click **Create**

LINK TO AN EXISTING AZURE DEVOPS TICKET




1. Open a Finding
2. Click **Link to Existing Ticket**
3. Type the **Title** of the Ticket you want to link
4. Click **Link**

PENTESTER PORTAL - AZURE DEVOPS WEBHOOKS


This section describes webhooks and how to set them up for your Azure DevOps project. Webhooks provide a way to send a JSON representation of an Azure DevOps event to Cyver endpoint.

CONFIGURE WEBHOOK FOR WORK ITEM UPDATES


1. Get your **API Key** and save it by following the instructions on [this article](#).
2. In your Azure DevOps project, go to **Project settings**




3. Select **Service hooks** from the menu



4. Click the **green button (+)** to create a new subscription



5. Select **Web Hooks** and click **Next**



6. From the **Trigger on this type of event** dropdown select **Work item updated** and set Area path if needed and click **Next**

NEW SERVICE HOOKS SUBSCRIPTION

Trigger

Select an event to trigger on and configure any filters.

Trigger on this type of event
 Work item updated

Remember that selected events are visible to users of the target service, even if they don't have permission to view the related artifact.

FILTERS

Area path optional
 Cyver TEST

Work item type optional
 [Any]

Tag optional

Field optional
 [Any]

☐ Links are added or removed

Previous Next Test Finish Cancel

7. Set the URL to

<https://connect.cyver.io/App/Integrations/AzureDevOpsWebhookEvent/WorkItemUpdated> and paste the API Key from **step 1** in the **HTTP headers** field.

The API Key header should be in this format: X-API-Key:xxxxxxxxxxxxxxxxxxxxxxxxxxxx

NEW SERVICE HOOKS SUBSCRIPTION

Action

Select and configure the action to perform.

Perform this action
 Post via HTTP

This action posts a JSON object representation of the event to the specified URL.

It's recommended that you only use HTTPS endpoints due to the potential for private data including any authentication headers in the event payload. [Learn more about Webhooks](#)

SETTINGS

URL required
 https://connect.cyver.io/App/Integrations/AzureDevOpsWebhookEvent/WorkItemUpdated

☐ Accept untrusted SSL certificates


Basic authentication username optional

Basic authentication password optional

HTTP headers optional
 X-API-Key:B-J0nBorhMLxH_zuUVmJXHFZv2ZgdMgXw8yGn4Ymi3L

Previous Next Test Finish Cancel


8. Click **Test** to verify that the web hook works as expected




9. Close the Test window and press **Finish**.

CLIENT PORTAL – ENABLE AZURE DEVOPS WEBHOOK FOR STATUS UPDATES


1. Go to **Settings** from the Menu




2. Click **Integrations**




3. Select **Azure DevOps**




4. Click Settings



5. Enable Sync Finding Status from Azure DevOps on Update




6. Configure status mappings




CONFIGURE WEBHOOK FOR WORK ITEM COMMENTS


1. Get your **API Key** and save it by following the instructions on [this article](#).
2. In your Azure DevOps project, go to **Project settings**




3. Select **Service hooks** from the menu




4. Click the **green button (+)** to create a new subscription



5. Select **Web Hooks** and click **Next**



6. From the **Trigger on this type of event** dropdown select **Work item commented on** and set Area path if needed and click **Next**



7. Set the **URL** to <https://connect.cyver.io/App/Integrations/AzureDevOpsWebhookEvent/WorkItemCommentedOn> and paste the API Key from **step 1** in the **HTTP headers** field.

The API Key header should be in this format: X-API-Key:xxxxxxxxxxxxxxxxxxxxxxxxxxxxxx

NEW SERVICE HOOKS SUBSCRIPTION

Action

Select and configure the action to perform.

Perform this action

Post via HTTP

This action posts a JSON object representation of the event to the specified URL.

It's recommended that you only use HTTPS endpoints due to the potential for private data including any authentication headers in the event payload. [Learn more about Webhooks](#)

SETTINGS

URL ⁱ required

☐ Accept untrusted SSL certificates ⁱ

Basic authentication username ⁱ optional

Basic authentication password ⁱ optional

HTTP headers ⁱ optional

Previous Next Test Finish Cancel

8. Click **Test** to verify that the web hook works as expected

TEST NOTIFICATION

Web Hooks (Post via HTTP)

Summary Request Response Event

✓ **Succeeded**

Sent at: Thursday, March 20, 2025 2:43:42 PM


Message
Bug #5 (Some great new ideal) commented on by Jamal Hartnett.

Close


9. Close the Test window and press **Finish**.

CLIENT PORTAL – ENABLE AZURE DEVOPS WEBHOOK FOR WORK ITEM COMMENTS


1. Go to **Settings** from the Menu




2. Click Integrations



3. Select Azure DevOps



4. Click Settings



5. Enable Sync finding comments from Azure DevOps

Azure DevOps Settings



Events

☐ Push finding to Azure DevOps on publish

☐ Sync Finding Status to Azure DevOps on Update

☐ Sync Finding Status from Azure DevOps on Update

This requires the Webhooks connection to be configured. [Learn more..](#)

☐ Push finding comments to linked Azure DevOps ticket

☒ Sync finding comments from Azure DevOps

This requires the Webhooks connection to be configured. [Learn more..](#)

☐ Sync finding assignee from Azure DevOps

This requires the Webhooks connection to be configured. [Learn more..](#)

Project

☐ Adjust Azure DevOps Project per Pentest

Cancel

Save

Have any more questions about connecting AzureDevOps to Cyver Core? *Feel free to ask!*