

Cyver Core directly imports XML from Qualys with support for Assets, Scan results, and Scan API results. This includes the VM Parser and the Web App Scanner.

The Qualys Web App Scanner delivers static and dynamic scans, fault injection tests, and discovery scans to help you find potential vulnerabilities. You can manually import these using the Findings Importer or automatically import them via the API.

QUALYS SCAN XML

FINDINGS FIELD MAPPING

Field	Values	Example
Code	default: auto-generated	
Title		<pre><IP > <INFOS> <INFO> <TITLE> <![CDATA[Degree of Randomness of TCP Initial Sequence Numbers]]> </TITLE> </INFO> </INFOS> </IP></pre>
Type	Vulnerability Observation	
Assets		<pre><IP value="87.242.186.231" name="host-87-242-186- 231.static.onetel.net.uk"> </IP></pre>
Description		
Occurrence		
Labels		
Severity	Info Low Medium High Critical default: Info	<pre><IP> <INFOS> <INFO severity="1"> </INFO> </INFOS> </IP></pre>
CVSS20Score		
CVSS20Vector		
CVSS30Score		
CVSS30Vector		
CVSS31Score		
CVSS31Vector		
CVSS40Score		
CVSS40Vector		
	0 1 2	

Impact	3 4 5 default: 0	
ImpactDescription		
Likelihood	0 1 2 3 4 5 default: 0	
LikelihoodDescription		
VulnerabilityTypes	DoS CodeExecution Overflow MemoryCorruption SqlInjection XSS DirectoryTraversal HttpResponseSplitting BypassSomething GainInformation GainPrivileges CSRF FileInclusion	
CWEList	for example: CWE-1; CWE-721	
CVEList	for example: CVE-1; CVE-721	
MITRE ATT&CK Techniques		
MITRE ATT&CK Mitigations		
MITRE ATT&CK Tactics		
Controls		
Compliance Status		
Compliance Comment		
BackgroundInformation		
Recommendation		
External References		
Status	Draft PendingFix Fixed ReadyRetest Accepted ToReview Reviewed default: Draft	
Evidence Title		<IP name="host-87-242-186-231.static.onetel.net.uk"> </IP>
Evidence Location		
Evidence Version		
Evidence Reproduction		
		<IP> <INFOS> <INFO > <RESULT>

Evidence Results		<![CDATA[Average change between subsequent TCP initial sequence numbers is 989598136 with a standard deviation of 640041304. These TCP initial sequence numbers were triggered by TCP SYN probes sent to the host at an average rate of 1/(5085 microseconds). The degree of difficulty to exploit the TCP initial sequence number generation scheme is: hard.]]> </RESULT> </INFO> </INFOS> </IP>
Evidence Issue Details		

QUALYS ASSET XML

ASSETS FIELD MAPPING

Field	Values	Example
Code	default: auto-generated	
Title		<HOST> <VULN_DETAILS> <TITLE> <![CDATA[Enabled Auto User Logon]]> </TITLE> </VULN_DETAILS> </HOST>
Type	Vulnerability Observation	
Assets		<HOST> <IP>10.211.55.3</IP> </HOST>
Description		<HOST> <VULN_DETAILS> <THREAT> <![CDATA[Microsoft Windows NT provides a feature called "Automatic logon", which allows a user to automatically log on to his local workstation without entering a password.<P> This feature, while convenient, compromises the physical security of the workstation. Furthermore, it stores the autologin username and password in plaintext in the Windows registry: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Winlogon<P>]]> </THREAT> </VULN_DETAILS> </HOST>
Occurrence		
Labels		
Severity	Info Low Medium High Critical default: Info	<HOST> <VULN_DETAILS> <SEVERITY>1</SEVERITY> </VULN_DETAILS> </HOST>

CVSS20Score		<HOST> <VULN_DETAILS> <CVSS_SCORE> <CVSS_BASE source="service">4.4 (AV:L/AC:M/Au:N/C:P/I:P/A:P)</CVSS_BASE> </CVSS_SCORE> </VULN_DETAILS> </HOST>
CVSS20Vector		<HOST> <VULN_DETAILS> <CVSS_SCORE> <CVSS_BASE source="service">4.4 (AV:L/AC:M/Au:N/C:P/I:P/A:P)</CVSS_BASE> </CVSS_SCORE> </VULN_DETAILS> </HOST>
CVSS30Score		
CVSS30Vector		
CVSS31Score		
CVSS31Vector		
CVSS40Score		
CVSS40Vector		
Impact	0 1 2 3 4 5 default: 0	
ImpactDescription		
Likelihood	0 1 2 3 4 5 default: 0	
LikelihoodDescription		
VulnerabilityTypes	DoS CodeExecution Overflow MemoryCorruption SqlInjection XSS DirectoryTraversal HttpResponseSplitting BypassSomething GainInformation GainPrivileges CSRF FileInclusion	
CWEList	for example: CWE-1; CWE-721	
CVEList	for example: CVE-1; CVE-721	
MITRE ATT&CK Techniques		
MITRE ATT&CK Mitigations		
MITRE ATT&CK Tactics		

Controls		
Compliance Status		
Compliance Comment		
BackgroundInformation		
Recommendation		
External References		
Status	Draft PendingFix Fixed ReadyRetest Accepted ToReview Reviewed default: Draft	
Evidence Title		
Evidence Location		
Evidence Version		
Evidence Reproduction		
Evidence Results		
Evidence Issue Details		

QUALYS SCAN API XML

FINDINGS FIELD MAPPING

Field	Values	Fields
Code	default: auto-generated	
Title		<QID><TITLE>Cross-Site Scripting</TITLE></QID>
Type	Vulnerability Observation	<QID><CATEGORY>Confirmed Vulnerability</CATEGORY></QID> + <QID><SEVERITY>3</SEVERITY></QID>
Assets		<WEBAPP><NAME>Lanvera connect-uat</NAME></WEBAPP> + <WEBAPP><URL>https://connect- uat.lanvera.com</URL></WEBAPP>
Description		<QID><DESCRIPTION>This vulnerability allows...</DESCRIPTION></QID>
Occurrence		
Labels		
Severity	Info Low Medium High Critical default: Info	<QID><SEVERITY>3</SEVERITY></QID>
CVSS20Score		<QID><CVSS_BASE>7.5</CVSS_BASE></QID>
CVSS20Vector		
CVSS30Score		<QID><CVSS_V3><BASE>9.8</BASE></CVSS_V3></QID>
CVSS30Vector		
CVSS31Score		
CVSS31Vector		
CVSS40Score		
CVSS40Vector		

Impact	0 1 2 3 4 5 default: 0	
ImpactDescription		<QID><IMPACT>Attackers can exploit...</IMPACT></QID>
Likelihood	0 1 2 3 4 5 default: 0	
LikelihoodDescription		
VulnerabilityTypes	DoS CodeExecution Overflow MemoryCorruption SqlInjection XSS DirectoryTraversal HttpResponseSplitting BypassSomething GainInformation GainPrivileges CSRF FileInclusion	
CWEList	for example: CWE-1; CWE-721	<QID><CWE>79,89</CWE></QID>
CVEList	for example: CVE-1; CVE-721	
MITRE ATT&CK Techniques		
MITRE ATT&CK Mitigations		
MITRE ATT&CK Tactics		
Controls		
Compliance Status		
Compliance Comment		
BackgroundInformation		
Recommendation		<QID><SOLUTION>Apply input validation...</SOLUTION></QID>
External References		
Status	Draft PendingFix Fixed ReadyRetest Accepted ToReview Reviewed default: Draft	
Evidence Title		<PAYLOAD><REQUEST><URL>https://connect- uat.lanvera.com/index.html</URL></REQUEST></PAYLOAD>
Evidence Location		<PAYLOAD><REQUEST><HEADERS><HEADER><key>Host</key><value>connect- uat.lanvera.com</value></HEADER></HEADERS></REQUEST></PAYLOAD>
Evidence Version		

Evidence Reproduction		
Evidence Results		
Evidence Issue Details		

IMPORTANT NOTES & LIMITATIONS

- The maximum number of findings that can be imported in a single upload is 5,000 findings.
- If your file exceeds this limit, the import may fail depending on the selected import options (e.g., aggregation settings or filtering by severity).