

Cyver Core imports OnDefend BlindSPOT files via JSON, allowing you to manually or automatically import findings, evidence, attack paths, compliance data, and more. Whether you're using BlindSPOT for scanning, breach and attack simulation, or threat attack and response validation, you can import those files to Cyver Core.

Cyver Core also supports observations and reoccurrences to better track changes to controls. In addition, you can automatically map MITRE ATT&CK Framework details into Cyver Core.

You can automatically import BlindSPOT scan results via API or use the importer to manually add findings.

FINDINGS FIELD MAPPING

Field	Values	Example
Code	default: auto-generated	
Title		{ "name": "Enable Active Protections In Elastic Security (Endgame)" }
Type	Vulnerability Observation	
Assets		"affected_hosts": ["BLINDSPOT- VM-01"]
Description		{ "description": "The Elastic Security Agent (Endgame) (ESA) has the ability to proactively protect against threats. Many of the activities that were missed were due to an improperly implemented policy." }
Occurrence		
Labels		

Severity	Info Low Medium High Critical default: Info	{ "score": "High" }
CVSS20Score		
CVSS20Vector		
CVSS30Score		
CVSS30Vector		
CVSS31Score		
CVSS31Vector		
CVSS40Score		
CVSS40Vector		
Impact	0 1 2 3 4 5 default: 0	
ImpactDescription		
Likelihood	0 1 2 3 4 5 default: 0	
LikelihoodDescription		
VulnerabilityTypes	DoS CodeExecution Overflow MemoryCorruption SqlInjection XSS DirectoryTraversal HttpResponseSplitting BypassSomething GainInformation GainPrivileges CSRF FileInclusion	
CWEList	for example: CWE-1; CWE-721	
CVEList	for example: CVE-1; CVE-721	
MITRE ATT&CK Techniques		
MITRE ATT&CK Mitigations		
MITRE ATT&CK Tactics		
Controls		
Compliance Status		
Compliance Comment		
BackgroundInformation		
		{ "remediation": "In the Elastic console, enable

Recommendation		the following options: - Malware Protections - Memory Threat Protections - Malicious Behavior Protection Each should be put into 'Protect' mode..." }
External References		
Status	Draft PendingFix Fixed ReadyRetest Accepted ToReview Reviewed default: Draft	
Evidence Title		"findings": [{ "name": "Ryuk - Initial Run" }]
Evidence Location		
Evidence Version		
Evidence Reproduction		
Evidence Results		"findings": [{ "campaign": "run cmd /c tasklist" }]
Evidence Issue Details		

IMPORTANT NOTES & LIMITATIONS

- The maximum number of findings that can be imported in a single upload is 5,000 findings.
- If your file exceeds this limit, the import may fail depending on the selected import options (e.g., aggregation settings or filtering by severity).