

## IMPORTANT NOTES

1. Use `&` to separate multiple parameters
2. Field names are case-sensitive
3. Multiple fields should be separated by commas
4. Values for filter settings (type, status, severity) must match the exact enum values

This is a list of the available Finding fields and other options that can be used on the different tokens related to Findings.

## BASIC INFORMATION

- `name` - Finding name
- `title` - Finding title (Code + Name with link)
- `description` - Finding description
- `code` - Finding identifier
- `severity` - Finding severity level
- `status` - Current status
- `type` - Finding type

## TECHNICAL DETAILS

- `cvss` - CVSS score and vector
- `cvss_score` - CVSS score only
- `cvss_vector` - CVSS vector only
- `cwes` - Associated CWEs
- `cves` - Associated CVEs
- `exploits` - Known exploits
- `vulnerability_types` - Types of vulnerabilities
- `mitre_attack_tactic` - MITRE ATT&CK Tactics
- `mitre_attack_technique` - MITRE ATT&CK Techniques
- `mitre_attack_mitigation` - MITRE ATT&CK Mitigations

## IMPACT AND ANALYSIS

- `impact` - Impact rate assessment
- `impact_description` - Impact description
- `likelihood` - Likelihood rate assessment
- `likelihood_description` - Likelihood description

- `background_information` - Background context
- `remediation` - Remediation recommendations

## ASSETS AND EVIDENCE

- `assets` - Affected assets
- `asset_count` - Number of affected assets
- `evidences` - Finding instances/evidence
- `evidence_table` - Evidence in table format
- `external_url` - External references
- `pci_evidence_table` - PCI oriented style

## EVIDENCE FIELDS

- `title` - Evidence title
- `location` - Evidence location
- `version` - Evidence version
- `ip` - Evidence IP
- `port` - Evidence port
- `protocol` - Evidence protocol
- `compliance_status` - Evidence compliance status
- `issue_details` - Evidence issue details
- `reproduce` - Evidence reproduce
- `results` - Evidence results

## COMPLIANCE

- `compliance_status` - Compliance status
- `compliance_comment` - Compliance details
- `compliance` - Compliance controls

## OTHER

- `labels` - Finding labels
- `occurrence` - New or Reoccurrence status
- `reoccurrence` - Link to original finding
- `reoccurrences` - List of related findings

## CUSTOM FIELDS

Any custom field can be used as well. Just make sure you use the code of the custom field, and not the name.

## ENUM VALUES

## EVIDENCE TABLE FORMAT

- `VisibleInstances` - Only the evidences marked as visible on report in finding details (IP, Location, Port/Protocol)
- `All` - Show all evidence (IP, Location, Port/Protocol)
- `AllMergedOnPortProtocol` - Group rows per IP/Location, merge by Port/Protocol

## ASSET FORMAT

- `List1` - Single column list
- `List2` - Two column list
- `Table` - Tabular format (IP, Hostname, Port)

## SORT DIRECTION

- `Ascending`
- `Descending`

## FINDING SEVERITY

- `Info`
- `Low`
- `Medium`
- `High`
- `Critical`

## FINDING STATUS

- `Draft`
- `ToReview`
- `Reviewed`
- `PendingFix`
- `ReadyRetest`
- `Accepted`
- `Mitigated`
- `PartialFix`
- `FalsePositive`
- `Raised`
- `ReOpen`