


Understanding Attack Chains is key to both anticipating and interrupting malicious activity. But in a world where attackers constantly adapt, static models fall short. That's where the MITRE ATT&CK® Framework and Cyver comes in.

ACTIVATE THE ATTACK CHAINS


At Cyver, you can bring the narrative of an attack easier than ever from initial access to achieving your goals. Here is how:

1. Add the *Attack chains* tab in the Project settings (or directly in the Project Template), for the tab to be visible in the Pentester Portal:




CREATE YOUR FIRST ATTACK CHAIN

2. Create at least *one scenario* to start:



3. Add a new *Attack Step*.
An attack step can be a Blank One, or Link to a Finding:



Blank Step fields:

- Title
- Description
- Assets
- Severity
- MITRE ATT&CK Tactics
- MITRE ATT&CK Techniques

- Findings
- Mitigated By
- Next Attack step
- Facts
- Reach Goal
- Timestamp

Automated Exfiltration

Title	Automated Exfiltration
Severity	Medium
MITRE ATT&CK Tactics	TAD010 Exfiltration
MITRE ATT&CK Techniques	T1020 Automated Exfiltration
Mitigated By	Password policies in place
Next Attack step	System Discovery
Timestamp	07/04/2025 11:01

Link to Finding fields:

- Linked Finding
- Mitigated By
- Next Attack step
- Facts
- Reach Goal
- Timestamp

Jitaccess File Detected

Finding	Jitaccess File Detected
Mitigated By	Restrict Registry Permissions
Next Attack step	System Discovery
Reach Goal	Primary Machine
Timestamp	16/06/2025 12:47

4. Add Mitigation, a blank one, or link to finding:

Mitigations

Restrict Registry Permissions

+

New Mitigation

Blank Step

Link to Finding

Title	Restrict Registry Permissions
MITRE ATT&CK Mitigations	MD24 Restrict Registry Permissions
Response to Attack	- System Discovery - Jitaccess File Detected
Timestamp	07/04/2025 11:02

Blank Steps Fields:


- Title
- Description
- Assets
- MITRE ATT&CK Mitigations
- Findings
- Response to Attack
- Next Attack step
- Facts
- Reach Goal
- Timestamp

Link to Finding fields:

- Linked Finding
- Response to Attack
- Next Attack step
- Facts
- Reach Goal
- Timestamp

5. Add Goals:


- Title
- Description
- Assets



The screenshot shows a 'Goals' interface with a '+ New Goal' button. A goal titled 'Primary Machine' is displayed. The 'Assets' field contains a list with 'test.cyver.io [https://test.cyver.io]'.

6.Add Facts:

- Title
- Description
- Assets
- Mitigated By
- Next Attack step
- Reach Goal




The screenshot shows a 'Create new Fact' form. It includes fields for 'Title*', 'Description' (with a rich text editor), 'Assets' (set to 'None'), 'Mitigated By' (set to 'None'), 'Next Attack step' (set to 'None'), and 'Reach Goal' (set to 'None'). At the bottom, there is a checkbox labeled 'Link from Reality root node in diagram'.


ATTACK CHAIN DIAGRAM

All this information and the links between them

generated a *Diagram* that can be shown here:



For example:



BASIC COMPONENTS

When building Attack Chains in Cyver, each element represents a specific part of the attacker narrative. These components help structure how an attack unfolds, how defenses respond, and how objectives are ultimately reached.

Understanding how each component is used makes Attack Chains easier to read, maintain, and communicate across technical and non-technical audiences.

SCENARIOS

Scenarios represent a specific attack narrative selected for the project. A scenario defines the scope, assumptions, and flow of the Attack Chain.

HOW SCENARIOS ARE USED

- Define the primary attack narrative for the project

- Establish the context and scope for attack steps, mitigations, facts, and goals
- Provide a structured way to model attacker behavior within the selected scenario
- Improve clarity and consistency of the Attack Chain

ATTACK STEPS

Attack Steps describe **actions performed by an attacker** during an engagement. These actions typically form a sequence, where one step enables the next.

HOW ATTACK STEPS ARE USED

- Model attacker behavior from initial access through progression
- Represent exploitation, abuse, or misuse of systems
- Can be linked directly to Findings or created as standalone steps
- Commonly mapped to MITRE ATT&CK® Tactics and Techniques

Attack Steps form the backbone of the Attack Chain.

MITIGATIONS

Mitigations describe **defensive controls or responses** that limit, detect, or prevent attacker actions.

HOW MITIGATIONS ARE USED

- Show how existing controls impact attacker progression
- Document security measures such as authentication, monitoring, or segmentation
- Can interrupt, delay, or force attackers to change strategy

Mitigations help explain **why an attack succeeded or failed** and where defenses are effective or insufficient.

GOALS

Goals define the **intended outcome of the attacker**, representing what success looks like from the attacker's perspective.

HOW GOALS ARE USED

- Anchor the Attack Chain to a clear objective
- Show how individual attack steps contribute to a final outcome
- Help stakeholders understand business and security impact

All meaningful Attack Chains should ultimately lead toward one or more Goals.

FACTS

Facts describe **conditions or properties of the environment** that influence the attack but are **not actions** taken by either attackers or defenders.

HOW FACTS ARE USED

- Capture assumptions or environmental realities
- Provide context for why an Attack Step is possible
- Explain constraints, misconfigurations, or architectural characteristics

Examples include exposed services, trust relationships, or configuration states.

RELATIONSHIPS BETWEEN COMPONENTS

Attack Chain components are connected to reflect **how actions and conditions influence each other**:

- Attack Steps can lead to other Attack Steps
- Mitigations can respond to Attack Steps
- Attackers may adapt their behavior in response to Mitigations

- Facts can enable or constrain multiple parts of the chain


These relationships are visualized in the **Attack Chain Diagram**, making attack progression and decision points easy to follow.

ATTACK CHAIN REPORT TOKENS

The diagram, the attack steps details, the timestamp and everything can be used in the report via *Report Tokens*.


- Attack Chain Attack Steps

View syntax [here](#).




- Attack Chain Details

View syntax [here](#).



- Attack Chain Diagram



- Attack Chain Timelog

View syntax [here](#).

Report Tokens

Attack Chains

Attack Chain Timelog

Attack Chain Timelog

Search...

Scenario

Attack Main Server

Attack Chain Attack Steps

Attack Chain Details

Attack Chain Diagram

Attack Chain Timelog

Token

AttackChain_Timelog

Use Token Editor

Task	Timestamp
Enumeration File Download	01/04/2025 14:07:02
Automated Diffusion	01/04/2025 14:08:05
System Discovery	08/04/2025 07:24:09
Upload Webcam	18/04/2025 09:59:09