

This guide explains how to use the Link_Section token in reports to create internal hyperlinks to report sections.

BASIC STRUCTURE

The token uses URL-style parameters separated by `&` characters. For example:

```
{Link_Section?name=Executive
Summary&text=Go to Executive
Summary}
```

CONFIGURATION SECTIONS

1. REQUIRED PARAMETERS

name=[section_name]

- The name of the section to link to
- Must match the exact section name as defined in the report template
- Case-sensitive matching for the anchor ID generation
- Example: `name=Executive Summary`

2. OPTIONAL PARAMETERS

text=[custom_text]

- Custom text to display for the link
- If not specified, defaults to the section name
- Example: `text=Click here to view the summary`

display=[inline|block]

- Controls how the link is rendered
- Available values: `inline` (default), `block`
- `inline`: Renders as a span element, suitable for use within paragraphs
- `block`: Renders as a div element,

suitable for standalone links

- Example: `display=block`

HOW IT WORKS

The Link_Section token creates clickable hyperlinks that navigate to the corresponding section within the same PDF document.

- When the report is generated, the token creates a link using the section name

For this to work properly:

- The section must exist in the report template
- The section name must match exactly

ERROR HANDLING

The token displays error messages in the following cases:

Missing name parameter:

```
[Invalid Link: No section  
name specified]
```

HTML STRUCTURE AND CSS CLASSES

The Link_Section token generates hyperlinks that navigate to section divs within the document.

LINK CONTAINER (INLINE MODE - DEFAULT)

```
<span class="internal-link-  
text">Link Text</span>
```

CSS Classes:

- `internal-link-text`: Base styling for the link text in preview

LINK CONTAINER (BLOCK MODE)

```
<div class="internal-link-text">Link Text</div>
```

CSS Classes:

- `internal-link-text` : Base styling for the link text in preview

GENERATED LINK (IN PDF)

```
<a href="#executive-summary" class="internal-link internal-link-section">Link Text</a>
```

CSS Classes:

- `internal-link` : Base class for all internal links
- `internal-link-section` : Specific class for section links

BLOCK DISPLAY WRAPPER (IN PDF)

```
<div class="internal-link-block">  
  <a href="#executive-summary" class="internal-link internal-link-section">Link Text</a>  
</div>
```

CSS Classes:

- `internal-link-block` : Wrapper for block-level links

ERROR DISPLAY

```
<span class="link-error">  
[Error message]</span>
```

CSS Classes:

- `link-error` : Styling for error messages

EXAMPLES

BASIC LINK WITH DEFAULT TEXT

```
{Link_Section?name=Executive  
Summary}
```

Creates a link displaying "Executive Summary" that navigates to that section.

LINK WITH CUSTOM TEXT

```
{Link_Section?name=Executive  
Summary&text=Jump to  
Summary}
```

Creates a link with custom display text while still navigating to the Executive Summary section.

BLOCK-LEVEL LINK

```
{Link_Section?  
name=Findings&text=View All  
Findings&display=block}
```

Creates a standalone block-level link, useful for prominent navigation elements.

INLINE LINK WITHIN TEXT

```
For a high-level overview,  
please refer to the  
{Link_Section?name=Executive  
Summary&text=executive  
summary} at the beginning of  
this report.
```

Creates an inline link that flows naturally within a paragraph.

TABLE OF CONTENTS STYLE NAVIGATION

```
This report contains the  
following sections:  
- {Link_Section?  
name=Executive Summary}  
- {Link_Section?  
name=Methodology}  
- {Link_Section?  
name=Findings}  
- {Link_Section?  
name=Recommendations}  
- {Link_Section?
```

name=Appendix}

Creates a navigational list linking to all major sections.