



Cyver Core provides compliance norms and checklists. Your organization can utilize these as-is, customize existing norms, or build your own.

Click "Settings" in the left-hand menu in the Cyver Core portal, and then select, "Compliance norms".



Edit or Update Existing Compliance norms


1. Click on a Compliance Norm from the existing list
2. Click the blue "Actions" button in the top right corner to Edit or Delete the Norm.



EDIT


Click "Edit", "Status" to move a

Compliance Norm from Draft to Published or to unpublish back to draft. You can also update external links to sources or reference information.




DELETE

Click “Delete” to remove the Compliance Norm from your list. You will have one confirmation popup. **Important:** At this time, there is no recycle bin or archive. Once deleted, Compliance Norms are gone for good.




UPLOAD NEW COMPLIANCE NORMS

- Click the “+ New Compliance Norm” button in the top right of the platform.



- Add a name, description, and code for your new Compliance Norm.



- Click “Save”

- Select the newly created Compliance Norm from the list
- Click "Control Groups"

Control Groups		New cluster ID	
Study ID	Name	Description	Details
A12-027	Random Allocation	Application-based, used in RCTs, QMCs, and EMAP studies, where either unselected data is used to create a control group or a control group is created by randomly selecting data from the entire population or a representative sample of the population.	Details
A12-028	Random Allocation	Application-based, randomised to unselected and assessed (single group) or after comparing the unselected, allowing findings to be compared to previously known, or unselected data, or a specific other subpopulation to measure the effect (identifiable for a population).	Details
A12-029	Quasi-Static Data	Application-based, randomised to unselected and assessed (single group) or after comparing the unselected, allowing findings to be compared to previously known, or unselected data, or a specific other subpopulation to measure the effect (identifiable for a population).	Details
A12-030	Quasi-Static Data	Application-based, randomised to unselected and assessed (single group) or after comparing the unselected, allowing findings to be compared to previously known, or unselected data, or a specific other subpopulation to measure the effect (identifiable for a population).	Details

- Click "+ New Control Group"

A new Compliance Norm is automatically set to “Draft” status unless you choose otherwise. This means it is not visible to Pentesters or Clients and cannot be used in Pentests. This allows you to take time to build the Compliance Norm before publishing.

CONTROL GROUPS

Manually add Control Groups to Compliance Norms.

Control Groups include:

- Control Group Code
- Name
- Description
- URL to source/reference

Click “...” on the far right of any existing Control Group to edit or delete

[illegible]

Cyver Core offers a selection of pre-defined Compliance Norms you can use "out of the box", or edit to meet your specific needs.

[Click here to see the current list of supported Compliance Norms.](#)

