

TEXT LAYOUT

General:

```
.report_pdf
{
color: blue;
line-height: 1.5em;
}

.report_pdf p
{
color: #000000;
font-family: 'Montserrat';
font-weight: 300;
margin-bottom: 25px;
margin-top: 25px;
font-size: 12px;
}
```

Column layout:

```
.report_pdf.section2 h1 {
column-count:1;
}
.report_pdf.section2 h2 {
column-count:1;
}
.report_pdf.section2 p {
column-count: 2;
}
.report_pdf.section2 ul {
column-count: 2;
}
```

Justify text:

```
.report_pdf
{
text-align: justify;
}
```

HEADINGS

Headings:

```
.report_pdf h1, h2, h3
{
  color: red;
  font-family: 'Montserrat';
}
```

TABLES

Tables:

```
.report_pdf th
{
  background-color: #000;
  color: #fff;
}

.report_pdf tr:nth-child(even)
{
  background-color: #f2f2f2;
}

th:nth-child(1){
  width:150px;
}
th, td {
  border: 1px solid #ddd;
  padding: 8px;
  text-align: left;
  width: auto;
  word-break: break-all;
  white-space: normal;
}
```

REPORT SECTIONS

Sections by index:

```
.report_pdf.section<i>
```

Where <i> is the section number

Sections by name:

```
.report_pdf.section_name
```

section name is lowercase and without whitespaces

Example: If a section is called "Technical Summary", the class will be: .section_technicalsummary

Style Cover page:

```
.report_pdf.section1 h1
{
  color: #FF465C;
  margin-bottom: 300px;
  margin-top: 400px;
  font-size: 56px;
}
```

REPORT TOKENS

all report tokens are wrapped in a div with a class name:

```
{token-name} -> .token_name
```

Client logo:

```
.client_logo
{
  text-align: center;
}
```

See specific CSS classes for these report tokens:

- [Finding_Details](#)
- [Finding_Charts](#)
- [Finding_Table](#)
- [FindingEvidence_Table](#)

HEADER

The header size is: 800x55px

Header:

```
.report_pdf_header
{
background-color: blue;
}
```

Header text:

```
.report_pdf_header_text
{
color: #000;
}
```

Page number:

```
.report_pdf_header_pages
{
color: #ccc;
}
```

FOOTER

The header size is: 800x65px

```
.report_pdf_footer
{
background-color: blue;
}
```

Footer text:

```
.report_pdf_footer_text
{
color: #000;
}
```

Page number:

```
.report_pdf_footer_pages
{
color: #ccc;
}
```

```
}
```

Full width footer image:

```
.report_pdf_footer_image {  
margin-top: 0px;  
margin-left: 0px;  
margin-bottom: 0px;  
background-size: 800px 65px;  
background-repeat: no-repeat;  
}
```

Default logo footer image:

```
.report_pdf_footer_image {  
background-size: auto 40px;  
background-repeat: no-repeat;  
margin-left: 14px;  
margin-top: 14px;  
  
}
```

TABLE OF CONTENTS

```
.report_pdf_toc_list-l1  
{  
color: blue;  
}  
  
.report_pdf_toc_list-l2  
{  
color: #B200FF;  
}  
  
.report_pdf_toc_list-l3  
{  
color: #3DFFE5;  
}
```

Dotted lines, links formatted:

```
.report_pdf_toc_list-l1,  
.report_pdf_toc_list-l2,  
.report_pdf_toc_list-l3  
{  
color: #000 !important;  
border-bottom: dashed 1px #000;  
}  
  
.report_pdf_toc_list-l1 a,  
.report_pdf_toc_list-l1 a:link,  
.report_pdf_toc_list-l2 a,  
.report_pdf_toc_list-l2 a:link,  
.report_pdf_toc_list-l3 a,  
.report_pdf_toc_list-l3 a:link  
{  
color: #000 !important;  
text-decoration: none;  
}
```

TABLE CELLS (FULL CELL WITH SEVERITY & STATUS COLOR)

```
.severity-tablecell-<severity>
```

Color table cells with Finding Severity color:

```
.findings-table .table-  
cell.severity:has(.criticality-  
finding-info) { background-color:  
#91C2F7; }  
.findings-table .table-  
cell.severity:has(.criticality-  
finding-low) { background-color:  
#FFCC32; }  
.findings-table .table-  
cell.severity:has(.criticality-  
finding-medium) { background-color:  
#FF7F44; }  
.findings-table .table-  
cell.severity:has(.criticality-  
finding-high) { background-color:  
#FE443E; }
```

```
.findings-table .table-  
cell.severity:has(.criticality-  
finding-critical) { background-  
color: #9900CC; }
```

Color table cells with Finding Status color:

```
.findings-table .table-  
cell.status:has(.status-finding-  
pendingfix) { background-color:  
#FFEE59; }  
.findings-table .table-  
cell.status:has(.status-finding-  
accepted) { background-color:  
#759383; }  
.findings-table .table-  
cell.status:has(.status-finding-  
fixed) { background-color: #11C664;  
}  
.findings-table .table-  
cell.status:has(.status-finding-  
readyretest) { background-color:  
darkorange; }  
.findings-table .table-  
cell.status:has(.status-finding-  
toreview) { background-color:  
#5C9DFF; }  
.findings-table .table-  
cell.status:has(.status-finding-  
reviewed) { background-color:  
#0365CA; }  
.findings-table .table-  
cell.status:has(.status-finding-  
mitigated) { background-color:  
#F7BA40; }  
.findings-table .table-  
cell.status:has(.status-finding-  
partialfix) { background-color:  
#B0BF3B; }  
.findings-table .table-  
cell.status:has(.status-finding-  
falsepositive) { background-color:  
#F55A42; }  
.findings-table .table-  
cell.status:has(.status-finding-  
raised) { background-color:  
#5C9DFF; }  
.findings-table .table-  
cell.status:has(.status-finding-  
reopen) { background-color:  
#F7BA40; }
```

Color table cells with Finding Compliance Status

color:

```
.findings-table .table-cell.compliance_status:has(.result-test-pass) { background-color: #29A562; }
.findings-table .table-cell.compliance_status:has(.result-test-fail) { background-color: #FE443E; }
```

Color table cells with Finding Compliance Status color:

```
.findings-table .table-cell.labels:has(.label) { background-color: #29A562; }
```

CODE BLOCKS

```
.report_pdf pre code
{
  overflow: hidden;
  display:inline-block;
  color: #000;
  line-height: 18px;
  font-size: 16px;
}
```

line wrap:

```
.report_pdf pre code
{
  white-space: pre-wrap;
}
```

IMAGES

Center images

```
.report_pdf img
{
  display: block;
  margin-left: auto;
  margin-right: auto;
}
```

Center image captions

```
.image_box span
{
display: block;
text-align: center;
}
```

Center image captions in an Evidence

```
.file_box span,
.evidence-file span
{
display: block;
text-align: center;
}
```

TEXT BLOCKS

Each text block outputs a div tag with the following class name:

Text block name:

{TextBlock_executive-approach}

CSS class name:

.textblock-executive-approach

CUSTOM FONTS

1- Upload your custom font in woff2 format in your server, then add the following CSS to the report template

```
@font-face {
font-family: "FontName";
src: url("<url>/font-file.woff2")
format("woff2");
font-weight: bold;
font-style: italic;
}
```

2- Apply the new font to your classes

```
.class_name
{
font-family: "FontName";
}
```