Polytechnic University of Puerto Rico

Department of Electrical Engineering

Hato Rey

Module 2 Project COE 4331

Computer Networks Laboratory

November 17, 2016

Schmidt Montilla, Coral S., Student ID: 148830

Professor: Juan Tovar

Table of Contents

Introduction

      This report focuses on the analysis and identification of the appropriate network components and configurations necessary for establishing and maintaining efficient computer networking setups. It examines key elements such as network connectors, pin assignments, wiring types, and fiber optic specifications for various operating systems, including Windows 7, 10, 2008R2, 2012, 2016, Linux, and Sun workstations. The objective is to ensure compatibility, reliability, and scalability in the network infrastructure to meet diverse operational requirements.

Method

       To identify the appropriate network connector, pin assignments, wiring type, and fiber optics specifications for different operating systems and networking setups, research was conducted using technical documentation and reliable sources. The following observations were made:

1. Network Connectors for Workstations

       The RJ45 network connector is utilized by Windows 7, 10, 2008R2, 2012, 2016, Linux, and Sun workstations. RJ45 connectors support Ethernet standards such as 10BaseT, 100BaseT, and 1000BaseT, making them suitable for modern networking environments.

2. RJ45 Pin Assignments for Data Transmission

      The pin configurations for RJ45 jacks vary based on the Ethernet implementation:

- ➢ 10 Mbps and 100 Mbps (10BaseT, 100BaseT):
  - o Pin 1: Transmit Data (+), Pin 2: Transmit Data (−)
  - o Pin 3: Receive Data (+), Pin 6: Receive Data (−)
- ➢ 1 Gbps (1000BaseT):
  - o Uses all four pairs (pins 1–8) for bidirectional communication.
- ➢ 10 Gbps (10GBaseT):
  - o Utilizes all four pairs (pins 1–8) for full-duplex transmission.

3. Wiring Type for Interconnection

      Twisted-pair Ethernet cables, such as Cat5e, Cat6, or Cat6a, are used for interconnecting lab computers, enterprise systems, and ISPs. Twisted-pair cabling is cost-effective and supports high-speed data transfer (up to 10 Gbps for Cat6a) while reducing electromagnetic interference.

4. Fiber Optic Types, Usage, and Specifications

- ➢ Single-mode fiber (SMF):
  - o Designed for long-distance communication (up to 40 km with 10GBase-ER).
  - o Supports high data rates (up to 10 Gbps and beyond).

- Multi-mode fiber (MMF):
    - Used for shorter distances (up to 300 meters with 10GBase-SR).
    - Supports high data rates (up to 10 Gbps, depending on cable quality).

This structured approach ensures compatibility, reliability, and scalability in network infrastructure for various operating systems and setups.

Conclusion

The findings presented highlight the importance of selecting appropriate network connectors, wiring types, and fiber optic configurations to optimize data transmission and network performance. RJ45 connectors are universally applied across workstations, while twisted-pair Ethernet cables and fiber optic solutions provide reliable and high-speed connectivity. By aligning network components with their intended applications, the infrastructure achieves efficiency, adaptability, and seamless operation across different networking environments.

References

[1] M. Stein, "Network Connectors: The Big Guide by Experts," *PATCHBOX - Simplify IT*, Jan. 02, 2023. Available: https://patchbox.com/blog/network-connectors/#:~:text=The%20Registered%20Jack%2D45%20network,as%20%E2%80%9Cclassic%E2%80%9D%20network%20cabling. [Accessed: Nov. 19, 2024]

[2] "Computer connector types with pictures," *RAM Electronics OEM Custom Cable and Wire Harness Contract Manufacturing*, 2015. Available: https://www.ramoem.com/connecters.html#:~:text=HD15%2015%20pins%20in%20three,on%20Sun%20and%20Mac%20monitors. [Accessed: Nov. 19, 2024]

[3] "comptia Network+ : Different Types Of Cabling Standards," *Examguides.com*, 2024. Available: https://www.examguides.com/Networkplus/network-plus-9.htm. [Accessed: Nov. 19, 2024]