




My Github URL

W10-P1: Create HomeLayout_xx for all routes



```
$ git log --pretty=format:"%h%x09an%x09ad%x09s" --after="2024-05-03"
5ed63bc Sky001 Sat May 4 09:55:52 2024 +0800 W10-P1: Create HomeLayout_xx for all routes
```

W10-P2: Add Navbar_xx with 3 menu items



W10-P3: Get all blogs using route /mid1Blog_xx (自行完成)

```
$ git log --pretty=format:"%h%x09%an%x09%ad%x09%s" --after="2024-05-03"
7c215c1 Sky001 Sat May 4 11:47:49 2024 +0800 W10-P2: Add Navbar_xx with 3 menu
items
5ed63bc Sky001 Sat May 4 09:55:52 2024 +0800 W10-P1: Create HomeLayout_xx for
all routes
```

```
### W10-P4: Git logs of W10
```

```
$ git log --pretty=format:"%h%x09%an%x09%ad%x09%s" --after="2024-05-03" 7c215c1 Sky001 Sat May 4
11:47:49 2024 +0800 W10-P2: Add Navbar_xx with 3 menu items 5ed63bc Sky001 Sat May 4 09:55:52 2024
+0800 W10-P1: Create HomeLayout_xx for all routes
```