



My Github URL

W15-P1: Show static page <LandingStatic_xx /> using route /landing



```
$ git log --pretty=format:"%h%x09%an%x09%ad%x09%s" --after="2024-06-04"
c706a20 Sky001 Wed Jun 5 00:44:42 2024 +0800 W15-P1: Show static page
<LandingStatic_xx /> using route /landing
```

W15-P2: For landing page, get 8 cabins data from Supabase



```
$ git log --pretty=format:"%h%x09an%x09ad%x09s" --after="2024-06-03"
0c80d35 Sky001 Wed Jun 5 00:46:26 2024 +0800 W15-P2: For landing page, get 8
cabins data
from Supabase
```

W15-P3: Implement login using `LoginForm`, `useLogin`, `login` (`apiAuth.jsx`), navigate to `/dashboard` when successful

=> login in with email (has your id), password

local:localhost:5173/dashboard

THE WILD OASIS

Home

Bookings

Cabins

Users

Settings

SAMPLE DATA

Upload ALL

Upload bookings ONLY

HEADER

Dashboard_xx page

DevTools is now available in Chinese! Always match Chrome's language Switch DevTools to Chinese Don't show again

Application

Manifest

Service workers

Storage

Storage

Local storage

http://localhost:5173

IndexedDB

Cookies

Private state tokens

Interest groups

Shared storage

Cache storage

Background services

Back/forward cache

Background fetch

Background sync

Bounce tracking mitigations

Notifications

Payment handler

Periodic background sync

Speculative loads

Push messaging

Reporting API

Frames

top

Filter

http://localhost:5173

Origin http://localhost:5173

Key	Value
TanstackQueryDevtools.open	false
sb-ophihndtmgrbqpyaatag-auth-t...	{ "access_token": "eyJhbGciOiJIUzI1NiIsImtpZCI6IklqbWdxeFllbWd0Zz...
TanstackQueryDevtools.width	496.8000183105469
reactQueryDevtoolsWidth	670
isDarkMode	false
reactQueryDevtoolsActiveQueryH...	"[\\\"cabins\\\"]"
TanstackQueryDevtools.position	right
reactQueryDevtoolsOpen	true
reactQueryDevtoolsPanelPosition	"right"

access_token: "eyJhbGciOiJIUzI1NiIsImtpZCI6IklqbWdxeFllbWd0Zz..."

expires_in: 3600

refresh_token: "q1b05ZUB_o2Kqu7emhxDHg"

token_type: "bearer"

user: {id: "9e30df4d-6968-46cf-a745-810d8719319b", aud: "au...", email: "207410290@gmail.com", email_confirmed_at: "2024-06-04T14:59:57.471657Z", id: "9e30df4d-6968-46cf-a745-810d8719319b", identities: [{identity_id: "1d36c3ff-149d-4994-b37e-d4a50...", is_anonymous: false, last_sign_in_at: "2024-06-04T16:14:44.684851121Z", phone: "...", role: "authenticated"}]}

=> go to jwt.io to check the jwt token with email same as above

JWT

Debugger Libraries Introduction Ask

Crafted by Auth0 by Okta

PLAIN TEXT

eyJhbGciOiJIUzI1NiIsImtpZCI6IklqbWdxeFllbWd0Zz...


HEADER: ALGORITHM & TOKEN TYPE

{ "alg": "HS256", "kid": "eyJhbGciOiJIUzI1NiIsImtpZCI6IklqbWdxeFllbWd0Zz...", "typ": "JWT" }


PAYLOAD: DATA

{ "aud": "authenticated", "exp": 1717521284, "iat": 1717517684, "iss": "https://ophihndtmgrbqpyaatag.supabase.co/auth/v1", "email": "207410290@gmail.com", "phone": "908719319b", "app_metadata": { "provider": "email", "providers": ["email"] }, "user_metadata": { "role": "authenticated", "id": "9e30df4d-6968-46cf-a745-810d8719319b", "is_anonymous": false, "last_sign_in_at": "2024-06-04T16:14:44.684851121Z", "phone": "...", "role": "authenticated" } }

=> code using App_xx.jsx, LoginForm.jsx, useLogin.jsx, apiAuth.js with console.log message shown in w15-p3-4.png



=> show console.log messages, also, with React Query DevTools



```
$ git log --pretty=format:"%h%x09%an%x09%ad%x09%" --after="2024-06-05"
998ae31 Sky001 Wed Jun 5 00:47:54 2024 +0800 W15-P3: Implement login using
LoginForm, useLogin, login (apiAuth.jsx), navigate to /dashboard when successful
```

W15-P4: Git logs of W10

```
$ git log --pretty=format:"%h%x09%an%x09%ad%x09%s" --after="2024-06-05"
998ae31 Sky001 Wed Jun 5 00:47:54 2024 +0800 W15-P3: Implement login using
LoginForm, useLogin, login (apiAuth.jsx), navigate to /dashboard when successful
0c80d35 Sky001 Wed Jun 5 00:46:26 2024 +0800 W15-P2: For landing page, get 8
cabins data
from Supabase
c706a20 Sky001 Wed Jun 5 00:44:42 2024 +0800 W15-P1: Show static page
<LandingStatic_xx /> using route /landing
```