

# Figma Prototype Development Guidelines

## Beating the Burnout — Stress & Workload Manager

**Document** Design build guide for the Prototype Phase

**Version** v1.0 · 4 Sep 2026

**Derived from** Product Requirement Document v1.0 (31 Aug 2026) and Team Discussion Summary (31 Aug 2026)

**Team** Jacqueline · Sky · Tracia · Huixuan

**Applies to** Prototype Phase, 7–13 Sep 2026 (deliverable: ≤5-minute demo video)

### How to use this document

Sections 1–4 are set-up and must be agreed before anyone draws a screen. Sections 5–8 are the build spec — component library, screen inventory, and prototype wiring. Sections 9–13 cover the demo, quality bar, and hand-off to the Building Phase. Every screen requirement traces back to a numbered PRD feature (F1–F7) so nothing gets designed that the demo does not need.

### Contents

- |                                               |                                                       |
|-----------------------------------------------|-------------------------------------------------------|
| <b>1</b> Objective and scope                  | <b>8</b> Prototype interaction spec                   |
| <b>2</b> Design principles                    | <b>9</b> Demo storyboard and time budget              |
| <b>3</b> Platform, frames, and grid           | <b>10</b> Content and dummy-data rules                |
| <b>4</b> Figma file structure and conventions | <b>11</b> Accessibility checklist                     |
| <b>5</b> Design system foundations            | <b>12</b> Developer hand-off                          |
| <b>6</b> Component library                    | <b>13</b> Ownership, schedule, and Definition of Done |
| <b>7</b> Screen inventory (F1–F7)             | <b>14</b> Open decisions blocking design              |

## 1. Objective and scope

**Objective.** Produce one clickable Figma prototype that carries a single user through the complete PRD loop — *ingest* → *analyse* → *visualise* → *intervene* → *recover* — convincingly enough to record the ≤5-minute demo video without needing a working backend.

| ITEM                | DECISION                                                                                                                                                                                                |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>In scope</b>     | MVP features F1–F7 (PRD §6), one persona, one week of data, one happy-path flow plus the three states judges will ask about (permission opt-in, high-load trigger, API fallback).                       |
| <b>Out of scope</b> | All PRD §7 stretch features, settings/profile screens, sign-up and password flows, multi-user or social features, tablet and desktop layouts, dark mode, marketing site, travel-track ideas (archived). |
| <b>Success test</b> | A teammate who has not seen the file can click from Home to Recovery Plan exit without narration and correctly describe what the product does.                                                          |
| <b>Anti-goal</b>    | A large screen library. Fifteen polished screens on the demo path beat forty half-finished ones.                                                                                                        |

### Constraint that shapes every decision below

The judging panel is made up of founders and engineers with low tolerance for "another mood tracker" (PRD §3). The prototype's job is not to look pretty in isolation — it is to make the *reasoning* visible. Every recommendation on screen must show its "because..." line. A beautiful screen with an unexplained number is a failed screen.

## 2. Design principles

These four principles resolve most design arguments without escalation. When two options are both defensible, pick the one that better satisfies the higher-numbered principle.

| # | PRINCIPLE                          | WHAT IT MEANS IN THE FILE                                                                                                                                                                                       |
|---|------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | <b>One glance, one number</b>      | Every screen has a single dominant element that answers "am I OK?" — the zone colour and the energy value. Supporting detail is secondary in size and weight. Derived from Tracia's zone concept and PRD §6 F4. |
| 2 | <b>Always show the "because"</b>   | No recommendation appears without a one-line reason directly beneath it, in a fixed component. This is PRD §3's explainability principle expressed as a design rule.                                            |
| 3 | <b>Design for zero daily input</b> | Manual-entry affordances are deliberately small and optional. Passive sync is the visual default. If a screen asks the user to fill something in, justify it in the layer description.                          |
| 4 | <b>Warn forward, not backward</b>  | Copy is framed as "this is coming" rather than "this happened." Charts lean right toward the future, not left toward history.                                                                                   |

## 3. Platform, frames, and grid

PRD §9 leaves the platform open. For the prototype phase, design **mobile-first** regardless of what engineering eventually builds — the official brief asks for something students "keep open on their phone," and a phone frame reads far better in a 5-minute video than a browser window.

| SETTING                    | VALUE       | NOTES                                                                        |
|----------------------------|-------------|------------------------------------------------------------------------------|
| Primary frame              | 393 × 852   | iPhone 15/16 Pro preset. Every demo-path screen uses this size.              |
| Secondary frame (optional) | 1440 × 1024 | Only if the team confirms a web dashboard in §14. Build last, or not at all. |

|               |                                      |                                                                  |
|---------------|--------------------------------------|------------------------------------------------------------------|
| Layout grid   | 4-col, 16px margin, 16px gutter      | Save as a shared grid style named <code>grid/mobile</code> .     |
| Spacing scale | 4 / 8 / 12 / 16 / 24 / 32 / 48       | 8pt base. No arbitrary values — if you need 13px, you need 12px. |
| Corner radius | 8 (control) / 16 (card) / 999 (pill) | Three values only.                                               |
| Safe areas    | Top 59px, bottom 34px                | Never place tappable elements inside these.                      |
| Touch target  | ≥ 44 × 44px                          | Applies to icon buttons, chips, and list-row chevrons.           |

## 4. Figma file structure and conventions

One file, named `CodeNecton26 – Beating the Burnout`. Do not split across files during a one-week sprint; cross-file component linking will cost more time than it saves.

### 4.1 Page structure

| PAGE                 | OWNER              | CONTENTS                                                                        |
|----------------------|--------------------|---------------------------------------------------------------------------------|
| 00 · Cover & Brief   | Sky                | Thumbnail, this document's summary, decision log, open questions.               |
| 01 · Foundations     | Tracia             | Colour, type, spacing, elevation, icon set. Section 5 of this doc.              |
| 02 · Components      | Tracia             | Component library with all variants. Section 6.                                 |
| 03 · Wireframes      | All                | Low-fidelity greyboxes. Locked once \$7 sign-off happens — do not keep editing. |
| 04 · Screens         | Jacqueline, Tracia | Final UI, arranged left-to-right in demo order. Section 7.                      |
| 05 · Prototype       | Sky                | Duplicated demo-path frames with all wiring. Section 8.                         |
| 06 · Demo Storyboard | Huixuan            | Shot list, on-screen beat, and narration line per beat. Section 9.              |
| 07 · Archive         | —                  | Rejected explorations. Never delete work; move it here.                         |

### 4.2 Naming conventions

- **Frames:** `[ID] Screen name – state`, e.g. `S05 Commitment Check – Result / Crash`. IDs match Section 7 and never change once assigned.
- **Components:** `category/name`, e.g. `card/task`, `gauge/energy`, `chip/zone`. Slash creates the folder grouping automatically.
- **Variants:** property names `state`, `zone`, `size`, `hasReason`. Lowercase values.
- **Styles:** semantic, never literal — `color/zone-red` not `color/red-500`. Semantic names survive the redesign; literal ones do not.
- **Layers:** rename anything that will be reused or pointed at in review. `Rectangle 47` inside a component is a bug.

### 4.3 Working agreement

- Everyone works on their own page. Never edit another person's page without saying so in the team chat first.
- Name a version ( `Ctrl/Cmd+Option+S` ) at the end of every working session: `Sep 09 – dashboard v2 (Tracia)`.
- Feedback goes in Figma comments pinned to the element, not in chat. Resolve the comment when it is addressed.
- The `05 · Prototype` page is the source of truth for the demo. If a screen is not wired there, it does not exist for the video.

## 5. Design system foundations

### 5.1 Colour

The zone system is the product's entire visual identity, so the three zone colours are treated as brand colours rather than status decoration. Every value below is checked for  $\geq 4.5:1$  contrast against its paired text colour (PRD §8 accessibility).

| TOKEN                                                                                                | HEX     | PAIRS WITH | USE                                                                                                                              |
|------------------------------------------------------------------------------------------------------|---------|------------|----------------------------------------------------------------------------------------------------------------------------------|
|  zone-red           | #8F1D15 | on #FDE2E1 | Red Zone — overloaded. Text/icon on the light surface.                                                                           |
|  zone-red-surface   | #FDE2E1 | —          | Red Zone card and chip fill.                                                                                                     |
|  zone-amber         | #7A4D05 | on #FDF0D0 | Yellow Zone — near capacity.                                                                                                     |
|  zone-amber-surface | #FDF0D0 | —          | Yellow Zone fill.                                                                                                                |
|  zone-green         | #135C31 | on #DCF2E3 | Green Zone — capacity available.                                                                                                 |
|  zone-green-surface | #DCF2E3 | —          | Green Zone fill.                                                                                                                 |
|  ink                | #1C1F24 | on #FFFFFF | Primary text, primary button fill.                                                                                               |
|  ink-muted          | #5A616B | on #FFFFFF | Secondary text, the "because..." reason line.                                                                                    |
|  surface-sunken    | #F6F7F9 | —          | App background behind cards.                                                                                                     |
|  surface          | #FFFFFF | —          | Card fill.                                                                                                                       |
|  border           | #DFE2E6 | —          | 1px hairlines, chart gridlines.                                                                                                  |
|  accent           | #2F5BEA | on #FFFFFF | AI-generated content only — chat replies, draft messages, simulation results. Reserved so users can tell what the machine wrote. |

#### Colour rule

Zone colour never appears as a background wash across a whole screen — only inside chips, gauge fills, and card accents. A full-red screen reads as an error state and looks alarming in the demo video; the product is trying to be calm about a stressful subject.

### 5.2 Typography

One typeface: **Inter** (free, in Figma by default, and available as a webfont so engineering can match it exactly). Do not add a second family.

| STYLE   | SIZE / LINE | WEIGHT | USE                                                    |
|---------|-------------|--------|--------------------------------------------------------|
| display | 44 / 48     | 700    | The energy value number and nothing else.              |
| title   | 24 / 30     | 700    | Screen titles.                                         |
| heading | 17 / 24     | 600    | Card headers, section labels.                          |
| body    | 15 / 22     | 400    | Default. Minimum size for anything the user must read. |
| reason  | 13 / 19     | 400    | The "because..." line. Always ink-muted .              |
| label   | 12 / 16     | 600    | Chips, tabs, buttons. Uppercase only in chips.         |

### 5.3 Elevation and motion

- **Two shadow levels only.** elev/card : 0 1px 2px rgba(28,31,36,0.06) . elev/sheet : 0 -4px 24px rgba(28,31,36,0.12) .

- **Motion:** Smart Animate, 300ms, `Ease Out`. Used for exactly three things — the energy gauge draining, the zone chip changing colour, and bottom sheets appearing. Everything else uses `Instant` or `Dissolve 150ms`.
- Do not animate for delight. Every transition in this prototype should demonstrate a state change the judges need to see.

## 6. Component library

Build these before any screen work. Ten components with proper variants will produce all fifteen screens; ad-hoc screens will produce ten inconsistent ones.

| COMPONENT           | VARIANTS / PROPERTIES                                                                        | SPEC NOTES                                                                                                                                                                                                                        |
|---------------------|----------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| gauge/energy        | level : 100 / 75 / 50 / 25 / 10<br>trend : up / down / flat                                  | Battery metaphor from Jacqueline + Sky's merged Energy Budget concept. Shows the number in <code>display</code> style, a fill bar, and a small delta ("–18 today"). The fill colour follows the zone token, not a separate scale. |
| chip/zone           | zone : red / amber / green<br>size : sm / lg                                                 | Pill, uppercase <code>label</code> , zone surface fill, zone ink text. The <code>lg</code> variant carries a one-word descriptor: OVERLOADED / NEAR CAPACITY / CLEAR.                                                             |
| bar/load-category   | category : mental / time / physical / social / errands<br>state : normal / over              | The official brief's five load areas. Horizontal bar, percentage on the right. <code>over</code> state fills with <code>zone-red</code> above 85%.                                                                                |
| card/task           | state : upcoming / due-soon / overdue / deferrable / done<br>weight : light / medium / heavy | Shows title, due label, and an energy-cost badge (e.g. "–12"). The <code>deferrable</code> variant carries a "can move 2 days" tag — this is where the load balancer becomes visible.                                             |
| card/recommendation | action : accept / defer / decline / rest                                                     | <b>Must include the reason slot.</b> Title, reason line in <code>reason</code> style, two buttons. This component enforces Principle 2 across the whole file — no other card is allowed to give advice.                           |
| bubble/chat         | sender : user / ai<br>hasCard : true / false                                                 | AI bubbles use <code>accent</code> -tinted background. When <code>hasCard</code> is true, a <code>card/recommendation</code> nests inside.                                                                                        |
| row/checkin         | state : pending / done / skipped                                                             | Recovery Plan check-in item. Checkbox, short action ("Sleep before 12", "20-min walk"), and a small restore value (" +8").                                                                                                        |
| sheet/consent       | source : health / calendar / messages                                                        | Opt-in bottom sheet. Explicit copy on what is read, what is not, and where it is processed. Required by PRD §8 privacy — and it is a scoring moment, not a legal chore.                                                           |
| banner/alert        | type : sleep / pre-burnout / api-fallback                                                    | Top-of-screen banner. The <code>api-fallback</code> variant covers the demo-day Google API failure path (PRD §12).                                                                                                                |
| nav/bottom          | active : home / plan / chat / recover                                                        | Four tabs maximum. Icons plus labels — icon-only navigation costs the judges comprehension time in a 5-minute video.                                                                                                              |

## 7. Screen inventory (F1-F7)

Fifteen frames. The **Priority** column is the build order — if the week runs short, P3 is what gets cut, and the demo still holds together without it.

| ID  | SCREEN                           | PRD     | PRI. | MUST SHOW                                                                                                                                                                                                                                                    |
|-----|----------------------------------|---------|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| S00 | Onboarding — connect sources     | F1      | P1   | Three source cards (watch, calendar, messages) with connect toggles. One line each on what is read. Sets up the "no daily typing" promise in the first five seconds of the video.                                                                            |
| S01 | Consent sheet                    | F1 / §8 | P1   | sheet/consent in the messages variant — the most sensitive one. Explicit: processed on device, own account only, never other people's messages.                                                                                                              |
| S02 | <b>Home dashboard</b>            | F4      | P1   | The hero screen. chip/zone (lg) + gauge/energy + "You're at 90% capacity this week" + next-3-days task list (3–4 items) + bottom nav. This is the thumbnail and the first frame of the demo.                                                                 |
| S03 | Load breakdown                   | F4      | P1   | Five bar/load-category rows. Mental and Time in over state. One sentence naming which area is actually overloaded — answers the brief's core problem statement directly.                                                                                     |
| S04 | Stress score detail              | F2      | P2   | 7-day trend line, current score, and — critically — an inputs breakdown showing what fed the score (avg HR, sleep hours, calendar density). Makes the model legible instead of a black box (PRD §11).                                                        |
| S05 | Smart to-do list                 | F5      | P1   | card/task stack with mixed states. At least one deferrable card visibly pushed down the list with its reason attached.                                                                                                                                       |
| S06 | Chat — should I take this on?    | F5      | P1   | Three-turn conversation ending in a card/recommendation. Keep the AI reply to two sentences; long AI paragraphs read as filler on video.                                                                                                                     |
| S07 | <b>Commitment check — input</b>  | F5      | P1   | Huixuan's scenario. Form: what the commitment is, hours per week, which days. Three fields maximum.                                                                                                                                                          |
| S08 | <b>Commitment check — result</b> | F5      | P1   | Before/after energy projection over four weeks, with the collision week flagged. Verdict line: what specifically breaks and what would have to move to absorb it. <b>The single most differentiating screen in the deck</b> — allocate the most polish here. |
| S09 | Pre-burnout alert                | F6      | P2   | banner/alert or notification-style frame. Forward-framed copy naming the date the threshold is projected to be crossed.                                                                                                                                      |
| S10 | Recovery Plan — triggered        | F6      | P1   | Threshold-crossing moment. Zone flips to red, plan is offered with a stated duration and a stated exit condition. Not a generic "take a break" card.                                                                                                         |
| S11 | Recovery Plan — check-ins        | F6      | P1   | Day-by-day row/checkin list, two or three items per day. Progress indicator against the exit threshold.                                                                                                                                                      |
| S12 | Recovery Plan — exit             | F6      | P2   | Score back below threshold, zone returns to amber/green, loop closes. Without this frame the loop is open and the demo has no ending.                                                                                                                        |
| S13 | <b>Communication assist</b>      | F7      | P1   | Suggestion card triggered by an incoming message. Shows detected phrase, drafted polite decline in accent, and Copy / Edit / Dismiss. Include a visible "suggested from your own screen" note — pre-empts the privacy question in Q&A.                       |
| S14 | Fallback / offline state         | §12     | P3   | banner/alert api-fallback over the dashboard with cached data. Build only if time allows; useful insurance for the live Grand Finals pitch.                                                                                                                  |

### What is deliberately absent

No login, no profile, no settings, no notification-preferences screen, no onboarding carousel. Judges do not score these, they take a day to design, and they add nothing to the loop. If someone asks in Q&A, the answer is "standard, not what we spent the week on."

## 8. Prototype interaction spec

### 8.1 The demo path

Wire this as one unbroken chain on the 05 · Prototype page. Set the starting frame to **S02**, not S00 — the video opens on the product working, and the onboarding is shown as a flashback if at all.

**S02** Home → **S03** Load breakdown → back → **S07** Commitment input → **S08** Result (crash warning) → **S06** Chat follow-up → **S05** To-do rebalanced → **S09** Pre-burnout alert → **S10** Recovery triggered → **S11** Check-ins → **S12** Exit → **S13** Communication assist

### 8.2 Wiring rules

| INTERACTION                  | SETTING                                             | NOTES                                                                                                     |
|------------------------------|-----------------------------------------------------|-----------------------------------------------------------------------------------------------------------|
| Screen-to-screen             | On tap → Navigate to → Smart Animate 300ms Ease Out | Use Smart Animate only where element names match across frames; otherwise it stutters visibly on video.   |
| Energy gauge drain (S07→S08) | Smart Animate 600ms Ease Out                        | Slow this one down deliberately. It is the money shot — the viewer needs to watch the battery fall.       |
| Bottom sheets (S01)          | Open overlay → Slide in from bottom → 250ms         | Dim background 40%. Close on outside tap.                                                                 |
| Zone colour change (S10)     | Smart Animate 400ms                                 | Green → amber → red in one transition reads better than a hard cut.                                       |
| Check-in ticking (S11)       | Component variant swap on click                     | Use interactive components so the check-in list can be ticked live during recording without extra frames. |
| Back navigation              | Navigate back on all top-bar chevrons               | Wire these even though the demo path is linear — a dead back button during a live pitch is noticeable.    |

### 8.3 Recording settings

- Present in **Preview** → **Fit to screen**, device frame **on** — the phone chrome sells the "app" framing.
- Turn **off** hotspot hints (the blue flashes). They look like debug output.
- Record at 1080p minimum, 30fps. Pause 1.5s on every screen before clicking — cuts feel rushed otherwise.
- Do a silent screen-record pass first, then narrate over it. Live narration while clicking produces fumbles.

## 9. Demo storyboard and time budget

Five minutes is roughly 700 spoken words. Budget it before designing, not after. Huixuan owns this page; every beat must map to a frame that exists in Section 7.

| TIME      | BEAT                    | FRAMES             | NARRATION MUST LAND                                                                                                                                                |
|-----------|-------------------------|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 0:00–0:35 | Problem                 | —                  | The specific pile-up, not generic stress. Name the persona and the week. One sentence on why existing apps fail: they need daily typing and they only report.      |
| 0:35–1:05 | Passive ingest          | S00, S01           | Watch, calendar, and messages connect once. Nothing to fill in daily. State the privacy boundary here, unprompted.                                                 |
| 1:05–1:45 | The picture             | S02, S03, S04      | Zone, energy value, 90% capacity, and which of the five areas is actually overloaded. Show the score's inputs — this is where engineering credibility is earned.   |
| 1:45–2:45 | <b>Commitment check</b> | S07, S08, S06      | The strongest 60 seconds. A real decision — take the part-time job or not — answered with a projection and a named consequence.                                    |
| 2:45–3:15 | Rebalance               | S05                | Tasks regroup, a low-priority item moves, with the reason visible.                                                                                                 |
| 3:15–4:05 | Recovery loop           | S09, S10, S11, S12 | Warning fires days early; plan starts with a stated exit condition; monitoring continues; loop closes. Emphasise the closed loop — start, end, verifiable outcome. |
| 4:05–4:35 | Communication assist    | S13                | The memorable beat. Students know they should decline — they don't know how to phrase it.                                                                          |
| 4:35–5:00 | Close                   | —                  | One explicit differentiation line versus named existing apps, plus what ships in the Building Phase.                                                               |

## 10. Content and dummy-data rules

Inconsistent placeholder data is the most common way a good prototype loses credibility in Q&A. Lock one dataset before designing and reuse it in every frame.

- **One persona, named, with a photo.** A second-year student, mid-semester, one part-time offer on the table. Use the same name in every frame.
- **One fixed week.** Pick actual dates and keep them consistent — if the dashboard says Thursday, the commitment projection cannot say Tuesday.
- **Real course-shaped names.** "Data Structures assignment 2", not "Task 1". Real-looking lecturer names, real-looking deadlines.
- **Believable numbers.** Sleep 5.4h, not 3.0h. HR average 78bpm, not 140. Judges who wear a watch will notice.
- **Local specificity.** Semester rhythm, exam week, a part-time shift pattern that matches how students here actually work (PRD §11 local credibility).
- **Copy tone.** Direct and calm. Never cheerful, never clinical, never guilt-inducing. Avoid exclamation marks entirely and avoid the word "just".
- **Reason lines must be falsifiable.** "Assignment B can move two days without missing its deadline" is good. "You seem stressed" is not.

## 11. Accessibility checklist

PRD §8 calls for partial accessibility; the brief explicitly encourages it. These four items are cheap in Figma and are worth mentioning in the video.



| CHECK                           | TARGET                              | HOW TO VERIFY BEFORE HAND-OFF                                                                                                                                                     |
|---------------------------------|-------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Text contrast                   | $\geq 4.5:1$ body, $\geq 3:1$ large | Run the Stark or Contrast plugin across pages 04 and 05. The zone pairings in §5.1 are pre-checked; anything you add is not.                                                      |
| Colour is never the only signal | All zone states                     | Every zone chip carries a word (OVERLOADED / NEAR CAPACITY / CLEAR) and, ideally, a distinct shape or icon. A red-green colourblind viewer must still read S02 and S10 correctly. |
| Touch targets                   | $\geq 44 \times 44\text{px}$        | Check the check-in checkboxes and chart data points specifically — these are the usual offenders.                                                                                 |
| Body text size                  | $\geq 15\text{px}$                  | No reading text below <code>reason</code> (13px), and 13px only for the secondary reason line.                                                                                    |

## 12. Developer hand-off

- **Publish styles as variables**, not just styles — colours as a `zone` collection, spacing as a `space` collection. This makes the token names portable into Tailwind or a theme file directly.
- **Match token names to code.** `zone-red` in Figma should be `--zone-red` in CSS. Agree the naming with the two technical members before publishing, not after.
- **Annotate the three screens that carry logic** — S04 (score inputs), S08 (projection maths), S10 (threshold and exit condition) — with a text note stating the rule in plain language. Engineering will need this and it is faster to write now than to reconstruct.
- **Do not hand off a redline PDF.** Turn on Dev Mode, mark the demo-path frames as Ready for Dev, and let engineering inspect directly.
- **Export the icon set as SVG** into a shared folder in one batch rather than one at a time during the build.

## 13. Ownership, schedule, and Definition of Done

Four people, seven days. PRD §12 flags uneven contribution as a real risk, so ownership is explicit and each person has something visible in the final video.

### 13.1 Suggested ownership

| MEMBER     | OWNS                                                                | RATIONALE                                                                                                                                                            |
|------------|---------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Jacqueline | S04, S07, S08, S10-S12 — the logic-bearing screens                  | She authored the end-to-end flow and the Recovery Plan branching; these screens need her model of the system to be right.                                            |
| Tracia     | Foundations, component library, S02, S03                            | The zone/dashboard concept is hers, and the library is the critical path — it must land first.                                                                       |
| Sky        | Screen inventory sign-off, prototype wiring, S05, S06, decision log | PM ownership of scope and the demo path; prevents four people wiring conflicting flows.                                                                              |
| Huixuan    | S00, S01, S13, storyboard and narration script                      | The consent, privacy, and communication-assist screens are the ones most likely to draw Q&A, and she raised the commitment-impact question the demo is built around. |

### 13.2 Checkpoints

| DATE       | GATE                       | MUST BE TRUE TO PROCEED                                                                       |
|------------|----------------------------|-----------------------------------------------------------------------------------------------|
| Sun 7 Sep  | Kickoff + decisions closed | Section 14 answered. Persona and dataset locked. File and pages created.                      |
| Mon 8 Sep  | Foundations + wireframes   | Colour, type, spacing published. All 15 screens greyboxed. No visual design started yet.      |
| Tue 9 Sep  | Component library          | All 10 components built with variants. Wireframes locked — no more layout debate after today. |
| Wed 10 Sep | P1 screens                 | Ten P1 frames at final fidelity. Narration script first draft written against them.           |
| Thu 11 Sep | P2 screens + wiring        | Full demo path clickable end to end. First silent screen-record pass done.                    |
| Fri 12 Sep | Record + review            | Narrated cut exists. Accessibility check run. Someone outside the team watches it cold.       |
| Sat 13 Sep | Submit                     | Final cut under 5:00. Buffer day — do not plan to design on this day.                         |

### 13.3 Definition of Done — per screen

- Built from library components; zero detached instances and zero local colour values.
- Named per §4.2 and placed in demo order on `04 · Screens`.
- Uses the locked persona dataset — no lorem ipsum, no "Task 1", no placeholder avatars.
- Any advice on the screen sits in `card/recommendation` with its reason line filled in.
- Contrast checked; touch targets  $\geq 44\text{px}$ .
- Wired into the demo path on `05 · Prototype`, with back navigation working.

### 13.4 Definition of Done — prototype overall

- The full path S02 → S13 runs without a dead end or a missing frame.
- A person outside the team clicks through it unassisted and correctly describes the product.
- The narrated video runs under 5:00 with the differentiation line explicitly spoken.
- Dev Mode is on and the three logic screens carry plain-language rule notes.

- A named version exists in Figma version history, and the file link is in the submission.

## 14. Open decisions blocking design

These carry forward from PRD §13 and need answers at the 7 Sep kickoff. Design cannot start cleanly without the first three.

| # | DECISION                                                                                | BLOCKS      | RECOMMENDATION                                                                                                                                                                                                                   |
|---|-----------------------------------------------------------------------------------------|-------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1 | Mobile-first frames confirmed for the prototype, regardless of eventual build platform? | All screens | <b>Yes.</b> Phone frames read better on video and match "keep open on their phone." The engineering platform choice can stay open past 13 Sep.                                                                                   |
| 2 | Persona name, campus, semester week, and the full dummy dataset.                        | All screens | Lock at kickoff in a single table on page 00 . Note: PRD §4 names MMU as the persona campus — confirm this matches the team's own campus, since judges will assume it does and the local-credibility point in §11 depends on it. |
| 3 | What the energy value is measured in — 0-100, hours, or an abstract score.              | Gauge, S08  | 0-100 with a stated daily regeneration. Abstract enough to be defensible, concrete enough to project forward on S08.                                                                                                             |
| 4 | Communication assist: browser extension, in-app suggestion card, or share-sheet?        | S13         | In-app suggestion card for the prototype. It is the easiest to show, and the privacy story is the cleanest to narrate.                                                                                                           |
| 5 | Real device health data or simulated dataset for the demo?                              | S00, S04    | Simulated for prototype, per PRD §12. Design S04 to state its data source on screen either way, so the switch costs no redesign later.                                                                                           |
| 6 | Is a desktop/web frame needed at all this week?                                         | Scope       | <b>No.</b> Revisit in the Building Phase. Adding it now costs roughly two days for no additional demo value.                                                                                                                     |

Traceability — F1 Passive ingestion: S00, S01, S04 · F2 Stress scoring: S04 · F3 Energy Budget: gauge/energy across S02, S08 · F4 Status dashboard: S02, S03 · F5 Smart to-do & commitment check: S05-S08 · F6 Recovery loop: S09-S12 · F7 Communication assist: S13.