

Project title

A Project reports

on

Web Programming

CP 36204

Submitted by

#	Class ID	Name
1	201229	Sky

In partial fulfilment of the requirements for the award of degree of
<degree name>

Under the guidance of

Prof. JUDE M.C.A., M.Phil., PG. DCSA., (Ph.D.)
Jilin University – Lambton College



Jilin University – Lambton College

Guigu Street, Changchun
Jilin Province, China

October – 2022



Jilin University – Lambton College

Guigu Street, Changchun

Jilin Province, China

October – 2022

The project work embodied in the present Thesis entitled **<Welcome to League of Legends>** has been carried out in the Jilin University – Lambton College, Guigu Street, Changchun, Jilin Province, China. The programming, work reported herein is original and does not form part of any other application or project on the basis of which a degree or award was conferred on an earlier occasion or to any other scholar.

I understand the University's policy on plagiarism and declare that the report and publications are my own work, except where specifically acknowledged and has not been copied from other sources or been previously submitted for award or assessment.

Class ID	Name	Signature
201229	Sky	<i>Sky</i>

Authorized by

Jude V K
Professor and course Tutor.

Page layout

PV page → Home Page → download page, championList page, champions page, sign up page → log in page

Language Description

About HTML

HTML is used to create pages and make them functional, also it is the language in which most websites are written.

About CSS

CSS is the code that used to make HTML visually appealing.

About JavaScript

JavaScript is a scripting or programming language that allows you to implement complex features on web pages, such as displaying timely content updates, interactive maps, animated 2D/3D graphics, scrolling video jukeboxes, etc.


JavaScript also is the third layer of the layer cake of standard web technologies, two of which (HTML and CSS)

Project Description

About Project

This project is inspired by my favourite game “League of Legends”. The purpose of this project is introducing my favourite game to more people who doesn’t know this game yet. I choose six different positions which are assassin, fighter, mage, marksman, support, and tanks , also choose six champions for each position and introduce those champions.

System flow diagram



List of files used

HTML	CSS	Image	Audio/Video	Other
assi4Ahri	assi4HoemPage	Ahri_0.jpg	ability_0103_P1.webm	
assi4Akali	assi4LogIn	Ahri_1.jpg	ability_0103_Q1.webm	
assi4Ashe	assi4lolpv	Ahri_2.jpg	ability_0103_W1.webm	
assi4Alistar	assi4Download	Ahri_3.jpg	ability_0103_E1.webm	
assi4Janna	assi4SignIn	Ahri_4.jpg	ability_0103_R1.webm	
assi4Darius	assi4ChampionList	Ahri_5.jpg		
assi4HoemPage	assi4Champion	Ahri_6.jpg		
assi4LogIn		Ahri_7.jpg		
assi4lolpv		Ahri_14.jpg		
assi4Download		Ahri_15.jpg		
assi4SignIn				
assi4ChampionList				

Source Code

HOME PAGE HTML:

```

<!DOCTYPE html>
<html>
<head>
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Home Page</title>
  <link rel="stylesheet" href="css/assi4HomePage.css">
</head>
<body>

<div class="header">
  <h2>
    &nbsp;&nbsp; League of Legends College
  </h2>
</div>

<div class="headerlist">
  <ul class="ul1">
    <li><a href="assi4lolpv.html" class="a1"><b>PV Page</b></a></li>
    <li><a href="assi4Download.html" class="a1"><b>Download</b></a></li>
    <li><a href="assi4ChampionList.html" class="a1"><b>Champions</b></a></li>
    <li><a href="assi4SignIn.html" class="a1"><b>Sign Up</b></a></li>
  </ul>
</div>

<div class="headervideo">
  <video autoplay="autoplay" muted="muted" loop="loop">
    <source src="/video/lulu.mp4">
  </video>
</div>

<div class="headerhighlight">
  <h1 style="font-size: 70px; color: white">HIGH<br>LIGHT</h1><br>
  <p style="background: white; font-size: 40px;"><b>2022.08.31</b></p><br>
  <p style="color: #ffffff; font-size: 35px">Lulu use flash <br> ahead of Xayah <br> to avoid Xayah's <br> bladecaller, and <br> Lulu eludes <br> Rakan's view <br> through grass.</p>

```

```

</div>

<div class="row">
  <div class="leftcolumn">
    <div class="card">
      <div class="row">
        <h1 style="text-align: center; font-size: 80px;"><i>UNLOCK YOUR
ABILITIES</i></h1>
        <p style="text-align: center">Champions have five core abilities,
two special spells, and up to seven items at a time.
          <br> Figuring out the optimal ability order, summoner spells, and
item build for your champion
          <br> will help you succeed as a team.
        </p>
        <br>
        <br>
        <div class="abilityExpandingBox" onclick="openTab('abilities');"
style="-webkit-text-fill-color: black">ABILITIES</div>
        <div class="abilityExpandingBox"
onclick="openTab('summonerSpells');" style="-webkit-text-fill-color:
black">SUMMONER SPELLS</div>
        <div class="abilityExpandingBox" onclick="openTab('items');"
style="-webkit-text-fill-color: black">ITEMS</div>
      </div>

      <div id="abilities" class="containerTab" style="width: 99.9%;height:
360px;">
        <span onclick="this.parentElement.style.display='abilityNone'"
class="abilityClosebtn">&times;</span>
        <p style="font-size: 20px;text-align: center;-webkit-text-fill-
color: black;">
          Most champions have a unique kit made up of five abilities: a
Passive, three Basics, and
          <br>an Ultimate. These abilities are mapped to the Q, W, E, and R
keys. <br> <br> <br>
          
        </p>
      </div>

      <div id="summonerSpells" class="containerTab"
style="display:none;width: 99.9%;height: 360px;">
        <span onclick="this.parentElement.style.display='abilityNone'"
class="abilityClosebtn">&times;</span>
        <p style="font-size: 20px;text-align: center;-webkit-text-fill-
color: black;">
          Summoner spells are abilities with unique effects that champions
can use. They are
          <br>mapped to the D and F keys. There are many spells, but a few
commonly used ones are
          <br>Flash, Teleport, Smite, and Ignite.<br> <br>
          
        </p>
      </div>

      <div id="items" class="containerTab" style="display:none;width:
99.9%;height: 360px;">
        <span onclick="this.parentElement.style.display='abilityNone'"
class="abilityClosebtn">&times;</span>
        <p style="font-size: 20px;text-align: center;-webkit-text-fill-
color: black;">
          Items enhance your champion's performance, like granting faster
movement, improved
          <br>damage, and reduced ability cooldowns. Unlike Trinkets, they

```

```
require gold to purchase.<br> <br> <br>  
      
  </p>  
</div>  
  
<script>  
  function openTab(abilityTabName) {  
    var i, x;  
    x = document.getElementsByClassName("abilityContainerTab");  
    for (i = 0; i < x.length; i++) {  
      x[i].style.display = "abilityNone";  
    }  
    document.getElementById(abilityTabName).style.display = "block1";  
  }  
</script>  
  
</div>  
<div class="card">  
  <div class="row">  
    <h1 style="text-align: center"><i>CHOOSE YOUR</i></h1>  
    <h1 style="text-align: center; font-size:  
100px"><i>CHAMPION</i></h1>  
    <p style="text-align: center">Whether you like to dive straight  
into the fray, support your teammates, or <br> something in between,  
there's a spot for you on the Rift.</p>  
    <div class="expandingbox" onclick="openTab('b1');" style="background:#3E2A36;">  
      ASSASSINS  
    </div>  
    <div class="expandingbox" onclick="openTab('b2');" style="background:#030406;">  
      FIGHTER  
    </div>  
    <div class="expandingbox" onclick="openTab('b3');" style="background:#4B0220;">  
      MAGES  
    </div>  
    <div class="expandingbox" onclick="openTab('b4');" style="background:#212A49;">  
      MARKSMEN  
    </div>  
    <div class="expandingbox" onclick="openTab('b5');" style="background:#2673A1;">  
      SUPPORTS  
    </div>  
    <div class="expandingbox" onclick="openTab('b6');" style="background:#352448;">  
      TANKS  
    </div>  
  </div>  
  
  <div id="b1" class="containerTab" style="display:none;background:-  
webkit-linear-gradient(top,#3E2A36,#AD6151);width: 99.6%;height: 350px;">  
    <span onclick="this.parentElement.style.display='none'" class="closebtn">&times;</span>  
    <p style="font-size: 30px;">  
      <a href="assi4Akali.html">  
          
      </a>  
      BACKGROUND STORY: <br>  
      &nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&Abandoning the Kinkou Order  
and her title
```


[illegible]

what kept him from truly
becoming a beast. Now, free of the chains of his former masters,
he fights in the name of the
downtrodden and the disadvantaged, his rage as much a weapon as
his horns, hooves and fists.</p>

</div>

<script>

```
function openTab(tabName) {  
    var i, x;  
    x = document.getElementsByClassName("containerTab");  
    for (i = 0; i < x.length; i++) {  
        x[i].style.display = "none";  
    }  
    document.getElementById(tabName).style.display = "block";  
}
```

</script>

</div>

</div>

<div class="rightcolumn">

<div class="card">

<h2>STAR GUARDIAN</h2>

<p>AUTHOR: RIOT CASHMIIR</p>

</div>

<div class="card">

<h2>THE BOYS AND BOMBOLINI</h2>

<p>BY JARED ROSEN</p>

</div>

<div class="card">

<h2>RENATA GLASC</h2>

</div>

</div>

</div>

<div class="footer">

<p style="color: white;">designed by 201229SkyZhou</p>

<hr>

<p style="color: white;">reference from

"https://www.leagueoflegends.com/en-us/"</p>

</div>

</body>

</html>

HOME PAGE CSS:

```
* {
  margin: 0px; padding: 0px;
  box-sizing: border-box;
}
/* Add a gray background color with some padding */
body {
  font-family: "Garamond";
  background: #202B40;
}
/* Header/Blog Title */
.header {
  height: 200px;
  padding: 30px;
  font-size: 40px;
  text-align: left;
  background: -webkit-linear-gradient(top, #10515F, #10DEDE);
  width: 70%;
  float: left;
}

.headerlist {
  height: 200px;
  font-size: 40px;
  alignment: left;
  text-align: right;
  background: -webkit-linear-gradient(top, #10515F, #10DEDE);
  width: 30%;
  float: right;
}

.ul1{
  list-style: none;
}

.a1 {
  display: inline-block;
  color: black;
  text-align: center;
  text-decoration: none;
}

.a1:hover {
  background-color: #75F0F1;
}

.headervideo{
  height: 576px;
  width: 70%;
  float: left;
}

.headerhighlight{
  height: 576px;
  float: right;
  text-align: right;
}

.abilityExpandingBox{
  float: left;
  width: 33.3%;
  height: 50px;
  padding: 10px;
  text-align: center;
  font-size: 25px;
  cursor: pointer;
  color: white;
}
```

```

}
.expandingbox {
  float: left;
  width: 16.6%;
  height: 50px;
  padding: 10px;
  text-align: center;
  font-size: 25px;
  cursor: pointer;
  color: white;
}

.abilityContainerTab {
  padding: 20px;
  color: white;
}

.containerTab {
  padding: 20px;
  color: white;
}

.closebtn {
  float: right;
  color: white;
  font-size: 35px;
  cursor: pointer;
}

.abilityClosebtn {
  float: right;
  color: black;
  font-size: 35px;
  cursor: pointer;
}

.leftcolumn {
  float: left;
  width: 75%;
}

/* Right column */
.rightcolumn {
  float: left;
  width: 25%;
  padding-left: 20px;
}

.card {
  background-color: white;
  padding: 20px;
  margin-top: 20px;
}

/* Clear floats after the columns */
.row:after {
  content: "";
  display: table;
  clear: both;
}

/* Footer */
.footer {

```

```

padding: 20px;
text-align: center;
background: black;
margin-top: 20px;
}

.img1{
  transition: all 0.4s;
  transform: scale(1,1);
}
.img1:hover{
  transform: scale(1.03,1.03);
}

@media screen and (max-width: 800px) {
  .leftcolumn, .rightcolumn {
    width: 100%;
    padding: 0;
  }
}

.whiteBkg{
  position: absolute;
  background: rgba(0,0,0,.3);
  z-index: +10;
}

.bkgpic{
  position: absolute;
  width: 100%;
  height: 100%;
  background-image: url("img/Janna_46.jpg");
}

.bkpic{
  position: fixed;
  top: 0;
  left: 0;
  width: 100%;
  height: 100%;
  min-width: 1000px;
  z-index: -10;
  zoom: 1;
  background-color: #fff;
  background-image: url("img/Janna_46.jpg");
  background-repeat: no-repeat;
  background-size: cover;
  -webkit-background-size: cover;
  -o-background-size: cover;
  background-position: center 0;
}

```

LOLPV PAGE HTML:

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Title</title>
  <link rel="stylesheet" href="css/assi4lolpv.css">
</head>
<body>
<div class="grid">
  <header>

```

```

        <video style="width: 100%; height: auto;" autoplay="autoplay"
muted="muted" loop="loop">
        <source src="video/pv/hero.webm">
    </video>
</header>
<header>
    <h1 class="welcome">WELCOME TO LEAGUE OF LEGENDS <br>
        <a href="assi4HomePage.html">
            <button class="welcomebtn">
                START YOUR <br> ADVENTURE
            </button>
        </a>
    </h1>
</header>

</div>
</body>
</html>

```

LOLPV PAGE CSS:

```

body {
    font-family: Garamond;
}

.grid{
    display: grid;
    align-items: center;
    align-content: center;
    grid-template-areas:
        "header header"
        "r2c1 r2c2"
        "r3c1 r3c2";
}

header{
    grid-area: header;
    border: 0px;
}

.welcome{
    text-align: center;
    font-size: 40px;
    color: white;
}

.welcomebtn{
    height: 50px;
    width: 200px;
    font-size: 10px;
    font-weight: bold;
    background-color: #0BC6E3;
    border: 0;
    letter-spacing: 2px;
    word-spacing: 5px;
    font-family: Garamond;
    transform: scale(1,1);
    cursor: pointer;
}

.welcomebtn:hover{
    transform: scale(1.1,1.1);
}

```

SIGN IN PAGE HTML:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet" href="css/assi4SignIn.css">
  <title>Sign In</title>
  <style>
    .bkpic{
      position: fixed;
      top: 0;
      left: 0;
      width: 100%;
      height: 100%;
      min-width: 1000px;
      z-index: -10;
      zoom: 1;
      background-color: #fff;
      background-image: url("img/Janna_46.jpg");
      background-repeat: no-repeat;
      background-size: cover;
      -webkit-background-size: cover;
      -o-background-size: cover;
      background-position: center 0;
    }
  </style>
</head>
<body>
<div class="bkpic">
  <div class="LOLname">
    
  <br>
    
  </div>
  <div class="formPage">
    <form action="" method="post">
      <h1 class="formHeader">YOUR LEGEND <br> STARTS HERE</h1>
      <p class="formSubTitle">FIRST, LET'S GET YOUR INFORMATION</p>
      
      <h3 class="formText">NAME: &nbsp;&nbsp;&nbsp;<input type="text"
name="name"></h3> <br>
      <h3 class="formText">USER NAME: &nbsp;&nbsp;&nbsp;<input type="text"
name="username"></h3> <br>
      <h3 class="formText">DATE OF BIRTH: &nbsp;&nbsp;&nbsp;<input type="date"
name="dob"></h3> <br>
      <h3 class="formText">GENDER: &nbsp;&nbsp;&nbsp;
      <select name="sex">
        <option value="MALE">MALE</option>
        <option value="FEMALE">FEMALE</option>
        <option value="TRANSGENDER">TRANSGENDER</option>
      </select>
      </h3> <br>
      <h3 class="formText">EMAIL: &nbsp;&nbsp;&nbsp;<input type="email"
name="email"></h3> <br>
      <h3 class="formText">MOBILE: &nbsp;&nbsp;&nbsp;<input type="tel"
name="telephone"></h3> <br>
      <h3 class="formText">PASSWORD: &nbsp;&nbsp;&nbsp;<input type="password"
name="password"></h3> <br>
      <h3 class="formText">CONFIRM PASSWORD: &nbsp;&nbsp;&nbsp;<input
type="password" name="compassword"></h3> <br>
      <h3 class="formText" style="text-align: center"><input type="submit"
```

```

style="font-family: Garamond;" value="CLICK HERE TO SUBMIT"></h3> <br>
    </form>
  </div>
</div>
</body>
</html>

```

SIGN IN PAGE CSS:

```

body {
  font-family: Garamond;
  background: #202B40;
}

.formPage{
  float: right;
  width: 30%;
  background-color: black;
  margin: 3%;
  height: 650px;
}

.formHeader{
  margin: 5px;
  color: white;
  text-align: center;
  font-size: 50px;
}

.formSubTitle{
  margin: 3px;
  color: #c7a563;
  text-align: center;
}

.formText{
  margin: 5px;
  margin-left: 10%;
  color: #c7a563;
  text-align: left;
}

.LOLname{
  float: left;
}

.riotlogo{
  margin-top: 185%;
  margin-left: 7px;
}

input{
  border-radius: 15px;
}

select{
  border-radius: 15px;
}

```

LOGIN PAGE HTML:

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Log In</title>
  <link rel="stylesheet" href="css/assi4LogIn.css">
  <style>
    .bkpic{
      position: absolute;
      top: 0;
      left: 0;
      width: 100%;
      height: 100%;
      min-width: 1000px;
      z-index: -10;
      zoom: 1;
      background-color: #fff;
      background-image: url("img/summonersrift.jpg");
      background-repeat: no-repeat;
      background-size: cover;
      -webkit-background-size: cover;
      -o-background-size: cover;
      background-position: center 0;
    }
  </style>
</head>
<body>
<div class="bkpic">
  <div class="top">
    <ul>
      <li><a href="assi4HomePage.html">Home Page</a></li>
      <li><a href="assi4ChampionList.html">Champions</a></li>
      <li><a href="assi4SignIn.html">Sign in</a></li>
      <li><a href="assi4LogIn.html">Log in</a></li>
    </ul>
  </div>
  <div style="float: left">
    
    <p style="color: white; margin-top: 520px;margin-left: 30px;text-align: left">
      Design by Sky, @Riot game<br>
      reference from: https://auth.riotgames.com/login</p>
    </div>
    <div class="login">
      <h1 id="LogIn">Login</h1>
      <input type="text" placeholder="Username"> <br>
      <input type="text" placeholder="Password"> <br>
      <button class="qqbtn"></button>
      <button class="wechatbtn"></button>
      <button class="confirm">Login</button>
      <br>
      <p class="lastP">No Account? <a href="assi4SignIn.html" style="color: #30B8F4">Sign In</a> Now!</p>
    </div>
  </div>
</body>
</html>

```

LOGIN PAGE CSS:


```
*{
  margin: 0;
  padding: 0;
}

body {
  font-family: Garamond;
}

.login{
  height: 600px;
  width: 26%;
  float: left;
  margin-left: 15%;
  margin-top: 70px;
  background-color: rgb(255, 255, 255,0.1);
  backdrop-filter: blur(4px);
}

#LogIn{
  color: white;
  text-align: center;
  margin-top: 60px;
  margin-bottom: 60px;
  font-size: 50px;
}

input{
  outline-style: none;
  border: 0px;
  border-radius: 5px;
  width: 80%;
  margin-left: 10%;
  margin-bottom: 30px;
  padding: 15px 0px;
  text-align: center;
  font-size: 18px;
}

.qqbtn{
  margin-left: 10%;
  margin-top: 15px;
  width: 37.5%;
  background-color: white;
  border-radius: 10px;
  border: 0px;
  transition: all 0.4ms;
}

.qqbtn:hover{
  border-radius: 30px;
}

.qqimg{
  width: 30px;
  height: 30px;
}

.wechatbtn{
  margin-left: 5%;
  margin-top: 15px;
  width: 37.5%;
  background-color: #3AAE33;
```

```
border-radius: 10px;
border: 0px;
transition: all 0.4ms;
}

.wechatbtn:hover{
border-radius: 30px;
}

.wechatimg{
width: 30px;
height: 30px;
}

.confirm{
border-radius: 20px;
border: 0px;
margin-left: 35%;
margin-top: 70px;
width: 30%;
height: 70px;
font-size: 24px;
font-weight: 900;
color: white;
font-family: "Garamond";
background-image: linear-gradient(to right, #74ebd5 0%, #9face6 100%);
}

.confirm:hover{
border-radius: 40px;
}

.lastP{
text-align: center;
color: white;
margin-top: 10px;
}

.top{
position: fixed;
z-index: 3;
float: left;
width: 100%;
background-color: black;
height: 50px;
}

.top ul{
width: auto;
list-style-type: none;
white-space: nowrap;
overflow: hidden;
margin-left: 5%;
padding: 0;
}

.top li {
float: left;
margin-right: 5%;
position: relative;
overflow: hidden;
}

.top li a{
```

```

margin-top: 10px;
display: block;
border-radius: 5px;
color: white;
background-color: black;
text-align: center;
padding: 3px;
overflow: hidden;
text-decoration: none;
}
.top li a:hover{
background-color: rgb(255, 255, 255, 0.2);
backdrop-filter: blur(4px);
}

```

CHAMPIONLIST HTML:

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Title</title>
  <link rel="stylesheet" href="css/assi4ChampionList.css">
</head>
<body>
<div class="top">
  <ul>
    <li><a href="assi4HomePage.html">Home Page</a></li>
    <li><a href="assi4ChampionList.html">Champions</a></li>
    <li><a href="assi4SignIn.html">Sign in</a></li>
    <li><a href="assi4LogIn.html">Log in</a></li>
  </ul>
</div>
<div class="championLayout">
  <table class="championTable">
    <tr>
      <td colspan="5" style="text-align: center">
        <h3 style="font-size: 40px"><i>CHOOSE YOUR</i></h3>
        <h1 style="font-size: 110px;"><i>CHAMPION</i></h1>
        <p style="font-size: 15px;margin-bottom: 30px;">With more than 140
champions, you'll find the perfect <br> match for your style. Master one,
or master them all.</p>
      </td>
    </tr>
    <tr>
      <td>
        
        <h1 class="championListName"><i>AATROX</i></h1>
      </td>
      <td>
        <a href="assi4Ahri.html">
          
        </a>
        <h1 class="championListName"><i>AHRI</i></h1>
      </td>
      <td style="margin-left: 10px">
        <a href="assi4Akali.html">
          
        </a>
        <h1 class="championListName"><i>AKALI</i></h1>
      </td>
      <td>
        

```

```

        <h1 class="championListName"><i>AKSHAN</i></h1>
    </td>
</tr>
<tr>
    <td>
        <a href="assi4Alistar.html">
            
        </a>
        <h1 class="championListName"><i>ALISTAR</i></h1>
    </td>
</tr>
<tr>
    <td>
        
        <h1 class="championListName"><i>AMUMU</i></h1>
    </td>
    <td>
        
        <h1 class="championListName"><i>ANIVIA</i></h1>
    </td>
    <td style="margin-left: 10px">
        
        <h1 class="championListName"><i>ANNIE</i></h1>
    </td>
    <td>
        <a href="assi4Ashe.html">
            
        </a>
        <h1 class="championListName"><i>ASHE</i></h1>
    </td>
    <td>
        
        <h1 class="championListName"><i>AURELIONSOL</i></h1>
    </td>
</tr>
<tr>
    <td>
        
        <h1 class="championListName"><i>BARD</i></h1>
    </td>
    <td>
        
        <h1 class="championListName"><i>BRAND</i></h1>
    </td>
    <td style="margin-left: 10px">
        
        <h1 class="championListName"><i>CAITLYN</i></h1>
    </td>
    <td>
        
        <h1 class="championListName"><i>CORKI</i></h1>
    </td>
    <td>
        <a href="assi4Darius.html">
            
        </a>
        <h1 class="championListName"><i>DARIUS</i></h1>
    </td>
</tr>
<tr>
    <td>
        
        <h1 class="championListName"><i>DIANA</i></h1>
    </td>
    <td>

```

```

        
        <h1 class="championListName"><i>DRAVEN</i></h1>
    </td>
    <td style="margin-left: 10px">
        
        <h1 class="championListName"><i>ELISE</i></h1>
    </td>
    <td>
        
        <h1 class="championListName"><i>EVELYNN</i></h1>
    </td>
    <td>
        
        <h1 class="championListName"><i>FIORA</i></h1>
    </td>
</tr>
<tr>
    <td>
        
        <h1 class="championListName"><i>GALIO</i></h1>
    </td>
    <td>
        
        <h1 class="championListName"><i>GAREN</i></h1>
    </td>
    <td style="margin-left: 10px">
        
        <h1 class="championListName"><i>GRAGAS</i></h1>
    </td>
    <td>
        
        <h1 class="championListName"><i>HEIMERDINGER</i></h1>
    </td>
    <td>
        
        <h1 class="championListName"><i>IRELIA</i></h1>
    </td>
</tr>
<tr>
    <td>
        
        <h1 class="championListName"><i>IVERN</i></h1>
    </td>
    <td>
        <a href="assi4Janna.html">
            
        </a>
        <h1 class="championListName"><i>JANNA</i></h1>
    </td>
    <td style="margin-left: 10px">
        
        <h1 class="championListName"><i>JHIN</i></h1>
    </td>
    <td>
        
        <h1 class="championListName"><i>JINX</i></h1>
    </td>
    <td>
        
        <h1 class="championListName"><i>KARMA</i></h1>
    </td>
</tr>
</table>

```

```
</div>
</body>
</html>
```

CHAMPIONLIST CSS:

```
*{
  margin: 0;
  padding: 0;
  box-sizing: border-box;
}

body {
  font-family: "Garamond";
}

.top{
  position: fixed;
  z-index: 3;
  float: left;
  width: 100%;
  background-color: black;
  height: 50px;
}

.top ul{
  width: auto;
  list-style-type: none;
  white-space: nowrap;
  overflow: hidden;
  margin-left: 5%;
  padding: 0;
}

.top li {
  float: left;
  margin-right: 5%;
  position: relative;
  overflow: hidden;
}

.top li a{
  margin-top: 10px;
  display: block;
  border-radius: 5px;
  color: white;
  background-color: black;
  text-align: center;
  padding: 3px;
  overflow: hidden;
  text-decoration: none;
}

.top li a:hover{
  background-color: rgb(255, 255, 255, 0.2);
  backdrop-filter: blur(4px);
}

.championLayout{
}

.championTable{
  margin-top: 60px;
  float: left;
```

```

width: 88%;
margin-left: 6%;
}

.championListName{
font-size: 30px;
background-color: black;
color: white;
text-align: left;
margin-top: -8px;
margin-bottom: 20px;
padding: 10px;
height: 55px;
width: 250px;
}

img{
transition: all 0.4s;
transform: scale(1,1);
}

img:hover{
transform: scale(0.97,0.97);
}

```

JANNA PAGE HTML:

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Akali</title>
  <link rel="stylesheet" href="css/assi4Champion.css">
</head>
<body>
<div class="Layout">
  <div class="top">
    <ul>
      <li><a href="assi4HomePage.html">Home Page</a></li>
      <li><a href="assi4ChampionList.html">Champions</a></li>
      <li><a href="assi4SignIn.html">Sign in</a></li>
      <li><a href="assi4LogIn.html">Log in</a></li>
    </ul>
  </div>
  <div class="banner">
    
    <button id="btnNext" class="leftbtn"></button>
    <button id="btnPrev" class="rightbtn"></button>
    <h3 class="ChampionTitle"><i>THE STORM'S FURY</i></h3>
    <h1 class="ChampionName">JANNA</h1>
    <div style="background-color: black;height: 300px;width: 100%;float:
top;">
      <h2 style="color: white; font-size: 70px;"><i>Abilities of
Janna</i></h2>

      <div class="row">
        <div class="column" onclick="openTab('P');" style="background-color:
black;">
          

```

```

        </div>
        <div class="column" onclick="openTab('Q');" style="background-color:
black;">
            
        </div>
        <div class="column" onclick="openTab('W');" style="background-color:
black;">
            
        </div>
        <div class="column" onclick="openTab('E');" style="background-color:
black;">
            
        </div>
        <div class="column" onclick="openTab('R');" style="background-color:
black;">
            
        </div>
    </div>

    <div id="P" class="containerTab" style="background:black; height:
650px;">
        <span onclick="this.parentElement.style.display='none'"
class="closebtn">&times;</span>
        <p>
            <video style="float: right; height: 600px; width: auto;"
autoplay="autoplay" muted="muted" loop="loop">
                <source src="video/janna/ability_0040_P1.webm">
            </video>
            <br><br><br><br><br>
            <h1 style="font-size: 100px">PASSIVE</h1>
            <h2 style="font-size: 50px">TAILWIND</h2><br>
            <p style="font-size: 30px">
                Janna gains bonus Move Speed moving towards allied champions and
nearby allied champions gain this bonus when moving toward her.
            </p>
        </p>
    </div>

    <div id="Q" class="containerTab" style="display: none;
background:black; height: 650px;">
        <span onclick="this.parentElement.style.display='none'"
class="closebtn">&times;</span>
        <p>
            <video style="float: right; height: 600px; width: auto;"
autoplay="autoplay" muted="muted" loop="loop">
                <source src="video/janna/ability_0040_Q1.webm">
            </video>
            <h1 style="font-size: 100px">Q</h1>
            <h2 style="font-size: 50px">
                HOWLING GALE
            </h2><br>
            <p style="font-size: 30px">
                By creating a localized change in pressure and temperature, Janna
is able to create a small storm that grows in size with time. She can
activate the spell again to release the storm. On release this storm will
fly towards the direction it was cast in, dealing damage and knocking away
any enemies in its path.
            </p>
        </p>
    </div>

```



```

    </p>
  </div>

  <div id="W" class="containerTab" style="display: none;
background:black; height: 650px;">
    <span onclick="this.parentElement.style.display='none'"
class="closebtn">&times;</span>
    <p>
      <video style="float: right; height: 600px; width: auto;"
autoplay="autoplay" muted="muted" loop="loop">
        <source src="video/janna/ability_0040_W1.webm">
      </video>
      <br>
      <h1 style="font-size: 100px">W</h1>
      <h2 style="font-size: 50px">
        ZEPHYR
      </h2><br>
      <p style="font-size: 30px">
        Janna summons an air elemental that passively increases her Move
Speed and enables her to pass through units. She may also activate this
ability to deal damage and slow an enemy's Move Speed. The passive is lost
while this ability is on cooldown.
      </p>
    </p>
  </div>

  <div id="E" class="containerTab" style="display: none;
background:black; height: 650px;">
    <span onclick="this.parentElement.style.display='none'"
class="closebtn">&times;</span>
    <p>
      <video style="float: right; height: 600px; width: auto;"
autoplay="autoplay" muted="muted" loop="loop">
        <source src="video/janna/ability_0040_E1.webm">
      </video>
      <br><br><br><br><br>
      <h1 style="font-size: 100px">E</h1>
      <h2 style="font-size: 50px">
        EYE OF THE STORM
      </h2><br>
      <p style="font-size: 30px">
        Janna conjures a defensive gale that shields an ally champion or
turret from incoming damage and increases their Attack Damage.
      </p>
    </p>
  </div>

  <div id="R" class="containerTab" style="display: none;
background:black; height: 650px;">
    <span onclick="this.parentElement.style.display='none'"
class="closebtn">&times;</span>
    <p>
      <video style="float: right; height: 600px; width: auto;"
autoplay="autoplay" muted="muted" loop="loop">
        <source src="video/janna/ability_0040_R1.webm">
      </video>
      <br><br><br><br><br>
      <h1 style="font-size: 100px">R</h1>
      <h2 style="font-size: 50px">
        MONSOON
      </h2><br>
      <p style="font-size: 30px">
        Janna surrounds herself in a magical storm, throwing enemies back.

```

```

        </p>
    </div>
</div>
</div>
</div>
</div>

<script>
    function openTab(tabName) {
        var i, x;
        x = document.getElementsByClassName("containerTab");
        for (i = 0; i < x.length; i++) {
            x[i].style.display = "none";
        }
        document.getElementById(tabName).style.display = "block";
    }
</script>
</body>

<script>
    var arr = ["img/janna/Janna_0.jpg", "img/janna/Janna_1.jpg",
"img/janna/Janna_2.jpg", "img/janna/Janna_3.jpg", "img/janna/Janna_4.jpg",
    "img/janna/Janna_5.jpg", "img/janna/Janna_6.jpg",
"img/janna/Janna_7.jpg", "img/janna/Janna_8.jpg", "img/janna/Janna_13.jpg",
    "img/janna/Janna_20.jpg", "img/janna/Janna_27.jpg",
"img/janna/Janna_36.jpg", "img/janna/Janna_45.jpg",
"img/janna/Janna_46.jpg"];
    var btns = document.querySelectorAll('button');
    var img = document.querySelectorAll('img')[0];

    var num = 0;
    btns[1].onclick = function() {
        console.log(btns[1]);
        num++;
        if(num > 14){
            num = 0;
        }
        img.src = arr[num];
        console.log(img.src);
    }
    btns[0].onclick = function() {
        console.log(btns[0]);
        num--;
        if(num < 0){
            num = 14;
        }
        img.src = arr[num];
        console.log(img.src);
    }
</script>
</html>

```

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>Akali</title>
  <link rel="stylesheet" href="css/assi4Champion.css">
```

```

</head>
<body>
<div class="Layout">
  <div class="top">
    <ul>
      <li><a href="assi4HomePage.html">Home Page</a></li>
      <li><a href="assi4ChampionList.html">Champions</a></li>
      <li><a href="assi4SignIn.html">Sign in</a></li>
      <li><a href="assi4LogIn.html">Log in</a></li>
    </ul>
  </div>
  <div class="banner">
    
    <button id="btnNext" class="leftbtn"></button>
    <button id="btnPrev" class="rightbtn"></button>
    <h3 class="ChampionTitle"><i>THE ROGUE ASSASSIN</i></h3>
    <h1 class="ChampionName">AKALI</h1>
    <div style="background-color: black; height: 300px; width: 100%; float:
top;">
      <h2 style="color: white; font-size: 70px;"><i>Abilities of
Akali</i></h2>

      <div class="row">
        <div class="column" onclick="openTab('P');" style="background-color:
black;">
          
        </div>
        <div class="column" onclick="openTab('Q');" style="background-color:
black;">
          
        </div>
        <div class="column" onclick="openTab('W');" style="background-color:
black;">
          
        </div>
        <div class="column" onclick="openTab('E');" style="background-color:
black;">
          
        </div>
        <div class="column" onclick="openTab('R');" style="background-color:
black;">
          
        </div>
      </div>

      <div id="P" class="containerTab" style="background: black; height:
650px;">
        <span onclick="this.parentElement.style.display='none'"
class="closebtn">&times;</span>
        <p>
          <video style="float: right; height: 600px; width: auto;"
autoplay="autoplay" muted="muted" loop="loop">
            <source src="video/akali/ability_0084_P1.webm">
          </video>
          <br><br><br><br><br>
          <h1 style="font-size: 100px">PASSIVE</h1>
          <h2 style="font-size: 50px">ASSASSIN'S MARK </h2><br>
          <p style="font-size: 30px">Dealing spell damage to a champion

```

creates a ring of energy around them.

Exiting that ring empowers Akali's next Attack with bonus range and damage.</p>

</p>

</div>

<div id="Q" class="containerTab" style="display: none; background:black; height: 650px;">

×

<p>

<video style="float: right; height: 600px; width: auto;" autoplay="autoplay" muted="muted" loop="loop">

<source src="video/akali/ability_0084_Q1.webm">

</video>

<h1 style="font-size: 100px">Q</h1>

<h2 style="font-size: 50px">FIVE POINT STRIKE</h2>

<p style="font-size: 30px">Akali throws out five kunai, dealing damage based on her bonus Attack Damage and Ability Power and slowing.</p>

</p>

</div>

<div id="W" class="containerTab" style="display: none; background:black; height: 650px;">

×

<p>

<video style="float: right; height: 600px; width: auto;" autoplay="autoplay" muted="muted" loop="loop">

<source src="video/akali/ability_0084_W1.webm">

</video>

<h1 style="font-size: 100px">W</h1>

<h2 style="font-size: 50px">TWILIGHT SHROUD</h2>

<p style="font-size: 30px">Akali drops a cover of smoke and briefly gains Move Speed. While inside the shroud,

Akali becomes invisible and unable to be selected by enemy spells and attacks. Attacking

or using abilities will briefly reveal her.</p>

</p>

</div>

<div id="E" class="containerTab" style="display: none; background:black; height: 650px;">

×

<p>

<video style="float: right; height: 600px; width: auto;" autoplay="autoplay" muted="muted" loop="loop">

<source src="video/akali/ability_0084_E1.webm">

</video>

<h1 style="font-size: 100px">E</h1>

<h2 style="font-size: 50px">SHURIKEN FLIP</h2>

<p style="font-size: 30px">Flip backward and fire a shuriken forward, dealing magic damage. The first enemy

or smoke cloud hit is marked. Re-cast to dash to the marked target, dealing additional damage.</p>

</p>

</div>

<div id="R" class="containerTab" style="display: none;

```

background:black; height: 650px;">
    <span onclick="this.parentElement.style.display='none'"
class="closebtn">&times;</span>
    <p>
        <video style="float: right; height: 600px; width: auto;"
autoplay="autoplay" muted="muted" loop="loop">
            <source src="video/akali/ability_0084_R1.webm">
        </video>
        <br><br><br><br><br>
        <h1 style="font-size: 100px">R</h1>
        <h2 style="font-size: 50px">PERFECT EXECUTION</h2><br>
        <p style="font-size: 30px">Akali leaps in a direction, damaging
enemies
        she strikes. Re-cast: Akali dashes in a direction, executing all
enemies she strikes.</p>
    </p>
</div>
</div>
</div>
</div>
</div>

<script>
function openTab(tabName) {
    var i, x;
    x = document.getElementsByClassName("containerTab");
    for (i = 0; i < x.length; i++) {
        x[i].style.display = "none";
    }
    document.getElementById(tabName).style.display = "block";
}
</script>
</body>

<script>
var arr = ["img/akali/Akali_0.jpg", "img/akali/Akali_1.jpg",
"img/akali/Akali_2.jpg", "img/akali/Akali_3.jpg", "img/akali/Akali_4.jpg",
"img/akali/Akali_5.jpg",
"img/akali/Akali_6.jpg", "img/akali/Akali_7.jpg",
"img/akali/Akali_8.jpg", "img/akali/Akali_9.jpg", "img/akali/Akali_11.jpg",
"img/akali/Akali_12.jpg",
"img/akali/Akali_13.jpg", "img/akali/Akali_32.jpg",
"img/akali/Akali_50.jpg", "img/akali/Akali_61.jpg" ];
var btns = document.querySelectorAll('button');
var img = document.querySelectorAll('img')[0];

var num = 0;
btns[1].onclick = function() {
    console.log(btns[1]);
    num++;
    if(num > 15){
        num = 0;
    }
    img.src = arr[num];
    console.log(img.src);
}
btns[0].onclick = function() {
    console.log(btns[0]);
    num--;
    if(num < 0){
        num = 15;
    }
    img.src = arr[num];
    console.log(img.src);
}

```

```

    }
</script>
</html>

```

AHRI PAGE HTML:

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Akali</title>
    <link rel="stylesheet" href="css/assi4Champion.css">
</head>
<body>
<div class="Layout">
    <div class="top">
        <ul>
            <li><a href="assi4HomePage.html">Home Page</a></li>
            <li><a href="assi4ChampionList.html">Champions</a></li>
            <li><a href="assi4SignIn.html">Sign in</a></li>
            <li><a href="assi4LogIn.html">Log in</a></li>
        </ul>
    </div>
    <div class="banner">
        
        <button id="btnNext" class="leftbtn"></button>
        <button id="btnPrev" class="rightbtn"></button>
        <h3 class="ChampionTitle"><i>THE NINE-TAILED FOX</i></h3>
        <h1 class="ChampionName">AHRI</h1>
        <div style="background-color: black; height: 300px; width: 100%; float:
top;">
            <h2 style="color: white; font-size: 70px;"><i>Abilities of
Ahri</i></h2>

            <div class="row">
                <div class="column" onclick="openTab('P');" style="background-color:
black;">
                    
                </div>
                <div class="column" onclick="openTab('Q');" style="background-color:
black;">
                    
                </div>
                <div class="column" onclick="openTab('W');" style="background-color:
black;">
                    
                </div>
                <div class="column" onclick="openTab('E');" style="background-color:
black;">
                    
                </div>
                <div class="column" onclick="openTab('R');" style="background-color:
black;">
                    
                </div>
            </div>
        </div>
    </div>

```

```

<div id="P" class="containerTab" style="background:black; height:
650px;">
    <span onclick="this.parentElement.style.display='none'"
class="closebtn">&times;</span>
    <p>
        <video style="float: right; height: 600px; width: auto;"
autoplay="autoplay" muted="muted" loop="loop">
            <source src="video/ahri/ability_0103_P1.webm">
        </video>
        <br><br><br><br><br>
        <h1 style="font-size: 100px">PASSIVE</h1>
        <h2 style="font-size: 50px">ESSENCE THEFT</h2><br>
        <p style="font-size: 30px">After killing 9 minions or monsters,
Ahri heals. After
            taking down an enemy champion, Ahri heals for a greater
amount.</p>
    </p>
</div>

<div id="Q" class="containerTab" style="display: none;
background:black; height: 650px;">
    <span onclick="this.parentElement.style.display='none'"
class="closebtn">&times;</span>
    <p>
        <video style="float: right; height: 600px; width: auto;"
autoplay="autoplay" muted="muted" loop="loop">
            <source src="video/ahri/ability_0103_Q1.webm">
        </video>
        <br><br><br><br><br>
        <h1 style="font-size: 100px">Q</h1>
        <h2 style="font-size: 50px">ORB OF DECEPTION</h2><br>
        <p style="font-size: 30px">Ahri sends out and pulls back her orb,
dealing magic damage on the way out and true damage on the way back.</p>
    </p>
</div>

<div id="W" class="containerTab" style="display: none;
background:black; height: 650px;">
    <span onclick="this.parentElement.style.display='none'"
class="closebtn">&times;</span>
    <p>
        <video style="float: right; height: 600px; width: auto;"
autoplay="autoplay" muted="muted" loop="loop">
            <source src="video/ahri/ability_0103_W1.webm">
        </video>
        <br><br><br><br><br>
        <h1 style="font-size: 100px">W</h1>
        <h2 style="font-size: 50px">FOX-FIRE</h2><br>
        <p style="font-size: 30px">Ahri gains a brief burst of Move Speed
and releases three
            fox-fires, that lock onto and attack nearby enemies.</p>
    </p>
</div>

<div id="E" class="containerTab" style="display: none;
background:black; height: 650px;">
    <span onclick="this.parentElement.style.display='none'"
class="closebtn">&times;</span>
    <p>
        <video style="float: right; height: 600px; width: auto;"
autoplay="autoplay" muted="muted" loop="loop">
            <source src="video/ahri/ability_0103_E1.webm">
        </video>

```

```

        <br><br><br><br><br>
        <h1 style="font-size: 100px">E</h1>
        <h2 style="font-size: 50px">CHARM</h2><br>
        <p style="font-size: 30px">Ahri blows a kiss that damages and
        charms an enemy it encounters, instantly stopping
        movement abilities and causing them to walk harmlessly towards
        her.</p>
    </p>
</div>

    <div id="R" class="containerTab" style="display: none;
background:black; height: 650px;">
        <span onclick="this.parentElement.style.display='none'"
class="closebtn">&times;</span>
        <p>
            <video style="float: right; height: 600px; width: auto;"
autoplay="autoplay" muted="muted" loop="loop">
                <source src="video/ahri/ability_0103_R1.webm">
            </video>
            <br><br><br><br><br>
            <h1 style="font-size: 100px">R</h1>
            <h2 style="font-size: 50px">SPIRIT RUSH</h2><br>
            <p style="font-size: 30px">Ahri dashes forward and fires essence
            bolts, damaging nearby enemies. Spirit Rush can be
            cast up to three times before going on cooldown, and gains
            additional recasts when taking down enemy champions.</p>
        </p>
    </div>
</div>
</div>
</div>

<script>
    function openTab(tabName) {
        var i, x;
        x = document.getElementsByClassName("containerTab");
        for (i = 0; i < x.length; i++) {
            x[i].style.display = "none";
        }
        document.getElementById(tabName).style.display = "block";
    }
</script>
</body>

<script>
    var arr = ["img/ahri/Ahri_0.jpg", "img/ahri/Ahri_1.jpg",
    "img/ahri/Ahri_2.jpg", "img/ahri/Ahri_3.jpg", "img/ahri/Ahri_4.jpg",
        "img/ahri/Ahri_5.jpg", "img/ahri/Ahri_6.jpg", "img/ahri/Ahri_7.jpg",
    "img/ahri/Ahri_14.jpg", "img/ahri/Ahri_15.jpg",
        "img/ahri/Ahri_16.jpg", "img/ahri/Ahri_17.jpg", "img/ahri/Ahri_27.jpg",
    "img/ahri/Ahri_28.jpg", "img/ahri/Ahri_42.jpg", "img/ahri/Ahri_66.jpg", ];
    var btns = document.querySelectorAll('button');
    var img = document.querySelectorAll('img')[0];

    var num = 0;
    btns[1].onclick = function() {
        console.log(btns[1]);
        num++;
        if(num > 15){
            num = 0;
        }
        img.src = arr[num];
        console.log(img.src);
    }

```



```

    }
    btns[0].onclick = function() {
        console.log(btns[0]);
        num--;
        if(num < 0) {
            num = 15;
        }
        img.src = arr[num];
        console.log(img.src);
    }
</script>
</html>

```

ALISTAR PAGE HTML:

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Akali</title>
    <link rel="stylesheet" href="css/assi4Champion.css">
</head>
<body>
<div class="Layout">
    <div class="top">
        <ul>
            <li><a href="assi4HomePage.html">Home Page</a></li>
            <li><a href="assi4ChampionList.html">Champions</a></li>
            <li><a href="assi4SignIn.html">Sign in</a></li>
            <li><a href="assi4LogIn.html">Log in</a></li>
        </ul>
    </div>
    <div class="banner">
        
        <button id="btnNext" class="leftbtn"></button>
        <button id="btnPrev" class="rightbtn"></button>
        <h3 class="ChampionTitle"><i>THE MINOTAUR</i></h3>
        <h1 class="ChampionName">ALISTAR</h1>
        <div style="background-color: black; height: 300px; width: 100%; float:
top;">
            <h2 style="color: white; font-size: 70px;"><i>Abilities of
Alistar</i></h2>

            <div class="row">
                <div class="column" onclick="openTab('P');" style="background-color:
black;">
                    
                </div>
                <div class="column" onclick="openTab('Q');" style="background-color:
black;">
                    
                </div>
                <div class="column" onclick="openTab('W');" style="background-color:
black;">
                    
                </div>
                <div class="column" onclick="openTab('E');" style="background-color:
black;">
                    
</div>
<div class="column" onclick="openTab('R');" style="background-color:
black;">
    
</div>
</div>

<div id="P" class="containerTab" style="background:black; height:
650px;">
    <span onclick="this.parentElement.style.display='none'"
class="closebtn">&times;</span>
    <p>
        <video style="float: right; height: 600px; width: auto;"
autoplay="autoplay" muted="muted" loop="loop">
            <source src="video/alistar/ability_0012_P1.webm">
        </video>
        <br><br><br><br><br>
        <h1 style="font-size: 100px">PASSIVE</h1>
        <h2 style="font-size: 50px">
            TRIUMPHANT ROAR
        </h2><br>
        <p style="font-size: 30px">
            Alistar charges his roar by stunning or displacing enemy
champions or when nearby enemies die. When fully charged he heals himself
all nearby allied champions.
        </p>
    </p>
</div>

<div id="Q" class="containerTab" style="display: none;
background:black; height: 650px;">
    <span onclick="this.parentElement.style.display='none'"
class="closebtn">&times;</span>
    <p>
        <video style="float: right; height: 600px; width: auto;"
autoplay="autoplay" muted="muted" loop="loop">
            <source src="video/alistar/ability_0012_Q1.webm">
        </video>
        <br><br><br><br><br>
        <h1 style="font-size: 100px">Q</h1>
        <h2 style="font-size: 50px">
            PULVERIZE
        </h2><br>
        <p style="font-size: 30px">
            Alistar smashes the ground, dealing damage to nearby enemies and
tossing them into the air.
        </p>
    </p>
</div>

<div id="W" class="containerTab" style="display: none;
background:black; height: 650px;">
    <span onclick="this.parentElement.style.display='none'"
class="closebtn">&times;</span>
    <p>
        <video style="float: right; height: 600px; width: auto;"
autoplay="autoplay" muted="muted" loop="loop">
            <source src="video/alistar/ability_0012_W1.webm">
        </video>
        <br><br><br><br><br>
        <h1 style="font-size: 100px">W</h1>

```

```

        <h2 style="font-size: 50px">
            HEADBUTT
        </h2><br>
        <p style="font-size: 30px">
            Alistar rams a target with his head, dealing damage and knocking
the target back.
        </p>
        </p>
    </div>

    <div id="E" class="containerTab" style="display: none;
background:black; height: 650px;">
        <span onclick="this.parentElement.style.display='none'"
class="closebtn">&times;</span>
        <p>
            <video style="float: right; height: 600px; width: auto;"
autoplay="autoplay" muted="muted" loop="loop">
                <source src="video/alistar/ability_0012_E1.webm">
            </video>
            <br>
            <h1 style="font-size: 100px">E</h1>
            <h2 style="font-size: 50px">
                TRAMPLE
            </h2><br>
            <p style="font-size: 30px">
                Alistar tramples nearby enemy units, ignoring unit collision and
gaining stacks if he damages an enemy champion. At full stacks Alistar's
next basic attack against an enemy champion deals additional magic damage
and stuns them.
            </p>
            </p>
        </div>

        <div id="R" class="containerTab" style="display: none;
background:black; height: 650px;">
            <span onclick="this.parentElement.style.display='none'"
class="closebtn">&times;</span>
            <p>
                <video style="float: right; height: 600px; width: auto;"
autoplay="autoplay" muted="muted" loop="loop">
                    <source src="video/alistar/ability_0012_R1.webm">
                </video>
                <br><br><br><br><br>
                <h1 style="font-size: 100px">R</h1>
                <h2 style="font-size: 50px">
                    UNBREAKABLE WILL
                </h2><br>
                <p style="font-size: 30px">
                    Alistar lets out a wild roar, removing all crowd control effects
on himself, and reducing incoming physical and magical damage for the
duration.
                </p>
                </p>
            </div>
        </div>
    </div>
</div>

<script>
    function openTab(tabName) {
        var i, x;
        x = document.getElementsByClassName("containerTab");
        for (i = 0; i < x.length; i++) {

```

```

        x[i].style.display = "none";
    }
    document.getElementById(tabName).style.display = "block";
}
</script>
</body>

<script>
    var arr = ["img/alistar/Alistar_0.jpg", "img/alistar/Alistar_1.jpg",
"img/alistar/Alistar_2.jpg", "img/alistar/Alistar_3.jpg",
"img/alistar/Alistar_4.jpg",
    "img/alistar/Alistar_5.jpg", "img/alistar/Alistar_6.jpg",
"img/alistar/Alistar_7.jpg", "img/alistar/Alistar_8.jpg",
"img/alistar/Alistar_9.jpg",
    "img/alistar/Alistar_10.jpg", "img/alistar/Alistar_11.jpg",
"img/alistar/Alistar_12.jpg", "img/alistar/Alistar_13.jpg",
"img/alistar/Alistar_14.jpg"];
    var btns = document.querySelectorAll('button');
    var img = document.querySelector('img')[0];

    var num = 0;
    btns[1].onclick = function() {
        console.log(btns[1]);
        num++;
        if(num > 14){
            num = 0;
        }
        img.src = arr[num];
        console.log(img.src);
    }
    btns[0].onclick = function() {
        console.log(btns[0]);
        num--;
        if(num < 0){
            num = 14;
        }
        img.src = arr[num];
        console.log(img.src);
    }
}
</script>
</html>

```

ASHE PAGE HTML:

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Akali</title>
    <link rel="stylesheet" href="css/assi4Champion.css">
</head>
<body>
<div class="Layout">
    <div class="top">
        <ul>
            <li><a href="assi4HomePage.html">Home Page</a></li>
            <li><a href="assi4ChampionList.html">Champions</a></li>
            <li><a href="assi4SignIn.html">Sign in</a></li>
            <li><a href="assi4LogIn.html">Log in</a></li>
        </ul>
    </div>
    <div class="banner">

```

```


<button id="btnNext" class="leftbtn"></button>
<button id="btnPrev" class="rightbtn"></button>
<h3 class="ChampionTitle"><i>THE MINOTAUR</i></h3>
<h1 class="ChampionName">ALISTAR</h1>
<div style="background-color: black; height: 300px; width: 100%; float:
top;">
    <h2 style="color: white; font-size: 70px;"><i>Abilities of
Alistar</i></h2>

    <div class="row">
        <div class="column" onclick="openTab('P');" style="background-color:
black;">
            
        </div>
        <div class="column" onclick="openTab('Q');" style="background-color:
black;">
            
        </div>
        <div class="column" onclick="openTab('W');" style="background-color:
black;">
            
        </div>
        <div class="column" onclick="openTab('E');" style="background-color:
black;">
            
        </div>
        <div class="column" onclick="openTab('R');" style="background-color:
black;">
            
        </div>
    </div>

    <div id="P" class="containerTab" style="background: black; height:
650px;">
        <span onclick="this.parentElement.style.display='none'"
class="closebtn">&times;</span>
        <p>
            <video style="float: right; height: 600px; width: auto;"
autoplay="autoplay" muted="muted" loop="loop">
                <source src="video/alistar/ability_0012_P1.webm">
            </video>
            <br><br><br><br><br>
            <h1 style="font-size: 100px">PASSIVE</h1>
            <h2 style="font-size: 50px">
                TRIUMPHANT ROAR
            </h2><br>
            <p style="font-size: 30px">
                Alistar charges his roar by stunning or displacing enemy
champions or when nearby enemies die. When fully charged he heals himself
all nearby allied champions.
            </p>
        </div>

        <div id="Q" class="containerTab" style="display: none;
background: black; height: 650px;">
            <span onclick="this.parentElement.style.display='none'"

```

```

class="closebtn">&times;</span>
    <p>
        <video style="float: right; height: 600px; width: auto;"
autoplay="autoplay" muted="muted" loop="loop">
            <source src="video/alistar/ability_0012_Q1.webm">
        </video>
        <br><br><br><br><br>
        <h1 style="font-size: 100px">Q</h1>
        <h2 style="font-size: 50px">
            PULVERIZE
        </h2><br>
        <p style="font-size: 30px">
            Alistar smashes the ground, dealing damage to nearby enemies and
tossing them into the air.
        </p>
        </p>
    </div>

    <div id="W" class="containerTab" style="display: none;
background:black; height: 650px;">
        <span onclick="this.parentElement.style.display='none'"
class="closebtn">&times;</span>
        <p>
            <video style="float: right; height: 600px; width: auto;"
autoplay="autoplay" muted="muted" loop="loop">
                <source src="video/alistar/ability_0012_W1.webm">
            </video>
            <br><br><br><br><br>
            <h1 style="font-size: 100px">W</h1>
            <h2 style="font-size: 50px">
                HEADBUTT
            </h2><br>
            <p style="font-size: 30px">
                Alistar rams a target with his head, dealing damage and knocking
the target back.
            </p>
            </p>
        </div>

        <div id="E" class="containerTab" style="display: none;
background:black; height: 650px;">
            <span onclick="this.parentElement.style.display='none'"
class="closebtn">&times;</span>
            <p>
                <video style="float: right; height: 600px; width: auto;"
autoplay="autoplay" muted="muted" loop="loop">
                    <source src="video/alistar/ability_0012_E1.webm">
                </video>
                <br>
                <h1 style="font-size: 100px">E</h1>
                <h2 style="font-size: 50px">
                    TRAMPLE
                </h2><br>
                <p style="font-size: 30px">
                    Alistar tramples nearby enemy units, ignoring unit collision and
gaining stacks if he damages an enemy champion. At full stacks Alistar's
next basic attack against an enemy champion deals additional magic damage
and stuns them.
                </p>
                </p>
            </div>

            <div id="R" class="containerTab" style="display: none;

```

[illegible]

```

        num = 14;
    }
    img.src = arr[num];
    console.log(img.src);
}
</script>
</html>

```

DARIUS PAGE HTML:

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <title>Akali</title>
    <link rel="stylesheet" href="css/assi4Champion.css">
</head>
<body>
<div class="Layout">
    <div class="top">
        <ul>
            <li><a href="assi4HomePage.html">Home Page</a></li>
            <li><a href="assi4ChampionList.html">Champions</a></li>
            <li><a href="assi4SignIn.html">Sign in</a></li>
            <li><a href="assi4LogIn.html">Log in</a></li>
        </ul>
    </div>
    <div class="banner">
        
        <button id="btnNext" class="leftbtn"></button>
        <button id="btnPrev" class="rightbtn"></button>
        <h3 class="ChampionTitle"><i>THE HAND OF NOXUS</i></h3>
        <h1 class="ChampionName">DARIUS</h1>
        <div style="background-color: black;height: 300px;width: 100%;float:
top;">
            <h2 style="color: white; font-size: 70px;"><i>Abilities of
Darius</i></h2>

            <div class="row">
                <div class="column" onclick="openTab('P');" style="background-color:
black;">
                    
                </div>
                <div class="column" onclick="openTab('Q');" style="background-color:
black;">
                    
                </div>
                <div class="column" onclick="openTab('W');" style="background-color:
black;">
                    
                </div>
                <div class="column" onclick="openTab('E');" style="background-color:
black;">
                    
                </div>
                <div class="column" onclick="openTab('R');" style="background-color:
black;">
                    <img src="img/darius/DariusR.png" alt="" style="height: 100px;

```



```

width: 100px; float: left; margin-left: 100px;">
</div>
</div>

<div id="P" class="containerTab" style="background: black; height:
650px;">
  <span onclick="this.parentElement.style.display='none'"
class="closebtn">&times;</span>
  <p>
    <video style="float: right; height: 600px; width: auto;"
autoplay="autoplay" muted="muted" loop="loop">
      <source src="video/darius/ability_0122_P1.webm">
    </video>
    <br>
    <h1 style="font-size: 100px">PASSIVE</h1>
    <h2 style="font-size: 50px">
      HEMORRHAGE
    </h2><br>
    <p style="font-size: 30px">
      Darius' attacks and damaging abilities cause enemies to bleed for
physical damage over 5 seconds, stacking up to 5 times. Darius enrages and
gains massive Attack Damage when his target reaches max stacks.
    </p>
  </p>
</div>

<div id="Q" class="containerTab" style="display: none;
background: black; height: 650px;">
  <span onclick="this.parentElement.style.display='none'"
class="closebtn">&times;</span>
  <p>
    <video style="float: right; height: 600px; width: auto;"
autoplay="autoplay" muted="muted" loop="loop">
      <source src="video/darius/ability_0122_Q1.webm">
    </video>
    <br>
    <h1 style="font-size: 100px">Q</h1>
    <h2 style="font-size: 50px">
      DECIMATE
    </h2><br>
    <p style="font-size: 30px">
      Darius winds up and swings his axe in a wide circle. Enemies
struck by the blade take more damage than those struck by the handle.
Darius heals based on enemy champions and large monsters hit by the blade.
    </p>
  </p>
</div>

<div id="W" class="containerTab" style="display: none;
background: black; height: 650px;">
  <span onclick="this.parentElement.style.display='none'"
class="closebtn">&times;</span>
  <p>
    <video style="float: right; height: 600px; width: auto;"
autoplay="autoplay" muted="muted" loop="loop">
      <source src="video/darius/ability_0122_W1.webm">
    </video>
    <br><br><br><br><br>
    <h1 style="font-size: 100px">W</h1>
    <h2 style="font-size: 50px">
      CRIPPLING STRIKE
    </h2><br>
    <p style="font-size: 30px">

```

Darius's next attack strikes an enemy's crucial artery. As they bleed out, their Move Speed is slowed.

</p>

</p>

</div>

<div id="E" class="containerTab" style="display: none; background:black; height: 650px;">

×

<p>

<video style="float: right; height: 600px; width: auto;" autoplay="autoplay" muted="muted" loop="loop">

<source src="video/darius/ability_0122_E1.webm">

</video>

<h1 style="font-size: 100px">E</h1>

<h2 style="font-size: 50px">

APPREHEND

</h2>

<p style="font-size: 30px">

Darius hones his axe, passively causing his physical damage to ignore a percentage of his target's Armor. When activated, Darius sweeps up his enemies with his axe's hook and pulls them to him.

</p>

</p>

</div>

<div id="R" class="containerTab" style="display: none; background:black; height: 650px;">

×

<p>

<video style="float: right; height: 600px; width: auto;" autoplay="autoplay" muted="muted" loop="loop">

<source src="video/darius/ability_0122_R1.webm">

</video>

<h1 style="font-size: 100px">R</h1>

<h2 style="font-size: 50px">

NOXIAN GUILLOTINE

</h2>

<p style="font-size: 30px">

Darius leaps to an enemy champion and strikes a lethal blow, dealing true damage. This damage is increased for each stack of Hemorrhage on the target. If Noxian Guillotine is a killing blow, its cooldown is refreshed for a brief duration.

</p>

</p>

</div>

</div>

</div>

</div>

<script>

function openTab(tabName) {

var i, x;

x = document.getElementsByClassName("containerTab");

for (i = 0; i < x.length; i++) {

x[i].style.display = "none";

}

document.getElementById(tabName).style.display = "block";

}

```

</script>
</body>

<script>
    var arr = ["img/darius/Darius_0.jpg", "img/darius/Darius_1.jpg",
    "img/darius/Darius_2.jpg", "img/darius/Darius_3.jpg",
    "img/darius/Darius_4.jpg",
        "img/darius/Darius_5.jpg", "img/darius/Darius_6.jpg",
    "img/darius/Darius_7.jpg", "img/darius/Darius_8.jpg",
    "img/darius/Darius_9.jpg",
        "img/darius/Darius_10.jpg", "img/darius/Darius_11.jpg"];
    var btns = document.querySelectorAll('button');
    var img = document.querySelector('img')[0];

    var num = 0;
    btns[1].onclick = function(){
        console.log(btns[1]);
        num++;
        if(num > 11){
            num = 0;
        }
        img.src = arr[num];
        console.log(img.src);
    }
    btns[0].onclick = function(){
        console.log(btns[0]);
        num--;
        if(num < 0){
            num = 11;
        }
        img.src = arr[num];
        console.log(img.src);
    }
</script>
</html>

```

CHAMPIONS PAGE CSS:

```

*{
    margin: 0;
    padding: 0;
    box-sizing: border-box;
}

body{
    background-color: black;
    font-family: "Garamond";
}

.top{
    position: fixed;
    z-index: 3;
    float: left;
    width: 100%;
    background-color: black;
    height: 50px;
}

.top ul{
    width: auto;
    list-style-type: none;
    white-space: nowrap;
    overflow: hidden;
    margin-left: 5%;
}

```

```
padding: 0;
}
.top li {
  float:left;
  margin-right:5%;
  position: relative;
  overflow: hidden;
}

.top li a{
  margin-top: 10px;
  display: block;
  border-radius: 5px;
  color: white;
  background-color: black;
  text-align: center;
  padding: 3px;
  overflow: hidden;
  text-decoration: none;
}
.top li a:hover{
  background-color: rgb(255, 255, 255,0.2);
  backdrop-filter: blur(4px);
}

.ChampionBking{
  height: auto;
  width: 100%;
  z-index: 2;
}

.Layout{
  position: relative;
}

.ChampionName{
  text-align: center;
  position: relative;
  float: top;
  font-size: 200px;
  color: white;
}

.ChampionTitle{
  text-align: center;
  float: top;
  margin-top: 900px;
  position: relative;
  color: white;
  font-size: 50px;
}

.banner {
  position: absolute;
  width: 100%;
  height: auto;
}

.leftbtn:hover {
  cursor: pointer;
  background-color: rgb(255, 255, 255,0.5);
}
```

```

.rightbtn:hover {
  cursor: pointer;
  background-color: rgb(255, 255, 255,0.5);
}

.banner img {
  position: absolute;
  width: 100%;
  height: auto;
}

.leftbtn{
  float: left;
  position: relative;
  width: 100px;
  height: 400px;
  border: 0;
  margin-top: 230px;
  background-color: rgb(255, 255, 255,0.05);
  backdrop-filter: blur(10px);
}

.rightbtn{
  float: right;
  position: relative;
  width: 100px;
  height: 400px;
  border: 0;
  margin-top: 230px;
  background-color: rgb(255, 255, 255,0.05);
  backdrop-filter: blur(10px);
}

.column {
  float: left;
  width: 20%;
  height: 100px;
  cursor: pointer;
}

.containerTab {
  padding: 20px;
  color: white;
}

.row:after {
  content: "";
  display: table;
  clear: both;
}

.closebtn {
  float: right;
  color: white;
  font-size: 35px;
  cursor: pointer;
}

```

References and Bibliography

<https://www.leagueoflegends.com/en-us/>

<https://www.leagueoflegends.com/en-us/champions/>

<https://www.leagueoflegends.com/en-us/champions/ahri/>

<https://www.leagueoflegends.com/en-us/champions/akali/>

<https://www.leagueoflegends.com/en-us/champions/darius/>

<https://www.leagueoflegends.com/en-us/champions/ashe/>

<https://www.leagueoflegends.com/en-us/champions/alistar/>

<https://www.leagueoflegends.com/en-us/champions/janna/>

<https://signup.leagueoflegends.com/en-us/signup/index#/>