

Steps I performed:

Downloaded QtJsonSerializer-3.1.2-4 and extracted to Folder: C:\QtJsonSerializer-3.1.2-4

Opened VS2017 x64 Native Tools Command Prompt (this basically calls vcvars to set VS env variables)

Ran command: C:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\bin\qmake

Info: creating stash file C:\QtJsonSerializer-3.1.2-4\qmake.stash

Info: creating cache file C:\QtJsonSerializer-3.1.2-4\qmake.cache

Ran command: C:\QtJsonSerializer-3.1.2-4>jom

jom 1.1.2 - empower your cores

```
cd src\ && ( if not exist Makefile C:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\bin\qmake.exe -o Makefile C:\QtJsonSerializer-3.1.2-4\src\src.pro ) && C:\Qt5.11.1\Tools\QtCreator\bin\jom.exe -f Makefile
```

```
cd jsonserializer\ && ( if not exist Makefile C:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\bin\qmake.exe -o Makefile C:\QtJsonSerializer-3.1.2-4\src\jsonserializer\jsonserializer.pro ) && C:\Qt5.11.1\Tools\QtCreator\bin\jom.exe -f Makefile
```

```
cd doc\ && ( if not exist Makefile C:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\bin\qmake.exe -o Makefile C:\QtJsonSerializer-3.1.2-4\doc\doc.pro ) && C:\Qt5.11.1\Tools\QtCreator\bin\jom.exe -f Makefile
```

```
C:\Qt5.11.1\Tools\QtCreator\bin\jom.exe -f Makefile.Release
```

```
C:\Qt5.11.1\Tools\QtCreator\bin\jom.exe -f Makefile.Release
```

```
cl -c -nologo -Zc:wchar_t -FS -Zc:rvalueCast -Zc:inline -Zc:strictStrings -Zc:throwingNew -Zc:referenceBinding -Zc:__cplusplus -MT -O1 -std:c++17 -utf-8 -EHsc -W3 -w34100 -w34189 -w44996 -w44456 -w44457 -w44458 -wd4577 -wd4467 -DUNICODE -D_UNICODE -DWIN32 -DWIN64 -DQT_DEPRECATED_WARNINGS -DQT_ASCII_CAST_WARNINGS -DQT_NO_NARROWING_CONVERSIONS_IN_CONNECT -DQT_BUILD_JSONSERIALIZER_LIB -DQT_BUILDING_QT -D_CRT_SECURE_NO_WARNINGS -D_USE_MATH_DEFINES -DQT_NO_CAST_TO_ASCII -DQT_MOC_COMPAT -DQT_USE_QSTRINGBUILDER -DQT_DISABLE_DEPRECATED_BEFORE=0x040800 -DQT_NO_DEBUG -DQT_CORE_LIB -DNDEBUG -I. -I..\..\include -I..\..\include\QtJsonSerializer -IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer/3.1.2 -IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer/3.1.2/QtJsonSerializer -Itmp -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\include -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\include\QtCore -I.moc\release -IC:\OpenSSL-1.1.0f-VS2017\include64 -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\mkspecs\win32-msvc -Fo.obj\release\@C:\Users\AFX1\AppData\Local\Temp\qjsonserializerexception.obj.26060.16.jom
```

qjsonserializerexception.cpp

c:\qtjsonserializer-3.1.2-4\src\jsonserializer\qjsonserializerexception.h(4): fatal error C1083: Datei (Include) kann nicht geöffnet werden: "QtJsonSerializer/qjsonserializer_global.h": No such file or directory

jom: C:\QtJsonSerializer-3.1.2-4\src\jsonserializer\Makefile.Release [.obj\release\qjsonserializerexception.obj] Error 2

```
cl -c -nologo -Zc:wchar_t -FS -Zc:rvalueCast -Zc:inline -Zc:strictStrings -Zc:throwingNew -Zc:referenceBinding -Zc:__cplusplus -MT -O1 -std:c++17 -utf-8 -EHsc -W3 -w34100 -w34189 -w44996 -w44456 -w44457 -w44458 -wd4577 -wd4467 -DUNICODE -D_UNICODE -DWIN32 -DWIN64 -DQT_DEPRECATED_WARNINGS -DQT_ASCII_CAST_WARNINGS -DQT_NO_NARROWING_CONVERSIONS_IN_CONNECT -DQT_BUILD_JSONSERIALIZER_LIB -DQT_BUILDING_QT -D_CRT_SECURE_NO_WARNINGS -D_USE_MATH_DEFINES -DQT_NO_CAST_TO_ASCII -DQT_MOC_COMPAT -DQT_USE_QSTRINGBUILDER -DQT_DISABLE_DEPRECATED_BEFORE=0x040800 -DQT_NO_DEBUG -DQT_CORE_LIB -DNDEBUG -I. -I..\..\include -I..\..\include\QtJsonSerializer -IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer/3.1.2 -IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer/3.1.2/QtJsonSerializer -Itmp -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\include -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\include\QtCore -I.moc\release -IC:\OpenSSL-1.1.0f-VS2017\include64 -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\mkspecs\win32-msvc -Fo.obj\release\@C:\Users\AFX1\AppData\Local\Temp\qjsonserializer.obj.26060.16.jom
```

qjsonserializer.cpp

c:\qtjsonserializer-3.1.2-4\src\jsonserializer\qjsonserializer.h(4): fatal error C1083: Datei (Include) kann nicht geöffnet werden: "QtJsonSerializer/qjsonserializer_global.h": No such file or directory

```
cl -c -nologo -Zc:wchar_t -FS -Zc:rvalueCast -Zc:inline -Zc:strictStrings -Zc:throwingNew -Zc:referenceBinding -Zc:__cplusplus -MT -O1 -std:c++17 -utf-8 -EHsc -W3 -w34100 -w34189 -w44996 -w44456 -w44457 -w44458 -wd4577 -wd4467 -DUNICODE -D_UNICODE -DWIN32 -DWIN64 -DQT_DEPRECATED_WARNINGS -DQT_ASCII_CAST_WARNINGS -DQT_NO_NARROWING_CONVERSIONS_IN_CONNECT -DQT_BUILD_JSONSERIALIZER_LIB -DQT_BUILDING_QT -D_CRT_SECURE_NO_WARNINGS -D_USE_MATH_DEFINES -DQT_NO_CAST_TO_ASCII -DQT_MOC_COMPAT -DQT_USE_QSTRINGBUILDER -DQT_DISABLE_DEPRECATED_BEFORE=0x040800 -DQT_NO_DEBUG -DQT_CORE_LIB -DNDEBUG -I. -I..\include -I..\include\QtJsonSerializer -IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer/3.1.2 -IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer/3.1.2/QtJsonSerializer -Itmp -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\include -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\include\QtCore -I.moc\release -IC:\OpenSSL-1.1.0f-VS2017\include64 -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\mkspecs\win32-msvc -Fo.obj\release\@C:\Users\AFX1\AppData\Local\Temp\qjsonconverter.obj.26060.31.jom
```

qjsonconverter.cpp

c:\qtjsonserializer-3.1.2-4\src\jsonserializer\qjsonconverter.h(4): fatal error C1083: Datei (Include) kann nicht geöffnet werden: "QtJsonSerializer/qtjsonserializer_global.h": No such file or directory

```
cl -c -nologo -Zc:wchar_t -FS -Zc:rvalueCast -Zc:inline -Zc:strictStrings -Zc:throwingNew -Zc:referenceBinding -Zc:__cplusplus -MT -O1 -std:c++17 -utf-8 -EHsc -W3 -w34100 -w34189 -w44996 -w44456 -w44457 -w44458 -wd4577 -wd4467 -DUNICODE -D_UNICODE -DWIN32 -DWIN64 -DQT_DEPRECATED_WARNINGS -DQT_ASCII_CAST_WARNINGS -DQT_NO_NARROWING_CONVERSIONS_IN_CONNECT -DQT_BUILD_JSONSERIALIZER_LIB -DQT_BUILDING_QT -D_CRT_SECURE_NO_WARNINGS -D_USE_MATH_DEFINES -DQT_NO_CAST_TO_ASCII -DQT_MOC_COMPAT -DQT_USE_QSTRINGBUILDER -DQT_DISABLE_DEPRECATED_BEFORE=0x040800 -DQT_NO_DEBUG -DQT_CORE_LIB -DNDEBUG -I. -I..\include -I..\include\QtJsonSerializer -IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer/3.1.2 -IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer/3.1.2/QtJsonSerializer -Itmp -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\include -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\include\QtCore -I.moc\release -IC:\OpenSSL-1.1.0f-VS2017\include64 -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\mkspecs\win32-msvc -Fo.obj\release\@C:\Users\AFX1\AppData\Local\Temp\qjsonexceptioncontext.obj.26060.31.jom
```

qjsonexceptioncontext.cpp

jom: C:\QtJsonSerializer-3.1.2-4\src\jsonserializer\Makefile.Release [.obj\release\qjsonserializer.obj] Error 2

jom: C:\QtJsonSerializer-3.1.2-4\src\jsonserializer\Makefile.Release [.obj\release\qjsonconverter.obj] Error 2

**c:\qtjsonserializer-3.1.2-4\src\jsonserializer\qjsonserializerexception.h(4): fatal error C1083: Datei (Include) kann nicht geöffnet werden:
"QtJsonSerializer/qtjsonserializer_global.h": No such file or directory**

jom: C:\QtJsonSerializer-3.1.2-4\src\jsonserializer\Makefile.Release [.obj\release\qjsonexceptioncontext.obj] Error 2

jom: C:\QtJsonSerializer-3.1.2-4\src\jsonserializer\Makefile [release] Error 2

jom: C:\QtJsonSerializer-3.1.2-4\src\Makefile [sub-jsonserializer-make_first-ordered] Error 2

jom: C:\QtJsonSerializer-3.1.2-4\Makefile [sub-src-make_first] Error 2

Removed the "QtJsonSerializer/" part from #include statements in these headers:

qjsonserializerexception.h

qjsonserializerconverter.h

qjsonserializer.h

so #include "QtJsonSerializer/qtjsonserializer_global.h"

would become just

#include "qtjsonserializer_global.h"

Ran command again: C:\QtJsonSerializer-3.1.2-4>jom

jom 1.1.2 - empower your cores

```
cd src\ && ( if not exist Makefile C:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\bin\qmake.exe -o Makefile C:\QtJsonSerializer-3.1.2-4\src\src.pro ) && C:\Qt5.11.1\Tools\QtCreator\bin\jom.exe -f Makefile
```

```
cd jsonserializer\ && ( if not exist Makefile C:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\bin\qmake.exe -o Makefile C:\QtJsonSerializer-3.1.2-4\src\jsonserializer\jsonserializer.pro ) && C:\Qt5.11.1\Tools\QtCreator\bin\jom.exe -f Makefile
```

```
cd doc\ && ( if not exist Makefile C:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\bin\qmake.exe -o Makefile C:\QtJsonSerializer-3.1.2-4\doc\doc.pro ) && C:\Qt5.11.1\Tools\QtCreator\bin\jom.exe -f Makefile
```

```
C:\Qt5.11.1\Tools\QtCreator\bin\jom.exe -f Makefile.Release
```

```
C:\Qt5.11.1\Tools\QtCreator\bin\jom.exe -f Makefile.Release
```

```
cl -c -nologo -Zc:wchar_t -FS -Zc:rvalueCast -Zc:inline -Zc:strictStrings -Zc:throwingNew -Zc:referenceBinding -Zc:__cplusplus -MT -O1 -std:c++17 -utf-8 -EHsc -W3 -w34100 -w34189 -w44996 -w44456 -w44457 -w44458 -wd4577 -wd4467 -DUNICODE -D_UNICODE -DWIN32 -DWIN64 -DQT_DEPRECATED_WARNINGS -DQT_ASCII_CAST_WARNINGS -DQT_NO_NARROWING_CONVERSIONS_IN_CONNECT -DQT_BUILD_JSONSERIALIZER_LIB -DQT_BUILDING_QT -D_CRT_SECURE_NO_WARNINGS -D_USE_MATH_DEFINES -DQT_NO_CAST_TO_ASCII -DQT_MOC_COMPAT -DQT_USE_QSTRINGBUILDER -DQT_DISABLE_DEPRECATED_BEFORE=0x040800 -DQT_NO_DEBUG -DQT_CORE_LIB -DNDEBUG -I. -I..\..\include -I..\..\include\QtJsonSerializer -IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer/3.1.2 -IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer/3.1.2/QtJsonSerializer -Itmp -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\include -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\include\QtCore -I.moc\release -IC:\OpenSSL-1.1.0f-VS2017\include64 -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\mkspecs\win32-msvc -Fo.obj\release\@C:\Users\AFX1\AppData\Local\Temp\qjsonserializerexception.obj.39768.16.jom
```

```
qjsonserializerexception.cpp
```

```
cl -c -nologo -Zc:wchar_t -FS -Zc:rvalueCast -Zc:inline -Zc:strictStrings -Zc:throwingNew -Zc:referenceBinding -Zc:__cplusplus -MT -O1 -std:c++17 -utf-8 -EHsc -W3 -w34100 -w34189 -w44996 -w44456 -w44457 -w44458 -wd4577 -wd4467 -DUNICODE -D_UNICODE -DWIN32 -DWIN64 -DQT_DEPRECATED_WARNINGS -DQT_ASCII_CAST_WARNINGS -DQT_NO_NARROWING_CONVERSIONS_IN_CONNECT -DQT_BUILD_JSONSERIALIZER_LIB -DQT_BUILDING_QT -D_CRT_SECURE_NO_WARNINGS -D_USE_MATH_DEFINES -DQT_NO_CAST_TO_ASCII -DQT_MOC_COMPAT -DQT_USE_QSTRINGBUILDER -DQT_DISABLE_DEPRECATED_BEFORE=0x040800 -DQT_NO_DEBUG -DQT_CORE_LIB -DNDEBUG -I. -I..\..\include -I..\..\include\QtJsonSerializer -IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer/3.1.2 -IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer/3.1.2/QtJsonSerializer -Itmp -
```

```
IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\include -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\include\QtCore -I.moc\release -IC:\OpenSSL-1.1.0f-VS2017\include64 -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\mkspecs\win32-msvc -Fo.obj\release\  
@C:\Users\AFX1\AppData\Local\Temp\qjsonserializer.obj.39768.16.jom
```

qjsonserializer.cpp

**c:\qtjsonserializer-3.1.2-4\src\jsonserializer\typeconverters/qjsonlistconverter_p.h(4): fatal error C1083: Datei (Include) kann nicht geöffnet werden:
"QtJsonSerializer/qtjsonserializer_global.h": No such file or directory**

```
cl -c -nologo -Zc:wchar_t -FS -Zc:rvalueCast -Zc:inline -Zc:strictStrings -Zc:throwingNew -Zc:referenceBinding -Zc:__cplusplus -MT -O1 -std:c++17 -utf-8 -  
EHsc -W3 -w34100 -w34189 -w44996 -w44456 -w44457 -w44458 -wd4577 -wd4467 -DUNICODE -D_UNICODE -DWIN32 -DWIN64 -  
DQT_DEPRECATED_WARNINGS -DQT_ASCII_CAST_WARNINGS -DQT_NO_NARROWING_CONVERSIONS_IN_CONNECT -DQT_BUILD_JSONSERIALIZER_LIB -  
DQT_BUILDING_QT -D_CRT_SECURE_NO_WARNINGS -D_USE_MATH_DEFINES -DQT_NO_CAST_TO_ASCII -DQT_MOC_COMPAT -DQT_USE_QSTRINGBUILDER -  
DQT_DISABLE_DEPRECATED_BEFORE=0x040800 -DQT_NO_DEBUG -DQT_CORE_LIB -DNDEBUG -I. -I..\..\include -I..\..\include\QtJsonSerializer -  
IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer/3.1.2 -IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer/3.1.2/QtJsonSerializer -Itmp -  
IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\include -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\include\QtCore -I.moc\release -IC:\OpenSSL-1.1.0f-  
VS2017\include64 -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\mkspecs\win32-msvc -Fo.obj\release\  
@C:\Users\AFX1\AppData\Local\Temp\qjsonserializer.obj.39768.16.jom
```

qjsonserializer.cpp

```
cl -c -nologo -Zc:wchar_t -FS -Zc:rvalueCast -Zc:inline -Zc:strictStrings -Zc:throwingNew -Zc:referenceBinding -Zc:__cplusplus -MT -O1 -std:c++17 -utf-8 -  
EHsc -W3 -w34100 -w34189 -w44996 -w44456 -w44457 -w44458 -wd4577 -wd4467 -DUNICODE -D_UNICODE -DWIN32 -DWIN64 -  
DQT_DEPRECATED_WARNINGS -DQT_ASCII_CAST_WARNINGS -DQT_NO_NARROWING_CONVERSIONS_IN_CONNECT -DQT_BUILD_JSONSERIALIZER_LIB -  
DQT_BUILDING_QT -D_CRT_SECURE_NO_WARNINGS -D_USE_MATH_DEFINES -DQT_NO_CAST_TO_ASCII -DQT_MOC_COMPAT -DQT_USE_QSTRINGBUILDER -  
DQT_DISABLE_DEPRECATED_BEFORE=0x040800 -DQT_NO_DEBUG -DQT_CORE_LIB -DNDEBUG -I. -I..\..\include -I..\..\include\QtJsonSerializer -  
IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer/3.1.2 -IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer/3.1.2/QtJsonSerializer -Itmp -  
IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\include -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\include\QtCore -I.moc\release -IC:\OpenSSL-1.1.0f-  
VS2017\include64 -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\mkspecs\win32-msvc -Fo.obj\release\  
@C:\Users\AFX1\AppData\Local\Temp\qjsonserializer.obj.39768.16.jom
```

qjsonexceptioncontext.cpp

jom: C:\QtJsonSerializer-3.1.2-4\src\jsonserializer\Makefile.Release [.obj\release\qjsonserializer.obj] Error 2

jom: C:\QtJsonSerializer-3.1.2-4\src\jsonserializer\Makefile [release] Error 2

jom: C:\QtJsonSerializer-3.1.2-4\src\Makefile [sub-jsonserializer-make_first-ordered] Error 2

jom: C:\QtJsonSerializer-3.1.2-4\Makefile [sub-src-make_first] Error 2

Adjusted the include paths in the file qjsonlistconverter_p.h as well.

Ran command again: C:\QtJsonSerializer-3.1.2-4>jom

And voila:

jom 1.1.2 - empower your cores

```
cd src\ && ( if not exist Makefile C:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\bin\qmake.exe -o Makefile C:\QtJsonSerializer-3.1.2-4\src\src.pro ) && C:\Qt5.11.1\Tools\QtCreator\bin\jom.exe -f Makefile
```

```
cd jsonserializer\ && ( if not exist Makefile C:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\bin\qmake.exe -o Makefile C:\QtJsonSerializer-3.1.2-4\src\jsonserializer\jsonserializer.pro ) && C:\Qt5.11.1\Tools\QtCreator\bin\jom.exe -f Makefile
```

```
cd doc\ && ( if not exist Makefile C:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\bin\qmake.exe -o Makefile C:\QtJsonSerializer-3.1.2-4\doc\doc.pro ) && C:\Qt5.11.1\Tools\QtCreator\bin\jom.exe -f Makefile
```

```
C:\Qt5.11.1\Tools\QtCreator\bin\jom.exe -f Makefile.Release
```

```
C:\Qt5.11.1\Tools\QtCreator\bin\jom.exe -f Makefile.Release
```

```
cl -c -nologo -Zc:wchar_t -FS -Zc:rvalueCast -Zc:inline -Zc:strictStrings -Zc:throwingNew -Zc:referenceBinding -Zc:__cplusplus -MT -O1 -std:c++17 -utf-8 -
EHsc -W3 -w34100 -w34189 -w44996 -w44456 -w44457 -w44458 -wd4577 -wd4467 -DUNICODE -D_UNICODE -DWIN32 -DWIN64 -
DQT_DEPRECATED_WARNINGS -DQT_ASCII_CAST_WARNINGS -DQT_NO_NARROWING_CONVERSIONS_IN_CONNECT -DQT_BUILD_JSONSERIALIZER_LIB -
DQT_BUILDING_QT -D_CRT_SECURE_NO_WARNINGS -D_USE_MATH_DEFINES -DQT_NO_CAST_TO_ASCII -DQT_MOC_COMPAT -DQT_USE_QSTRINGBUILDER -
DQT_DISABLE_DEPRECATED_BEFORE=0x040800 -DQT_NO_DEBUG -DQT_CORE_LIB -DNDEBUG -I. -I..\..\include -I..\..\include\QtJsonSerializer -
IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer/3.1.2 -IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer/3.1.2/QtJsonSerializer -Itmp -
IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\include -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\include\QtCore -I.moc\release -IC:\OpenSSL-1.1.0f-
VS2017\include64 -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\mkspecs\win32-msvc -Fo.obj\release\
@C:\Users\AFX1\AppData\Local\Temp\qjsonserializer.obj.5184.15.jom
```

qjsonserializer.cpp

```
cl -c -nologo -Zc:wchar_t -FS -Zc:rvalueCast -Zc:inline -Zc:strictStrings -Zc:throwingNew -Zc:referenceBinding -Zc:__cplusplus -MT -O1 -std:c++17 -utf-8 -
EHsc -W3 -w34100 -w34189 -w44996 -w44456 -w44457 -w44458 -wd4577 -wd4467 -DUNICODE -D_UNICODE -DWIN32 -DWIN64 -
DQT_DEPRECATED_WARNINGS -DQT_ASCII_CAST_WARNINGS -DQT_NO_NARROWING_CONVERSIONS_IN_CONNECT -DQT_BUILD_JSONSERIALIZER_LIB -
DQT_BUILDING_QT -D_CRT_SECURE_NO_WARNINGS -D_USE_MATH_DEFINES -DQT_NO_CAST_TO_ASCII -DQT_MOC_COMPAT -DQT_USE_QSTRINGBUILDER -
DQT_DISABLE_DEPRECATED_BEFORE=0x040800 -DQT_NO_DEBUG -DQT_CORE_LIB -DNDEBUG -I. -I..\..\include -I..\..\include\QtJsonSerializer -
IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer/3.1.2 -IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer/3.1.2/QtJsonSerializer -Itmp -
IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\include -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\include\QtCore -I.moc\release -IC:\OpenSSL-1.1.0f-
VS2017\include64 -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\mkspecs\win32-msvc -Fo.obj\release\
@C:\Users\AFX1\AppData\Local\Temp\qtjsonserializer_global.obj.5184.31.jom
```

qtjsonserializer_global.cpp

```
cl -c -nologo -Zc:wchar_t -FS -Zc:rvalueCast -Zc:inline -Zc:strictStrings -Zc:throwingNew -Zc:referenceBinding -Zc:__cplusplus -MT -O1 -std:c++17 -utf-8 -
EHsc -W3 -w34100 -w34189 -w44996 -w44456 -w44457 -w44458 -wd4577 -wd4467 -DUNICODE -D_UNICODE -DWIN32 -DWIN64 -
DQT_DEPRECATED_WARNINGS -DQT_ASCII_CAST_WARNINGS -DQT_NO_NARROWING_CONVERSIONS_IN_CONNECT -DQT_BUILD_JSONSERIALIZER_LIB -
DQT_BUILDING_QT -D_CRT_SECURE_NO_WARNINGS -D_USE_MATH_DEFINES -DQT_NO_CAST_TO_ASCII -DQT_MOC_COMPAT -DQT_USE_QSTRINGBUILDER -
DQT_DISABLE_DEPRECATED_BEFORE=0x040800 -DQT_NO_DEBUG -DQT_CORE_LIB -DNDEBUG -I. -I..\..\include -I..\..\include\QtJsonSerializer -
IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer/3.1.2 -IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer/3.1.2/QtJsonSerializer -Itmp -
```



```
IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\include -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\include\QtCore -I.moc\release -IC:\OpenSSL-1.1.0f-  
VS2017\include64 -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\mkspecs\win32-msvc -Fo.obj\release\  
@C:\Users\AFX1\AppData\Local\Temp\qjsonlistconverter.obj.5184.31.jom
```

qjsonlistconverter.cpp

qjsonobjectconverter.cpp

```
cl -c -nologo -Zc:wchar_t -FS -Zc:rvalueCast -Zc:inline -Zc:strictStrings -Zc:throwingNew -Zc:referenceBinding -Zc:__cplusplus -MT -O1 -std:c++17 -utf-8 -  
EHsc -W3 -w34100 -w34189 -w44996 -w44456 -w44457 -w44458 -wd4577 -wd4467 -DUNICODE -D_UNICODE -DWIN32 -DWIN64 -  
DQT_DEPRECATED_WARNINGS -DQT_ASCII_CAST_WARNINGS -DQT_NO_NARROWING_CONVERSIONS_IN_CONNECT -DQT_BUILD_JSONSERIALIZER_LIB -  
DQT_BUILDING_QT -D_CRT_SECURE_NO_WARNINGS -D_USE_MATH_DEFINES -DQT_NO_CAST_TO_ASCII -DQT_MOC_COMPAT -DQT_USE_QSTRINGBUILDER -  
DQT_DISABLE_DEPRECATED_BEFORE=0x040800 -DQT_NO_DEBUG -DQT_CORE_LIB -DNDEBUG -I. -I..\..\include -I..\..\include\QtJsonSerializer -  
IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer/3.1.2 -IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer/3.1.2/QtJsonSerializer -Itmp -  
IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\include -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\include\QtCore -I.moc\release -IC:\OpenSSL-1.1.0f-  
VS2017\include64 -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\mkspecs\win32-msvc -Fo.obj\release\  
@C:\Users\AFX1\AppData\Local\Temp\qjsonmapconverter.obj.5184.46.jom
```

qjsonmapconverter.cpp

qjsonjsonconverter.cpp

qjsonpairconverter.cpp

qjsonwidgetconverter.cpp

Code wird generiert...

Code wird generiert...

```
cl -c -nologo -Zc:wchar_t -FS -Zc:rvalueCast -Zc:inline -Zc:strictStrings -Zc:throwingNew -Zc:referenceBinding -Zc:__cplusplus -MT -O1 -std:c++17 -utf-8 -  
EHsc -W3 -w34100 -w34189 -w44996 -w44456 -w44457 -w44458 -wd4577 -wd4467 -DUNICODE -D_UNICODE -DWIN32 -DWIN64 -  
DQT_DEPRECATED_WARNINGS -DQT_ASCII_CAST_WARNINGS -DQT_NO_NARROWING_CONVERSIONS_IN_CONNECT -DQT_BUILD_JSONSERIALIZER_LIB -
```

```
DQT_BUILDING_QT -D_CRT_SECURE_NO_WARNINGS -D_USE_MATH_DEFINES -DQT_NO_CAST_TO_ASCII -DQT_MOC_COMPAT -DQT_USE_QSTRINGBUILDER -
DQT_DISABLE_DEPRECATED_BEFORE=0x040800 -DQT_NO_DEBUG -DQT_CORE_LIB -DNDEBUG -I. -I..\include -I..\include\QtJsonSerializer -
IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer/3.1.2 -IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer/3.1.2/QtJsonSerializer -Itmp -
IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\include -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\include\QtCore -I.moc\release -IC:\OpenSSL-1.1.0f-
VS2017\include64 -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\mkspecs\win32-msvc -Fo.obj\release\
@C:\Users\AFX1\AppData\Local\Temp\qjsonversionnumberconverter.obj.5184.2109.jom
```

qjsonversionnumberconverter.cpp

qjsonbytearrayconverter.cpp

qjsongeomconverter.cpp

```
cl -c -nologo -Zc:wchar_t -FS -Zc:rvalueCast -Zc:inline -Zc:strictStrings -Zc:throwingNew -Zc:referenceBinding -Zc:__cplusplus -MT -O1 -std:c++17 -utf-8 -
EHsc -W3 -w34100 -w34189 -w44996 -w44456 -w44457 -w44458 -wd4577 -wd4467 -DUNICODE -D_UNICODE -DWIN32 -DWIN64 -
DQT_DEPRECATED_WARNINGS -DQT_ASCII_CAST_WARNINGS -DQT_NO_NARROWING_CONVERSIONS_IN_CONNECT -DQT_BUILD_JSONSERIALIZER_LIB -
DQT_BUILDING_QT -D_CRT_SECURE_NO_WARNINGS -D_USE_MATH_DEFINES -DQT_NO_CAST_TO_ASCII -DQT_MOC_COMPAT -DQT_USE_QSTRINGBUILDER -
DQT_DISABLE_DEPRECATED_BEFORE=0x040800 -DQT_NO_DEBUG -DQT_CORE_LIB -DNDEBUG -I. -I..\include -I..\include\QtJsonSerializer -
IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer/3.1.2 -IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer/3.1.2/QtJsonSerializer -Itmp -
IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\include -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\include\QtCore -I.moc\release -IC:\OpenSSL-1.1.0f-
VS2017\include64 -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\mkspecs\win32-msvc -Fo.obj\release\
@C:\Users\AFX1\AppData\Local\Temp\qjsonlocaleconverter.obj.5184.5234.jom
```

qjsonlocaleconverter.cpp

```
cl -BxC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\bin\qmake.exe -nologo -Zc:wchar_t -FS -Zc:rvalueCast -Zc:inline -Zc:strictStrings -Zc:throwingNew -
Zc:referenceBinding -Zc:__cplusplus -MT -O1 -std:c++17 -utf-8 -EHsc -W3 -w34100 -w34189 -w44996 -w44456 -w44457 -w44458 -wd4577 -wd4467 -E
C:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\mkspecs\features\data\dummy.cpp 2>NUL >.moc\release\moc_predefs.h
```

qjsonregularexpressionconverter.cpp

```
C:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\bin\moc.exe -DUNICODE -D_UNICODE -DWIN32 -DWIN64 -DQT_DEPRECATED_WARNINGS -
DQT_ASCII_CAST_WARNINGS -DQT_NO_NARROWING_CONVERSIONS_IN_CONNECT -DQT_BUILD_JSONSERIALIZER_LIB -DQT_BUILDING_QT -
D_CRT_SECURE_NO_WARNINGS -D_USE_MATH_DEFINES -DQT_NO_CAST_TO_ASCII -DQT_MOC_COMPAT -DQT_USE_QSTRINGBUILDER -
DQT_DISABLE_DEPRECATED_BEFORE=0x040800 -DQT_NO_DEBUG -DQT_CORE_LIB -DNDEBUG --compiler-flavor=msvc --include C:/QtJsonSerializer-3.1.2-
4/src/jsonserializer/.moc/release/moc_predefs.h -IC:/Qt5.11/5.11.2/static-with-openssl-no-d3d12/mkspecs/win32-msvc -IC:/QtJsonSerializer-3.1.2-
4/src/jsonserializer -IC:/QtJsonSerializer-3.1.2-4/include -IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer -IC:/QtJsonSerializer-3.1.2-
4/include/QtJsonSerializer/3.1.2 -IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer/3.1.2/QtJsonSerializer -IC:/QtJsonSerializer-3.1.2-
4/src/jsonserializer/tmp -IC:/Qt5.11/5.11.2/static-with-openssl-no-d3d12/include -IC:/Qt5.11/5.11.2/static-with-openssl-no-d3d12/include/QtCore -
I"C:\Program Files (x86)\Microsoft Visual Studio\2017\Community\VC\Tools\MSVC\14.14.26428\ATLMFC\include" -I"C:\Program Files (x86)\Microsoft Visual
Studio\2017\Community\VC\Tools\MSVC\14.14.26428\include" -I"C:\Program Files (x86)\Windows Kits\NETFXSDK\4.6.1\include\um" -I"C:\Program Files
(x86)\Windows Kits\10\include\10.0.17134.0\ucrt" -I"C:\Program Files (x86)\Windows Kits\10\include\10.0.17134.0\shared" -I"C:\Program Files
(x86)\Windows Kits\10\include\10.0.17134.0\um" -I"C:\Program Files (x86)\Windows Kits\10\include\10.0.17134.0\winrt" -I"C:\Program Files (x86)\Windows
Kits\10\include\10.0.17134.0\cppwinrt" qjsonserializer.h -o .moc\release\moc_qjsonserializer.cpp
```

Code wird generiert...

Code wird generiert...

```
cl -c -nologo -Zc:wchar_t -FS -Zc:rvalueCast -Zc:inline -Zc:strictStrings -Zc:throwingNew -Zc:referenceBinding -Zc:__cplusplus -MT -O1 -std:c++17 -utf-8 -
EHsc -W3 -w34100 -w34189 -w44996 -w44456 -w44457 -w44458 -wd4577 -wd4467 -DUNICODE -D_UNICODE -DWIN32 -DWIN64 -
DQT_DEPRECATED_WARNINGS -DQT_ASCII_CAST_WARNINGS -DQT_NO_NARROWING_CONVERSIONS_IN_CONNECT -DQT_BUILD_JSONSERIALIZER_LIB -
DQT_BUILDING_QT -D_CRT_SECURE_NO_WARNINGS -D_USE_MATH_DEFINES -DQT_NO_CAST_TO_ASCII -DQT_MOC_COMPAT -DQT_USE_QSTRINGBUILDER -
DQT_DISABLE_DEPRECATED_BEFORE=0x040800 -DQT_NO_DEBUG -DQT_CORE_LIB -DNDEBUG -I. -I..\..\include -I..\..\include\QtJsonSerializer -
IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer/3.1.2 -IC:/QtJsonSerializer-3.1.2-4/include/QtJsonSerializer/3.1.2/QtJsonSerializer -Itmp -
IC:/Qt5.11\5.11.2\static-with-openssl-no-d3d12\include -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\include\QtCore -I.moc\release -IC:\OpenSSL-1.1.0f-
VS2017\include64 -IC:\Qt5.11\5.11.2\static-with-openssl-no-d3d12\mkspecs\win32-msvc -Fo.obj\release\
@C:\Users\AFX1\AppData\Local\Temp\moc_qjsonserializer.obj.5184.8093.jom
```

moc_qjsonserializer.cpp

lib /NOLOGO /OUT:..\..\lib\Qt5JsonSerializer.lib @C:\Users\AFX1\AppData\Local\Temp\Qt5JsonSerializer.lib.5184.9531.jom

The lib has been created!