

# Minimum Spanning Trees


COMP 2210 – Dr. Hendrix



AUBURN  
UNIVERSITY





SAMUEL GINN  
COLLEGE OF ENGINEERING

## Spanning Trees




A **spanning tree** of a *connected, undirected* graph is a subgraph that contains

- all the vertices in the graph
- and the fewest number of edges such that the subgraph is connected  
(contains no cycles)




### Constructing a spanning tree for a graph




Use DFS (or BFS) and keep track of the edges crossed.

The set of crossed edges form a spanning tree.

DFS tree starting at A:



BFS tree starting at A:



COMP 2210 • Dr. Hendrix • 3


### Minimum Spanning Trees



**Otakar Borůvka**

Czech mathematician

*"On a Certain Minimal Problem" -1926*




*"Soon after the end of World War I, at the beginning of the 1920s, the Electric Power Company of Western Moravia, Brno, was engaged in rural electrification of Southern Moravia. In the framework of my friendly relations with some of their employees, I was asked to solve, from a mathematical standpoint, the question of the most economical construction of an electric power network. I succeeded in finding a construction – as it would be expressed today – of a maximal connected subgraph of minimum length, which I published in 1926."*

COMP 2210 • Dr. Hendrix • 4


## Minimum Spanning Trees

A **minimum spanning tree** of a connected, weighted, undirected graph is a spanning tree for the graph such that the sum of the edge weights is the minimum of all possible spanning trees for the graph.

**Graph**



**MST**




## Important Applications...


<http://www.ics.uci.edu/~eppstein/gina/mst.html>

COMP 2210 • Dr. Hendrix • 5

## How to construct a MST?




**Resulting spanning tree:**



Cost = 70

≠

**MST (cost = 60)**




Cost = 109

≠

This strategy got us close, but not the optimal solution.

Can the greedy heuristic be used to find the optimal solution on this problem? **Yes...**



COMP 2210 • Dr. Hendrix • 6

## Greedy algorithms



Greedy algorithms are those that apply the following problem-solving heuristic when faced with choices:

**Make locally optimal choices in hopes of arriving at a globally optimal solution**

This is a heuristic, so it isn't guaranteed to always work. It can even produce the worst possible solution.

The greedy heuristic is most often applied to **optimization problems**.

**Example:** Arrive at a given monetary amount using the smallest possible number of coins. (Making change)

US dollar, all coins <i>dollar, quarter, dime, nickel, penny</i>	GBP, all coins <i>£5, £2, £1, 50p, 20p, 10p, 5p, 2p, 1p</i>	Atlantis \$, all coins <i>25c, 10c, 4c</i>
<b>41¢</b> 	<b>41p</b> 	<b>41c</b> 

COMP 2210 • Dr. Hendrix • 7

## Greedy algorithms


The greedy heuristic isn't always applicable and, even when it is, it isn't guaranteed to find an optimal solution.

For example, if the Atlantis coin set were 10c, 7c, and 1c, and we were trying to make change for 15c, the greedy choice would select one 10c and five 1c coins. But two 7c and one 1c would be better.

There is no general way of knowing whether or not the greedy heuristic is applicable or will lead to an optimal solution, but the problem should exhibit the **greedy choice property** and the **optimal substructure property**. More later ...

*Important property of the MST problem:*

Given any division of the vertices of a graph into two sets, the minimum spanning tree contains the minimum cost edge that connects a vertex in one set to a vertex in the other set.



**Proof:** Call the minimum cost edge connecting the two sets A and B  $e_1$ , and assume that  $e_1$  is not in the MST. Then consider the graph formed by adding  $e_1$  to the purported MST. This graph has a cycle; in that cycle besides  $e_1$  must connect A and B. Deleting this edge and adding  $e_1$  gives a lesser cost spanning tree, which contradicts the assumption that  $e_1$  is not in the MST.

COMP 2210 • Dr. Hendrix • 8

### Prim's Algorithm (aka Jarnik's Algorithm or the DJP Algorithm)

Rather than selecting the cheapest neighbor to a certain vertex (e.g., the current vertex on a DFS), this algorithm selects the *cheapest neighbor to any vertex already part of the MST*. **Greedy**



```
Initialize the MST as an empty graph.
Select any vertex and add it to the MST.
Add all the edges in the graph to a collection E.
while (still more edges in E) &&
    (have not added n-1 edges to the MST)
{
    Remove the edge e (x, y) from E such that
        - x is already in the MST.
        - e has minimum cost
    Add e and y to the MST if this doesn't create a cycle.
}
```

Min heap

Makes handling the min heap tricky. Better to build the min heap incrementally.

How do we know if an edge (x, y) creates a cycle?

y in MST => cycle  
y not in MST => no cycle



COMP 2210 • Dr. Hendrix • 9



### Kruskal's Algorithm

Sort the edges in ascending order of weight. Starting with the cheapest edge, add each edge to the MST unless it would create a cycle. Stop when n-1 edges have been added. **Greedy**

```
Initialize MST with all vertices but no edges
Add all the edges to a collection E
while (still more edges in E)
    &&
    (have not added n-1 edges to the MST)
{
    Remove the edge with minimum cost from E.
    Add it to the MST if it does not create a cycle.
}
```


Min heap

How do we know if an edge (x, y) creates a cycle?



COMP 2210 • Dr. Hendrix • 10

## Connected components and cycles



Add edge (x, y) if doesn't create a cycle

```
c1 = findComponent(x);
c2 = findComponent(y);
if (x != y)
{
    add (x,y) to graph;
    union(c1, c2);
}
```

**Add (I, J)?**

**No**

c1 = green  
c2 = green

**Add (M, J)?**

**Yes**

c1 = blue  
c2 = green

COMP 2210 • Dr. Hendrix • 11

## References

1. [http://en.wikipedia.org/wiki/Spanning\\_tree](http://en.wikipedia.org/wiki/Spanning_tree)
2. <http://mathworld.wolfram.com/SpanningTree.html>
3. <http://mathworld.wolfram.com/SpanningTree.html> (image use)
4. <http://algs4.cs.princeton.edu/43mst/>

and ...




**Dr. Hell**


<http://www.cs.sfu.ca/~pavol/>

On the history of the minimum spanning tree problem  
(Pavol Hell, with Ron L. Graham), *Annals of the History of Computing* 7 (1985) 43 – 57.

I really didn't get  
the MST stuff  
today in class.



Go to Hell.



Original character art by Esa Holopainen.

COMP 2210 • Dr. Hendrix • 12