Fundamentals of Information Science: Homework 4

March 12, 2025

Problem 1.

Entropy of a sum. Let X and Y be random variables that take on values $x_1, x_2, ..., x_r$ and $y_1, y_2, ..., y_s$, respectively. Let Z = X + Y.

- (a) Show that H(Z|X) = H(Y|X). Argue that if X, Y are independent, then $H(Y) \le H(Z)$ and $H(X) \le H(Z)$. Thus, the addition of independent random variables adds uncertainty.
- (b) Give an example of (necessarily dependent) random variables in which H(X) > H(Z) and H(Y) > H(Z).
 - (c) Under what conditions does H(Z) = H(X) + H(Y)?

Problem 2.

AEP and source coding. A discrete memoryless source emits a sequence of statistically independent binary digits with probabilities p(1) = 0.01 and p(0) = 0.99. The digits are taken 100 at a time and a binary codeword is provided for every sequence of 100 digits containing three or fewer 1's.

- (a) Assuming that all codewords are the same length, find the minimum length required to provide codewords for all sequences with three or fewer 1's.
- (b) Calculate the probability of observing a source sequence for which no codeword has been assigned.
- (c) Use Chebyshev's inequality (search online if you don't know Chebyshev's inequality) to bound the probability of observing a source sequence for which no codeword has been assigned. Compare this bound with the actual probability computed in part (b).