

Database Schema

Completed from the current IronChef_Schema working workbook. Required/optional labels and field descriptions are aligned to the current V1 design.

PROFILES

Key	Field	Type	Requirement	Description
PK	user_id	UUID	required	matches the Supabase authentication user
	first_name	text	required	user's first name
	last_name	text	required	user's last name

RESTAURANTS

Key	Field	Type	Requirement	Description
PK	restaurant_id	UUID	required	generated automatically
	name	text	required	restaurant/workspace name
	created_at	timestamp	required	defaults to current time

RESTAURANT MEMBERSHIPS

Key	Field	Type	Requirement	Description
PK	membership_id	UUID	required	generated automatically
FK	restaurant_id	UUID	required	references RESTAURANTS
FK	user_id	UUID	required	references PROFILES
	role	text	required	manager or staff
	created_at	timestamp	required	defaults to current date/time

INGREDIENTS

Key	Field	Type	Requirement	Description
PK	ingredient_id	UUID	required	generated automatically
FK	restaurant_id	UUID	required	references RESTAURANTS
	name	text	required	ingredient name
	category	text	required	produce, dairy, dry goods, etc.
	unit	text	required	lb, qt, each, case, etc.
	default_shelf_life_days	integer	required	used to suggest expiration dates

VENDORS

Key	Field	Type	Requirement	Description
PK	vendor_id	UUID	required	generated automatically
FK	restaurant_id	UUID	required	references RESTAURANTS
	name	text	required	vendor or supplier name
	contact_name	text	optional	primary vendor contact
	phone	text	optional	vendor phone number
	email	text	optional	vendor email address
	active	boolean	required	indicates whether the vendor is currently active; defaults to true
	created_at	timestamp	required	defaults to current date/time

DELIVERIES

Key	Field	Type	Requirement	Description
PK	delivery_id	UUID	required	generated automatically
FK	restaurant_id	UUID	required	references RESTAURANTS
FK	vendor_id	UUID	required	references VENDORS
	delivery_date	date	required	date the delivery was received
	delivery_fee	numeric	required	delivery charge; defaults to 0 when none
	status	text	required	delivery workflow status such as draft or confirmed
FK	created_by	UUID	required	references PROFILES; user who entered the delivery
FK	confirmed_by	UUID	optional	references PROFILES; user who confirmed the delivery
	created_at	timestamp	required	defaults to current date/time
	confirmed_at	timestamp	optional	time the delivery was confirmed

DELIVERY LINES

Key	Field	Type	Requirement	Description
PK	delivery_line_id	UUID	required	generated automatically

FK	delivery_id	UUID	required	references DELIVERIES
FK	ingredient_id	UUID	required	references INGREDIENTS
	quantity_received	numeric	required	quantity of the ingredient received
	unit_cost	numeric	required	cost per inventory unit on this delivery
	expiration_date	date	required	expiration date for the received batch
	notes	text	optional	optional receiving notes

INVENTORY BATCHES

Key	Field	Type	Requirement	Description
PK	inventory_batch_id	UUID	required	generated automatically
FK	restaurant_id	UUID	required	references RESTAURANTS
FK	ingredient_id	UUID	required	references INGREDIENTS
FK	delivery_line_id	UUID	optional	references DELIVERY_LINES; one confirmed line creates one batch
	received_date	date	required	date this inventory batch was received
	expiration_date	date	required	expiration date for this specific batch
	original_quantity	numeric	required	quantity received when the batch was created
	remaining_quantity	numeric	required	quantity still available in this batch
	unit_cost	numeric	required	cost per unit for this specific batch

INVENTORY ADJUSTMENTS

Key	Field	Type	Requirement	Description
PK	adjustment_id	UUID	required	generated automatically
FK	restaurant_id	UUID	required	references RESTAURANTS
FK	ingredient_id	UUID	required	references INGREDIENTS
FK	inventory_batch_id	UUID	required	references INVENTORY_BATCHES
	adjustment_type	text	required	received, used, wasted, spoiled, or correction
	quantity_change	numeric	required	positive or negative quantity change
	cost_value	numeric	required	cost value associated with the quantity adjustment
	note	text	optional	reason or context for the adjustment
FK	created_by	UUID	required	references PROFILES
	created_at	timestamp	required	defaults to current date/time

RECIPES

Key	Field	Type	Requirement	Description
PK	recipe_id	UUID	required	generated automatically
FK	restaurant_id	UUID	required	references RESTAURANTS
	name	text	required	recipe or special name
	estimated_yield	integer	required	estimated restaurant batch yield
	category	text	optional	entrée, soup, salad, etc.
	instructions	text	required	recipe preparation instructions
	prep_time_minutes	integer	optional	estimated preparation time in minutes
	created_at	timestamp	required	defaults to current date/time
FK	created_by	UUID	required	references PROFILES
	status	text	required	draft, saved, active_special, or archived
	source	text	required	manual or ai_generated

RECIPE INGREDIENTS

Key	Field	Type	Requirement	Description
PK/FK	recipe_id	UUID	required	references RECIPES; part of composite primary key
PK/FK	ingredient_id	UUID	required	references INGREDIENTS; part of composite primary key
	planned_quantity	numeric	required	planned amount of the ingredient used by the recipe
	inventory_unit	text	required	unit matching the ingredient inventory unit
	notes	text	optional	optional preparation or usage note

Relationship Summary

Child Table	Child Column	References Table	References Column	Relationship
INGREDIENTS	restaurant_id	RESTAURANTS	restaurant_id	many ingredients belong to one restaurant
VENDORS	restaurant_id	RESTAURANTS	restaurant_id	many vendors belong to one restaurant
DELIVERIES	vendor_id	VENDORS	vendor_id	many deliveries belong to one vendor
DELIVERY_LINES	delivery_id	DELIVERIES	delivery_id	many delivery lines belong to one delivery
DELIVERY_LINES	ingredient_id	INGREDIENTS	ingredient_id	many delivery lines can reference one ingredient
INVENTORY_BATCHES	ingredient_id	INGREDIENTS	ingredient_id	many inventory batches belong to one ingredient
INVENTORY_BATCHES	delivery_line_id	DELIVERY_LINES	delivery_line_id	An unconfirmed delivery line creates no inventory batch; a confirmed delivery line creates exactly one inventory batch.
INVENTORY_ADJUSTMENTS	inventory_batch_id	INVENTORY_BATCHES	inventory_batch_id	many adjustments can affect one inventory batch
DELIVERIES	restaurant_id	RESTAURANTS	restaurant_id	many deliveries belong to one restaurant
INVENTORY_BATCHES	restaurant_id	RESTAURANTS	restaurant_id	many inventory batches belong to one restaurant
INVENTORY_ADJUSTMENTS	restaurant_id	RESTAURANTS	restaurant_id	many inventory adjustments belong to one restaurant
RECIPES	restaurant_id	RESTAURANTS	restaurant_id	many recipes belong to one restaurant
RESTAURANT_MEMBERSHIPS	restaurant_id	RESTAURANTS	restaurant_id	many memberships belong to one restaurant
RESTAURANT_MEMBERSHIPS	user_id	PROFILES	user_id	many restaurant memberships can belong to one profile
RECIPE_INGREDIENTS	recipe_id	RECIPES	recipe_id	many ingredient rows belong to one recipe
RECIPE_INGREDIENTS	ingredient_id	INGREDIENTS	ingredient_id	many recipe ingredient rows reference one ingredient
INVENTORY_ADJUSTMENTS	ingredient_id	INGREDIENTS	ingredient_id	many inventory adjustments reference one ingredient
INVENTORY_ADJUSTMENTS	created_by	PROFILES	user_id	many inventory adjustments can be created by one profile
DELIVERIES	created_by	PROFILES	user_id	many deliveries can be created by one profile
DELIVERIES	confirmed_by	PROFILES	user_id	many deliveries can be confirmed by one profile
RECIPES	created_by	PROFILES	user_id	many recipes can be created by one profile