

Статистики за натпревари на тим (одиграни, изгубени, победени)

Input

- id_tim

Output

- Odigrani, pobedi ,zagubeni
- View: *tim_stats*

Опис

- Целта на овој прашалник е да даде преглед на одиграни,изгубени,победени натпревари на тимот којшто е даден на input.

odigrani

- Целта на овој подпрашалник е да ги изброи одиграните натпревари за даден тим

pobedi

- Целта на овој подпрашалник е да ги изброи победените натпревари за даден тим

zagubeni

- Целта на овој подпрашалник е да ги изброи изгубените натпревари за даден тим

main query

- Ги комбинира резултатите од подпрашалниците

-- odigrani

```
select 1 as tim, count(*) as odigrani from timovi as t
inner join natprevari as n on t.id_tim=n.id_tim_domakjin or t.id_tim=n.dobieni_mechevi_gostin
where t.id_tim=1
```

-- pobedi

```
select 1 as tim, sum(stats.pobedi) as pobedi from (
    (
        select count(*) as pobedi from natprevari as n
        where n.id_tim_domakjin=1 and n.dobieni_mechevi_domakjin >
n.dobieni_mechevi_gostin
    )
    union
    (
        select count(*) as pobedi from natprevari as n
        where n.id_tim_gostin=1 and n.dobieni_mechevi_domakjin <
n.dobieni_mechevi_gostin
    )
) as stats
```

-- zagubeni

```
select 1 as tim, sum(stats.zagubi) as zagubeni from (
    (
        select count(*) as zagubi from natprevari as n
        where n.id_tim_domakjin=1 and n.dobieni_mechevi_domakjin <
n.dobieni_mechevi_gostin
    )
    union
    (
        select count(*) as zagubi from natprevari as n
        where n.id_tim_gostin=1 and n.dobieni_mechevi_domakjin >
n.dobieni_mechevi_gostin
    )
) as stats
```

-- main query

```
select odigrani, pobedi, zagubeni from odigrani as o
inner join pobedi as p on o.tim=p.tim
inner join zagubeni as z on z.tim=p.tim
```

Целосен прашалник:

```
select odigrani, pobedi, zagubeni from (
    select 1 as tim, count(*) as odigrani from timovi as t
    inner join natprevari as n on t.id_tim=n.id_tim_domakjin or
t.id_tim=n.dobieni_mechevi_gostin
    where t.id_tim=1
) as o
inner join (
    select 1 as tim, sum(stats.pobedi) as pobedi from (
        (
            select count(*) as pobedi from natprevari as n
            where n.id_tim_domakjin=1 and n.dobieni_mechevi_domakjin >
n.dobieni_mechevi_gostin
        )
        union
        (
            select count(*) as pobedi from natprevari as n
            where n.id_tim_gostin=1 and n.dobieni_mechevi_domakjin <
n.dobieni_mechevi_gostin
        )
    ) as stats
) as p on o.tim=p.tim
inner join (
    select 1 as tim, sum(stats.zagubi) as zagubeni from (
        (
            select count(*) as zagubi from natprevari as n
            where n.id_tim_domakjin=1 and n.dobieni_mechevi_domakjin <
n.dobieni_mechevi_gostin
        )
        union
        (
            select count(*) as zagubi from natprevari as n
            where n.id_tim_gostin=1 and n.dobieni_mechevi_domakjin >
n.dobieni_mechevi_gostin
        )
    ) as stats
) as i on i.tim=p.tim
```