



```
slava@slava-Swift-SFG14-73:~/Projects/Slava-silang-ci-cd-lab
❯ docker build -t cicdlab:local .
[+] Building 2.1s (7/7) FINISHED                          docker:desktop-linux
 => [internal] load build definition from Dockerfile                      0.0s
 => => transferring dockerfile: 105B                                      0.0s
 => [internal] load metadata for docker.io/library/nginx:alpine           1.5s
 => [internal] load .dockerignore                                         0.0s
 => => transferring context: 2B                                           0.0s
 => [internal] load build context                                         0.0s
 => => transferring context: 32B                                          0.0s
 => [1/2] FROM docker.io/library/nginx:alpine@sha256:785835ea65db4bba6f02  0.1s
 => => resolve docker.io/library/nginx:alpine@sha256:785835ea65db4bba6f02  0.1s
 => CACHED [2/2] COPY index.html /usr/share/nginx/html/index.html         0.0s
 => exporting to image                                                    0.2s
 => => exporting layers                                                   0.0s
 => => exporting manifest sha256:abbbabd7e76f46dd4d37e2dc94379802de4eb670  0.0s
 => => exporting config sha256:54f74c65bedcb5169a1341343e854e162fbe937fe3  0.0s
 => => exporting attestation manifest sha256:2b64976e08f043ecedd267d86793  0.0s
 => => exporting manifest list sha256:fe318cc41b1167a9e9780b7daa014e0a584  0.0s
 => => naming to docker.io/library/cicdlab:local                          0.0s
 => => unpacking to docker.io/library/cicdlab:local                       0.0s


View build details: docker-desktop://dashboard/build/desktop-linux/desktop-linux
/lorufij7cytn6gckgm6l5mzc8
❯ docker images
                                                  i Info →   U  In Use
IMAGE                                ID             DISK USAGE   CONTENT SIZE   EXTRA
busybox:latest                       fd7dc98638c8       6.81MB         2.23MB
cicdlab:local                        fe318cc41b11       93.6MB         26.3MB
containous/whoami:latest             7d6a3c8f9147       12.6MB         2.94MB
slavasilang/dockerlab:1.0.0          12228961ef0c        102MB         28.9MB
  ~/Pr/Slava-silang-ci-cd-lab  git  main ?2
```






Pipeline
ci #2
Re-run all jobs
Summary
All jobs
ci
release
Run details
Usage
Workflow file
Lockfile
Triggered via push 1 minute ago
Slava-silang pushed 1baed1a main
Status
Success
Total duration
30s
Artifacts
-
pipeline.yml
on: push
ci 11s
release 15s


Summary
All jobs
ci
release
Run details
Usage
Workflow file
Lockfile
ci
succeeded 1 minute ago in 11s
Search logs
Download repository 2s
Set up Node.js 0s
Check HTML 2s
Build Docker image 3s
Smoke test container 1s
▸ Run docker run -d --name lab-container -p 8080:80 lab-site
c11a99d6eaea7243528f6cdbe651124ee362a07934dad79405003ed1f9460bdc
% Total % Received % Xferd Average Speed Time Time Time Current
Dload Upload Total Spent Left Speed
0 0 0 0 0 0 0 0 --:--:-- --:--:-- --:--:-- 0
0 0 0 0 0 0 0 0 --:--:-- --:--:-- --:--:-- 0
curl: (56) Recv failure: Connection reset by peer
Warning: Problem (retrying all errors). Will retry in 1 seconds. 10 retries
Warning: left.
0 0 0 0 0 0 0 0 --:--:-- --:--:-- --:--:-- 0
100 6050 100 6050 0 0 4268k 0 --:--:-- --:--:-- --:--:-- 5908k
01 / GitHub Slava-silang
OK
Stop container 0s
Post Set up Node.js 0s
Post Download repository 0s
Complete job 0s


Summary
All jobs
ci
release
Run details
Usage
Workflow file
Lockfile
Annotations
1 warning and 1 notice
release
succeeded 2 minutes ago in 15s
Search logs
Set up job 1s
Download repository 1s
Log in to GHCR 0s
Build and push 10s
Post Download repository 1s
Complete job 0s


github.com/Slava-silang/Slava-silang-ci-cd-lab/actions/runs/42091663660/job/127471098489
Summary
All jobs
ci
release
Run details
Usage
Workflow file
Lockfile
release
succeeded 3 minutes ago in 15s
Search logs
Log in to GHCR 0s
Build and push 10s
Run IMAGE="ghcr.io/${GITHUB_REPOSITORY,,}:latest"
#0 building with "default" instance using docker driver
#1 [internal] load build definition from Dockerfile
#1 transferring dockerfile: 105B done
#1 DONE 0.0s
#2 [auth] library/nginx:pull token for registry-1.docker.io
#2 DONE 0.0s
#3 [internal] load metadata for docker.io/library/nginx:alpine
#3 DONE 0.6s
#4 [internal] load .dockerignore
#4 transferring context: 2B done
#4 DONE 0.0s
#5 [internal] load build context
#5 transferring context: 6.09kB done
#5 DONE 0.0s
#6 [1/2] FROM docker.io/library/nginx:alpine@sha256:785835ea65db4bba6f021acc0f3be91b0fef76a53fe41f8588c6698d2aed0606
#6 resolve docker.io/library/nginx:alpine@sha256:785835ea65db4bba6f021acc0f3be91b0fef76a53fe41f8588c6698d2aed0606 done
#6 sha256:3d6cab9c2941df2441024a2f02a65ebe1b8916c3cbe7b9527f62627accea8004 12.31kB / 12.31kB done
#6 sha256:7b229517ed222597277036d94892173207d01a731ab3a88eeb1de2e963a2c788 1.05MB / 3.85MB 0.1s
#6 sha256:2db7d28517d1fba17c2da3210395f7be11a11b419246ad0da2edf782af72f367 2.50kB / 2.50kB done
#6 sha256:12b85cff06fd7d383d36a9c96503fe049c9d4bf3dfda5cbb9ffa6ae99b9c07a6 0B / 1.94MB 0.1s
#6 sha256:657023555a2a19dc6036468198bb350d2c7feaac7f2d0a3901b4dd3cb25e40c5 0B / 629B 0.1s
#6 sha256:785835ea65db4bba6f021acc0f3be91b0fef76a53fe41f8588c6698d2aed0606 10.33kB / 10.33kB done
#6 sha256:7b229517ed222597277036d94892173207d01a731ab3a88eeb1de2e963a2c788 3.85MB / 3.85MB 0.1s done
#6 sha256:12b85cff06fd7d383d36a9c96503fe049c9d4bf3dfda5cbb9ffa6ae99b9c07a6 1.94MB / 1.94MB 0.2s done
#6 sha256:657023555a2a19dc6036468198bb350d2c7feaac7f2d0a3901b4dd3cb25e40c5 629B / 629B 0.1s done


github.com/Slava-silang/Slava-silang-ci-cd-lab/actions/runs/42091663660/job/127471098489
Summary
All jobs
ci
release
Run details
Usage
Workflow file
Lockfile
release
succeeded 3 minutes ago in 15s
Search logs
Build and push
10s
#6 extracting sha256:b9b388a21ecfde6ac80505f23f527146a2129dfb104e79b029bbd00d4cc1a919 0.3s done
#6 DONE 1.4s
#7 [2/2] COPY index.html /usr/share/nginx/html/index.html
#7 DONE 0.0s
#8 exporting to image
#8 exporting layers
#8 exporting layers 0.6s done
#8 writing image sha256:4e23e438cafc3dd3774f934e744a86eb511bfc7be2e6e5dfa3c043f666720ffc done
#8 naming to ghcr.io/slava-silang/slava-silang-ci-cd-lab:latest done
#8 DONE 0.7s
The push refers to repository [ghcr.io/slava-silang/slava-silang-ci-cd-lab]
1db47a14fcbd: Preparing
a617e334a194: Preparing
6e2ae602f9d6: Preparing
26fc657c3455: Preparing
54733ab91a37: Preparing
a027351c56d0: Preparing
0118eeeab20f: Preparing
347d70688a4f: Preparing
75c137aedfb2: Preparing
a027351c56d0: Waiting
0118eeeab20f: Waiting
347d70688a4f: Waiting
75c137aedfb2: Waiting
54733ab91a37: Pushed
6e2ae602f9d6: Pushed
26fc657c3455: Pushed
1db47a14fcbd: Pushed
a027351c56d0: Pushed
0118eeeab20f: Pushed
347d70688a4f: Pushed
75c137aedfb2: Pushed
a617e334a194: Pushed


Slava-silang / Slava-silang-ci-cd-lab
Type / to search
Code
Issues
Pull requests
Agents
Actions
Projects
Wiki
Security and quality
Insights
Settings
slava-silang-ci-cd-lab latest
Public
Latest
Install from the command line
Learn more about packages
$ docker pull ghcr.io/slava-silang/slava-silang-ci-cd-lab:latest
Recent tagged image versions
latest
Published 4 minutes ago · Digest
0
View and manage all versions
Add a Readme to the linked repository
The linked repository's Readme will be shown here.
Details
Slava-silang
Slava-silang-ci-cd-lab
0 stars
Last published
4 minutes ago
Issues
0
Total downloads
0
Contributors 1
Slava-silang
Open an issue
Package settings

```
❯ docker pull ghcr.io/slava-silang/slava-silang-ci-cd-lab:latest
latest: Pulling from slava-silang/slava-silang-ci-cd-lab
9900d997babc: Pull complete
Digest: sha256:69351cd0f9178c0bdb624cfcf84feacce882ee8296b175943d8b146990f0fa34
Status: Downloaded newer image for ghcr.io/slava-silang/slava-silang-ci-cd-lab:latest
ghcr.io/slava-silang/slava-silang-ci-cd-lab:latest
❯ docker run -d -p 8080:80 --name site ghcr.io/slava-silang/slava-silang-ci-cd-lab:latest
docker: Error response from daemon: Conflict. The container name "/site" is already in use by container "2a9e52af2a6be3ae79e915dfcb9e96d4
aa84146fba7228d134700858d4519ca1". You have to remove (or rename) that container to be able to reuse that name.

Run 'docker run --help' for more information

What's next:
    Debug this container error with Gordon → docker ai "help me fix this container error"
❯ docker ps
CONTAINER ID   IMAGE     COMMAND   CREATED   STATUS    PORTS     NAMES
❯ docker ls
docker: unknown command: docker ls

Run 'docker --help' for more information
❯ docker ps -a
CONTAINER ID   IMAGE          COMMAND                  CREATED          STATUS                      PORTS     NAMES
2a9e52af2a6b   cicdlab:local  "/docker-entrypoint.…"   42 minutes ago   Exited (0) 39 minutes ago             site
❯ docker rm 2a9e52af2a6b
2a9e52af2a6b
❯ docker run -d -p 8080:80 --name site ghcr.io/slava-silang/slava-silang-ci-cd-lab:latest
40d72776294ab430bf9f897c4cac8b06a45a8a7df3ed9ad736ba789b4a17943c
 ~/Projects/Slava-silang-ci-cd-lab  main ..... ✓ PyProjectThree  22:19:29
```

Мой зелёный уголок — Mozilla Firefox

http://localhost:8080

НЕМНОГО ПРИРОДЫ, НЕМНОГО КОДА

Вс
с м
ро

Моя первая ст
Здесь начинае
сайта.

slava@slava-Swift-SFG14-73:~/Projects/Slava-silang-ci-cd-lab

```
What's next:
    Debug this container error with Gordon → docker ai "help me fix this contain
er error"
❯ docker ps
CONTAINER ID   IMAGE     COMMAND   CREATED   STATUS    PORTS     NAMES
❯ docker ls
docker: unknown command: docker ls

Run 'docker --help' for more information
❯ docker ps -a
CONTAINER ID   IMAGE          COMMAND                  CREATED          STATUS
                     PORTS     NAMES
2a9e52af2a6b   cicdlab:local  "/docker-entrypoint.…"   42 minutes ago   Exited
(0) 39 minutes ago             site
❯ docker rm 2a9e52af2a6b
2a9e52af2a6b
❯ docker run -d -p 8080:80 --name site ghcr.io/slava-silang/slava-silang-ci-cd-l
ab:latest
40d72776294ab430bf9f897c4cac8b06a45a8a7df3ed9ad736ba789b4a17943c
 ~/Projects/Slava-silang-ci-cd-lab  main .....
 ~/Pr/Slava-silang-ci-cd-lab  main
```

АВТОР П

Балеев Станислав Евгеньевич

Группа: М8О-101БВ-26

01 / GITHUB

Slava-silang

02 / DOCKER HUB

slavasilang

HTML · DOCKER · GITHUB ACTIONS

Растём шаг за шагом.

pipeline.yml

```yaml
on:
  push:
  pull_request:
    branches: [main]

permissions:
  contents: read

jobs:
  ci:
    runs-on: ubuntu-latest

    steps:
      - name: Download repository
        uses: actions/checkout@v4

      - name: Set up Node.js
        uses: actions/setup-node@v4
        with:
          node-version: '22'

      - name: Check HTML
        run: npx --yes htmlhint --rules "doctype-first,tag-pair,id-unique,title-require" index.html

      - name: Build Docker image
        run: docker build -t lab-site .

      - name: Smoke test container
        run: |
          docker run -d --name lab-container -p 8080:80 lab-site
          curl --fail --retry 10 --retry-all-errors --retry-delay 1 --connect-timeout 3 --max-time 5 http://localhost:8080 -o response.html
          grep -F "Slava-silang" response.html
          echo "OK"

      - name: Stop container
        if: always()
        run: docker rm -f lab-container || true

  release:
    needs: ci
    if: github.event_name == 'push' && github.ref == 'refs/heads/main'
    runs-on: ubuntu-latest

    permissions:
      contents: read
      packages: write

    steps:
      - name: Download repository
        uses: actions/checkout@v4

      - name: Log in to GHCR
        env:
          GH_TOKEN: ${{ secrets.GITHUB_TOKEN }}
        run: echo "$GH_TOKEN" | docker login ghcr.io -u "$GITHUB_ACTOR" --password-stdin

      - name: Build and push
        run: |
          IMAGE="ghcr.io/${GITHUB_REPOSITORY,,}:latest"
          docker build --label "org.opencontainers.image.source=https://github.com/$GITHUB_REPOSITORY" -t "$IMAGE" .
          docker push "$IMAGE"
```


```
❯ git status
On branch break-html
nothing to commit, working tree clean
❯ git push
fatal: The current branch break-html has no upstream branch.
To push the current branch and set the remote as upstream, use


    git push --set-upstream origin break-html


To have this happen automatically for branches without a tracking
upstream, see 'push.autoSetupRemote' in 'git help config'.


❯ git push --set-upstream origin break-html
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 18 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 283 bytes | 283.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
remote:
remote: Create a pull request for 'break-html' on GitHub by visiting:
remote:      https://github.com/Slava-silang/Slava-silang-ci-cd-lab/pull/new/bre
ak-html
remote:
To https://github.com/Slava-silang/Slava-silang-ci-cd-lab.git
 * [new branch]      break-html -> break-html
branch 'break-html' set up to track 'origin/break-html'.
 ~/Pr/Slava-silang-ci-cd-lab  break-html
```


Created with the Free Version of Editor. For non-commercial use only.



github.com/Slava-silang/Slava-silang-ci-cd-lab/actions/runs/42094925761
break #3
Re-run jobs
Summary
All jobs
ci
release
Run details
Usage
Workflow file
Lockfile
Triggered via push now
Slava-silang pushed 5d4a1cc break-html
Status
Failure
Total duration
11s
Artifacts
-
pipeline.yml
on: push
ci 8s
release
Annotations
1 error, 1 warning, and 1 notice
ci
Process completed with exit code 1.
ci
Node.js 20 is deprecated. The following actions target Node.js 20 but are being forced to run on Node.js 24: actions/check…



github.com/Slava-silang/Slava-silang-ci-cd-lab/actions/runs/42094925761/job/127482339721
Summary
All jobs
ci
release
Run details
Usage
Workflow file
Lockfile
Annotations
1 error, 1 warning, and 1 notice
ci
failed 1 minute ago in 8s
Search logs
Explain error
Set up job 1s
Download repository 1s
Set up Node.js 0s
Check HTML 2s
1 ▸ Run npx --yes htmlhint --rules "doctype-first,tag-pair,id-unique,title-require" index.html
4
5 /home/runner/work/Slava-silang-ci-cd-lab/Slava-silang-ci-cd-lab/index.html
6 L59 | <h1>Всё начинается
с маленького ростка.
7 ^ Tag must be paired, missing: [</h1>], start tag match failed [<h1>] on line 59. (tag-pair)
8
9 Scanned 1 files, found 1 errors in 1 files (8 ms)
10 Error: Process completed with exit code 1.
Build Docker image 0s
Smoke test container 0s
Stop container 0s
Post Set up Node.js 0s
Post Download repository 1s
Complete job 0s



break by Slava-silang · Pull Request #1 · Slava-silang/Slava-silang-ci-cd-lab — Mozilla Firefox
github.com/Slava-silang/Slava-silang-ci-cd-lab/pull/1
Open
break #1
Slava-silang wants to merge 1 commit into main from break-html
No description provided.
break
5d4a1cc
Some checks were not successful
2 failing, 2 skipped checks
2 failing checks
Pipeline / ci (pull_request) Failing after 6s
Pipeline / ci (push) Failing after 8s
2 skipped checks
Pipeline / release (pull_request) Skipped now
Pipeline / release (push) Skipped 8 minutes ago
No conflicts with base branch
Merging can be performed automatically.
Merge pull request
You can also merge this with the command line. View command line instructions.
Still in progress? Convert to draft
Add a comment
Write
Preview
Still in progress? Conve
Assignees
No one—assign yourse
Labels
None yet
Projects
None yet
Milestone
No milestone
Development
Successfully merging th
issues.
None yet
Notifications
You're receiving notifica
thread.
1 participant
Lock conversation
Archive pull reque



Break html by Slava-silang · Pull Request #2 · Slava-silang/Slava-silang-ci-cd-lab — Mozilla Firefox
github.com/Slava-silang/Slava-silang-ci-cd-lab/pull/2
Open
Break html #2
Slava-silang wants to merge 2 commits into main from break-html
No description provided.
Slava-silang added 2 commits 12 minutes ago
break
5d4a1cc
corrected
All checks have passed
2 skipped, 2 successful checks
No conflicts with base branch
Merging can be performed automatically.
Merge pull request
You can also merge this
slava@slava-Swift-SFG14-73:~/Projects/Slava-silang-ci-cd-lab
❯ git commit -m "corrected"
[break-html 67ff562] corrected
1 file changed, 1 insertion(+), 1 deletion(-)
❯ git push
Enumerating objects: 5, done.
Counting objects: 100% (5/5), done.
Delta compression using up to 18 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 292 bytes | 292.00 KiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/Slava-silang/Slava-silang-ci-cd-lab.git
5d4a1cc..67ff562 break-html -> break-html
~/Pr/Slava-silang-ci-cd-lab
break-html
Still in progress? Convert to draft
Assignees
No one—assign yourself
Labels
None yet
Projects
Add a comment
Write
Preview
Add your comment here...
Markdown is supported
Paste, drop, or click to add files
1 participant
Lock conversation
Archive pull request



Pages — Mozilla Firefox
github.com/Slava-silang/Slava-silang-ci-cd-lab/settings/pages
Slava-silang / Slava-silang-ci-cd-lab
Type / to search
Code
Issues
Pull requests
Agents
Actions
Projects
Wiki
Security and quality
Insights
Settings
General
Access
Collaborators
Moderation
Code, planning, and automation
Rulesets
Branches
Tags
Actions
Webhooks
Copilot
Planning
Environments
Codespaces
Pages
Security and quality
Advanced Security
Deploy keys
Secrets and variables
GitHub Pages
GitHub Pages is designed to host your personal, organization, or project pages from a GitHub repository.
Your site is live at https://slava-silang.github.io/Slava-silang-ci-cd-lab/
Last deployed by Slava-silang 1 minute ago
Visit site
Unpublish site
Build and deployment
Source
GitHub Actions
Your site was last deployed to the github-pages environment by the Pages workflow.
Learn more about deploying to GitHub Pages using custom workflows
Custom domain
Custom domains allow you to serve your site from a domain other than slava-silang.github.io. Learn more about configuring custom domains.
Save
Remove
Enforce HTTPS
— Required for your site because you are using the default domain (slava-silang.github.io)
HTTPS provides a layer of encryption that prevents others from snooping on or tampering with traffic to your site.
When HTTPS is enforced, your site will only be served over HTTPS. Learn more about securing your GitHub Pages site with HTTPS.
Visibility
GitHub Enterprise
With a GitHub Enterprise account, you can restrict access to your GitHub Pages site by publishing it privately. You can use privately



pages.yml (~/Projects/Slava-silang-ci-cd-lab/.github/workflows)
File Edit View Search Tools Documents Help
pages.yml
on:
push:
branches: [main]
workflow_dispatch:
permissions:
contents: read
pages: write
id-token: write
concurrency:
group: pages
cancel-in-progress: false
jobs:
deploy:
runs-on: ubuntu-latest
environment:
name: github-pages
url: ${{ steps.deployment.outputs.page_url }}
steps:
- name: Download repository
uses: actions/checkout@v6
- name: Configure Pages
uses: actions/configure-pages@v5
- name: Prepare site
run: |
mkdir -p _site
cp index.html _site/
- name: Upload site
uses: actions/upload-pages-artifact@v4
with:
path: _site
- name: Deploy to Pages
id: deployment
uses: actions/deploy-pages@v4
- name: Show website URL
env:
PAGE_URL: ${{ steps.deployment.outputs.page_url }}
run: |
echo "Website URL: $PAGE_URL"


Search runs
11 workflow runs
Auto-refresh: 30s
Workflow
Event
Status
Branch
Actor
pages
Pages #2: Commit cc6e207 pushed by Slava-silang
main
2 minutes ago
17s
pages
Pipeline #9: Commit cc6e207 pushed by Slava-silang
main
2 minutes ago
27s


github.com/Slava-silang/Slava-silang-ci-cd-lab/actions/runs/42103946655/job/127513736872
Code
Issues
Pull requests
Agents
Actions
Projects
Wiki
Security and quality
Insights
Settings
Pages
pages #2
Re-run all jobs
Summary
All jobs
deploy
Run details
Usage
Workflow file
Lockfile
Annotations
1 warning and 1 notice
deploy
succeeded 2 minutes ago in 12s
Search logs
Set up job 1s
Download repository 1s
Configure Pages 0s
Prepare site 0s
Upload site 1s
Deploy to Pages 7s
Show website URL 0s
Run echo "Website URL: $PAGE_URL"
Website URL: https://slava-silang.github.io/Slava-silang-ci-cd-lab/
Post Download repository 0s
Complete job 0s


Мой зелёный уголок — Mozilla Firefox
slava-silang.github.io/Slava-silang-ci-cd-lab/
Все начинается с маленького ростка.
Моя первая страница для лабораторной работы по CI/CD. Здесь начинается путь от простого HTML до собственного сайта.
АВТОР ПРОЕКТА
Балеев Станислав Евгеньевич
Группа: М8О-101БВ-26
01 / GITHUB
Slava-silang
02 / DOCKER HUB
slavasilang
HTML · DOCKER · GITHUB ACTIONS
Растём шаг за шагом.





Created in Trial Version of PDF Editor. For non-commercial use only.

Commits

main ▾ | All users ▾ | All time ▾

Commits on Nov 5, 2026

updated Slava-silang committed 3 minutes ago · ✓ 3 / 3		af76bc5
pages Slava-silang committed 9 minutes ago · ✓ 3 / 3		cc6e207
pages Slava-silang committed 13 minutes ago · ✓ 2 / 2		b6cb1ba
Merge pull request #2 from Slava-silang/break-html Slava-silang authored 1 hour ago · ✓ 2 / 2	Verified	86e2fbc
corrected Slava-silang committed 1 hour ago · ✓ 2 / 4		67ff562
break Slava-silang committed 1 hour ago · ✗ 0 / 4		5d4a1cc
ci Slava-silang committed 1 hour ago · ✓ 2 / 2		1baed1a
ci Slava-silang committed 1 hour ago · ✗ 0 / 2		980aaa6
init Slava-silang committed 2 hours ago		c1c2372

