Clients	Clients						
PK/FK	Name	Description	type	Constraint			
PK	client_id	unique id	INTEGER				
	client_name		TEXT	NOT NULL			
	passport_number		TEXT	NOT NULL, CHECK(regex)			
	citizenship		TEXT	NOT NULL			

Tickets

PK/FK	Name	Description	type	Constraint
PK	seat_number	number of seat on plane	TEXT	CHECK(regex)
PK, FK	flight_id	unique id	INTEGER	NOT NULL, FK Flights(flight_id)
FK	client_id		INTEGER	NOT NULL, FK Clients(client_id)
	t_class	class of ticket	TEXT	NOT NULL, CHECK(in (Econom, Business))
	price		INTEGER	NOT NULL, CHECK(>=0)

Flights

PK/FK	Name	Description	type	Constraint		
PK	flight_id	unique id	INTEGER			
FK	airplane_id	unique id	INTEGER	NOT NULL, FK Airplanes(airplane_id)		
FK	route_id	unique id	INTEGER	NOT NULL, FK Routes(route_id)		
	departure_time		DATE TIME	NOT NULL, CHECK(departure_time < arrival_time)		
	arrival_time		DATE TIME	NOT NULL, CHECK(departure_time < arrival_time)		

Crew	mem	hers

PK/FK	Name	Description	type	Constraint
PK	member_id	unique id	INTEGER	
	member_name		TEXT	NOT NULL
	date_of_birth		DATE	NOT NULL
	member_role	role in crew	TEXT	NOT NULL

Flights X Crew members

L						
	PK/FK	Name	Description	type	Constraint	
	PK, FK	flight_id	unique id	INTEGER	NOT NULL, FK Flights(flight_id)	
ſ	PK, FK	member_id	unique id	INTEGER	NOT NULL, FK Crew members(member_id)	

Airplanes

PK/FK	Name	Description	type	Constraint
PK	airplane_id	unique id	INTEGER	
FK	model		TEXT	NOT NULL, FK Airplane models(model)
	start_of_operation		DATE	NOT NULL

Airplane models

PK/FK	Name	Description	type	Constraint
PK	model		TEXT	
	capacity	max number of passengers	INTEGER	NOT NULL, CHECK(> 0)
	flight_range	flight range in km	INTEGER	NOT NULL, CHECK(> 0)

Airports

	· ·					
PK/FK	Name	Description	type	Constraint		
PK	code_IATA	unique code	TEXT			
	city		TEXT	NOT NULL		
	country		TEXT	NOT NULL		

Routes

PK/FK	Name	Description	type	Constraint		
PK	route_id	unique id	INTEGER			
	duration	time in air in minutes	INTEGER	NOT NULL, CHECK(> 0)		
FK	departure_IATA	unique code	TEXT	NOT NULL, FK Airports(code_IATA)		
FK	arrival_IATA	unique code	TEXT	NOT NULL, FK Airports(code_IATA)		

Route time

PK/FK	Name	Description	type	Constraint
PK, FK	route_id	unique id	INTEGER	
PK	day_of_week		TEXT	CHECK(regex)

PK	departure_time	TIME	CHECK(regex)
PK	periodicity	TEXT	CHECK(regex)
PK	valid_from	DATE	NOT NULL, CHECK(valid_from < valid_to)
	valid_to	DATE	NOT NULL, CHECK(valid_from < valid_to)