



Select a definition

v2.0

Документация API SystemO

v2.0

OAS3

/swagger/v2.0/swagger.json

AttendanceLog



GET

/AttendanceLog

Получение всех логов



Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Success	No links

Media type

text/plain

Controls Accept header.

Example Value Schema

```
[
  {
    "id": 0,
    "studentId": 0,
    "date": "2024-04-26T15:27:30.287Z",
    "marker": "string"
  }
]
```

POST

/AttendanceLog

Создание нового логa



Parameters

Try it out

No parameters

Request body

application/json

НОВЫЙ ЛОГ

Example Value Schema

```
{
  "id": 0,
  "studentId": 0,
  "date": "2024-04-26T15:27:30.293Z",
  "marker": "string"
}
```

Responses

Code	Description	Links
200	Success	No links

PUT /AttendanceLog Обновление указанного логa



Parameters

Try it out

No parameters

Request body

application/json

Example Value Schema

```
{
  "id": 0,
  "studentId": 0,
  "date": "2024-04-26T15:27:30.300Z",
  "marker": "string"
}
```

Responses

Code	Description	Links
200	Success	No links

GET /AttendanceLog/day:{day}.{month}.{year} Получение логов за указанный день



Parameters

Try it out

Name	Description
day * required integer(\$int32) (path)	day
month * required integer(\$int32) (path)	month
year * required integer(\$int32) (path)	year

Responses		
Code	Description	Links
200	Success	No links
Media type		
text/plain		
Controls Accept header.		
Example Value Schema		
<pre>[{ "id": 0, "studentId": 0, "date": "2024-04-26T15:27:30.310Z", "marker": "string" }]</pre>		

GET /AttendanceLog/month:{month}.{year} Получение логов за указанный месяц

Parameters		Try it out
Name	Description	
month * required integer(\$int32) (path)	month	
year * required integer(\$int32) (path)	year	

Responses

Code	Description	Links
200	Success	No links
Media type		
text/plain		
Controls Accept header.		
Example Value Schema		
[{ "id": 0, "studentId": 0, "date": "2024-04-26T15:27:30.317Z", "marker": "string" }]		

GET /AttendanceLog/year:{year} Получение логов за указанный год

Parameters

Try it out

Name	Description
year * required integer(\$int32) (path)	year

Responses

Code	Description	Links
200	Success	No links
Media type		
text/plain		
Controls Accept header.		
Example Value Schema		
[{ "id": 0,		

Code	Description	Links
	<pre>"studentId": 0, "date": "2024-04-26T15:27:30.323Z", "marker": "string" }]</pre>	

GET

/AttendanceLog/{id}

Получение лога по id

^

Parameters

Try it out

Name	Description
id * required integer(\$int32) (path)	id

Responses

Code	Description	Links
200	Success	No links

Media type

text/plain

Controls Accept header.

Example Value

Schema

```
{
  "id": 0,
  "studentId": 0,
  "date": "2024-04-26T15:27:30.329Z",
  "marker": "string"
}
```

DELETE

/AttendanceLog/{id}

Удаление лога по id

^

Parameters

Try it out

Name	Description
id * required integer(\$int32) (path)	id

Responses

Code	Description	Links
200	Success	No links

DutySchedule

GET /DutySchedule Получение всех логов графика

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Success	No links

Media type

text/plain

Controls Accept header.

Example Value Schema

```
[
  {
    "id": 0,
    "studentId": 0,
    "date": "2024-04-26T15:27:30.338Z",
    "student": {
      "id": 0,
      "name": "string",
      "surname": "string",
      "patronymic": "string",
      "phone": "string",
      "address": "string",
      "representativeName": "string",
      "representativeSurname": "string",
      "representativePatronymic": "string",
      "representativePhone": "string",
      "gender": "string",
      "roomId": 0,
      "groupId": 0,
      "statusId": 0,
      "room": {
        "id": 0,
        "number": "string"
      },
      "group": {
```

Code

Description

Links

```
    "id": 0,
    "name": "string"
  },
```

POST /DutySchedule

Добавление новой записи графика

^

Parameters

Try it out

No parameters

Request body

application/json

Example Value

Schema

```
{
  "id": 0,
  "studentId": 0,
  "date": "2024-04-26T15:27:30.346Z",
  "student": {
    "id": 0,
    "name": "string",
    "surname": "string",
    "patronymic": "string",
    "phone": "string",
    "address": "string",
    "representativeName": "string",
    "representativeSurname": "string",
    "representativePatronymic": "string",
    "representativePhone": "string",
    "gender": "string",
    "roomId": 0,
    "groupId": 0,
    "statusId": 0,
    "room": {
      "id": 0,
      "number": "string"
    },
    "group": {
      "id": 0,
      "name": "string"
    },
    "status": {
```

Responses

Code

Description

Links

200

Success

No links

PUT /DutySchedule

Обновление записи графика

^

Parameters

Try it out

No parameters

Request body

application/json

Example Value Schema

```
{
  "id": 0,
  "studentId": 0,
  "date": "2024-04-26T15:27:30.362Z",
  "student": {
    "id": 0,
    "name": "string",
    "surname": "string",
    "patronymic": "string",
    "phone": "string",
    "address": "string",
    "representativeName": "string",
    "representativeSurname": "string",
    "representativePatronymic": "string",
    "representativePhone": "string",
    "gender": "string",
    "roomId": 0,
    "groupId": 0,
    "statusId": 0,
    "room": {
      "id": 0,
      "number": "string"
    },
    "group": {
      "id": 0,
      "name": "string"
    },
    "status": {
```

Responses

Code	Description	Links
200	Success	No links

GET /DutySchedule/day:{day}.{month}.{year} Получение графика на указанный день

Parameters

Try it out

Name	Description
day * required integer(\$int32) (path)	day
month * required integer(\$int32) (path)	month

Name	Description
year * required integer(\$int32) (path)	year

Responses		
Code	Description	Links
200	Success Media type text/plain Controls Accept header. Example ValueSchema [{ "id": 0, "studentId": 0, "date": "2024-04-26T15:27:30.390Z", "student": { "id": 0, "name": "string", "surname": "string", "patronymic": "string", "phone": "string", "address": "string", "representativeName": "string", "representativeSurname": "string", "representativePatronymic": "string", "representativePhone": "string", "gender": "string", "roomId": 0, "groupId": 0, "statusId": 0, "room": { "id": 0, "number": "string" }, "group": { "id": 0, "name": "string" }, }, },],	No links

GET	/DutySchedule/month:{month}.{year}	Получение графика на указанный месяц	^
-----	------------------------------------	--------------------------------------	---

Parameters		Try it out
Name	Description	
month * required integer(\$int32) (path)	month	

Name	Description
year * required integer(\$int32) (path)	year

Responses

Code	Description	Links
200	Success Media type text/plain Controls Accept header. Example Value Schema <pre>[{ "id": 0, "studentId": 0, "date": "2024-04-26T15:27:30.406Z", "student": { "id": 0, "name": "string", "surname": "string", "patronymic": "string", "phone": "string", "address": "string", "representativeName": "string", "representativeSurname": "string", "representativePatronymic": "string", "representativePhone": "string", "gender": "string", "roomId": 0, "groupId": 0, "statusId": 0, "room": { "id": 0, "number": "string" }, "group": { "id": 0, "name": "string" } } },]</pre>	No links

Parameters	Try it out

Name	Description
year * required integer(\$int32) (path)	year

Responses

Code	Description	Links
200	Success Media type text/plain Controls Accept header. Example Value Schema [{ "id": 0, "studentId": 0, "date": "2024-04-26T15:27:30.414Z", "student": { "id": 0, "name": "string", "surname": "string", "patronymic": "string", "phone": "string", "address": "string", "representativeName": "string", "representativeSurname": "string", "representativePatronymic": "string", "representativePhone": "string", "gender": "string", "roomId": 0, "groupId": 0, "statusId": 0, "room": { "id": 0, "number": "string" }, "group": { "id": 0, "name": "string" } }, },],	No links

GET /DutySchedule/{id} Получение лога графика по id

^

Parameters

Try it out

Name	Description
id * required integer(\$int32)	id

<

DELETE	/DutySchedule/{id}	Удаление записи по id	⌵
Parameters		Try it out	
Name	Description		
id * required	id		
integer(\$int32)			
(path)			

Responses

Code	Description	Links
200	Success	No links

Events

GET /Events Получение всех мероприятий

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Success	No links

Media type

text/plain

Controls Accept header.

Example Value Schema

```
[
  {
    "id": 0,
    "name": "string",
    "description": "string",
    "location": "string",
    "organizer": "string",
    "date": "2024-04-26T15:27:30.436Z"
  }
]
```

POST /Events Добавление нового мероприятия

Parameters

Try it out

No parameters

Request body

application/json

Example Value Schema

```
{
  "id": 0,
  "name": "string",
  "description": "string",
  "location": "string",
  "organizer": "string",
  "date": "2024-04-26T15:27:30.443Z"
}
```

Responses

Code	Description	Links
200	Success	No links

PUT /Events Обновление мероприятия



Parameters

Try it out

No parameters

Request body

application/json

Example Value Schema

```
{
  "id": 0,
  "name": "string",
  "description": "string",
  "location": "string",
  "organizer": "string",
  "date": "2024-04-26T15:27:30.452Z"
}
```

Responses

Code	Description	Links
200	Success	No links

DELETE

/Events/{id}

Удаление мероприятия

^

Parameters

Try it out

Name	Description
id * required	
integer(\$int32)	id
(path)	

Responses

Code	Description	Links
200	Success	No links

Group

^

GET

/Group

Получение всех групп

^

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Success	No links
Media type text/plain Controls Accept header. Example ValueSchema [{ "id": 0, "name": "string" }]		

POST /Group Добавление новой группы								
Parameters		Try it out						
No parameters								
Request body		application/json						
Example ValueSchema { "id": 0, "name": "string" }								
Responses								
<table><tr><th>Code</th><th>Description</th><th>Links</th></tr><tr><td>200</td><td>Success</td><td>No links</td></tr></table>			Code	Description	Links	200	Success	No links
Code	Description	Links						
200	Success	No links						

PUT /Group Изменение группы		
Parameters		Try it out
No parameters		
Request body		

application/json

Example Value Schema

```
{
  "id": 0,
  "name": "string"
}
```

Responses

Code	Description	Links
200	Success	No links

DELETE /Group/{name} Удаление группы



Parameters

Try it out

Name	Description
name * required string (path)	name

Responses

Code	Description	Links
200	Success	No links

Login



GET /Login Авторизация пользователя



Parameters

Try it out

Name	Description
login string (query)	login
password string (query)	password

Responses

Code	Description	Links
200	Success Media type text/plain Controls Accept header. Example Value Schema <pre>{ "id": 0, "name": "string", "surname": "string", "patronymic": "string", "login": "string", "image": "string", "role": { "id": 0, "name": "string" } }</pre>	No links

PurityRaidLogs

^

GET

/PurityRaidLogs

Получение всех записей

^

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Success Media type text/plain Controls Accept header. Example Value Schema [{ "id": 0, "roomId": 0, "date": "2024-04-26T15:27:30.493Z", "marker": 0, "description": "string", "room": { "id": 0, "number": "string" } }]	No links

POST

/PurityRaidLogs

Добавление новой записи

Parameters

Try it out

No parameters

Request body

application/json

Example Value

Schema

```
{
  "id": 0,
  "roomId": 0,
  "date": "2024-04-26T15:27:30.499Z",
  "marker": 0,
  "description": "string",
  "room": {
    "id": 0,
    "number": "string"
  }
}
```

Responses

Code	Description	Links
200	Success	No links

PUT

/PurityRaidLogs

Изменение указанной записи

^

Parameters

Try it out

No parameters

Request body

application/json

Example Value

Schema

```
{  "id": 0,  "roomId": 0,  "date": "2024-04-26T15:27:30.512Z",  "marker": 0,  "description": "string",  "room": {    "id": 0,    "number": "string"  }}
```

Responses

Code	Description	Links
200	Success	No links

GET

/PurityRaidLogs/day:{day}.{month}.{year}

Получение записей за указанный день

^

Parameters

Try it out

Name	Description
day * required integer(\$int32) (path)	day
month * required integer(\$int32) (path)	month

Name	Description
year * required integer(\$int32) (path)	year

Responses

Code	Description	Links
200	Success Media type text/plain Controls Accept header. Example Value Schema <pre>[{ "id": 0, "roomId": 0, "date": "2024-04-26T15:27:30.535Z", "marker": 0, "description": "string", "room": { "id": 0, "number": "string" } }]</pre>	No links

GET /PurityRaidLogs/month:{month}.{year} Получение записей за указанный месяц ^

Parameters Try it out

Name	Description
month * required integer(\$int32) (path)	month
year * required integer(\$int32) (path)	year

Responses

Code	Description	Links
200	Success	No links
Media type text/plain Controls Accept header. Example Value Schema [{ "id": 0, "roomId": 0, "date": "2024-04-26T15:27:30.543Z", "marker": 0, "description": "string", "room": { "id": 0, "number": "string" } }]		

GET /PurityRaidLogs/year:{year} Получение записей за указанный год

Parameters		Try it out
Name	Description	
year * required integer(\$int32) (path)	year	

Responses

Code	Description	Links
200	Success	No links
Media type text/plain Controls Accept header. Example Value Schema [{ "id": 0, "roomId": 0, "date": "2024-04-26T15:27:30.552Z",		

Code	Description	Links
	<pre>"marker": 0, "description": "string", "room": { "id": 0, "number": "string" } }</pre>	

GET

/PurityRaidLogs/{id}

Получение записей по id

⌵

Parameters

Try it out

Name	Description
id * required integer(\$int32) (path)	id

Responses

Code	Description	Links
200	Success Media type text/plain Controls Accept header. Example Value Schema <pre>{ "id": 0, "roomId": 0, "date": "2024-04-26T15:27:30.558Z", "marker": 0, "description": "string", "room": { "id": 0, "number": "string" } }</pre>	No links

DELETE	/PurityRaidLogs/{id}	Удаление записи по id	⌵
Parameters			Try it out

Name

Description

id * required

integer(\$int32)

(path)

id

Responses

Code	Description	Links
200	Success	No links

Rooms

GET /Rooms

Получение всех комнат

Try it out

Parameters

No parameters

Responses

Code	Description	Links
200	Success	No links

Media type

text/plain

Controls Accept header.

Example Value

Schema

[{ "id": 0, "number": "string" }]

POST /Rooms

Добавление комнаты

Parameters

Try it out

No parameters

Request body

application/json

Example Value

Schema

```
{
  "id": 0,
  "number": "string"
}
```

Responses

Code	Description	Links
200	Success	No links

PUT /Rooms

Изменение комнаты

Parameters

Try it out

No parameters

Request body

application/json

Example Value

Schema

```
{
  "id": 0,
  "number": "string"
}
```

Responses

Code	Description	Links
200	Success	No links

GET

/Rooms/{number}

Получение комнаты по номеру

^

Parameters

Try it out

Name	Description
number * required string (path)	number

Responses

Code	Description	Links
200	Success Media type text/plain Controls Accept header. Example Value Schema <pre>{ "id": 0, "number": "string" }</pre>	No links

DELETE

/Rooms/{number}

Удаление комнаты

^

Parameters

Try it out

Name	Description
number * required string (path)	number

Responses

Code	Description	Links
200	Success	No links

SignOut

^

GET /SignOut Выход

^

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Success	No links

Status

^

GET /Status Получение всех статусов

^

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Success	No links

Media type

text/plain

Controls Accept header.

Example Value Schema

Code	Description	Links
	<pre>[{ "id": 0, "name": "string" }]</pre>	

POST

/Status

Добавление статуса

^

Parameters

Try it out

No parameters

Request body

application/json

Example Value

Schema

```
{
  "id": 0,
  "name": "string"
}
```

Responses

Code	Description	Links
200	Success	No links

PUT

/Status

Обновление статуса

^

Parameters

Try it out

No parameters

Request body

application/json

Example Value

Schema

```
{
  "id": 0,
  "name": "string"
}
```

Responses		
Code	Description	Links
200	Success	No links

DELETE

/Status/{id}

Удаление статуса

Parameters

Try it out

Name	Description
id * required	
integer(\$int32) (path)	id

Responses

Code	Description	Links
200	Success	No links

Students

GET

/Students

Получение всех студентов

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Success	No links

Media type

Code	Description	Links
text/plain Controls Accept header. Example Value Schema <pre>[{ "id": 0, "name": "string", "surname": "string", "patronymic": "string", "phone": "string", "address": "string", "representativeName": "string", "representativeSurname": "string", "representativePatronymic": "string", "representativePhone": "string", "gender": "string", "roomId": 0, "groupId": 0, "statusId": 0, "room": { "id": 0, "number": "string" }, "group": { "id": 0, "name": "string" }, "status": { "id": 0, "name": "string" } }, </pre>		

POST /Students

Добавление нового студента

Parameters

Try it out

No parameters

Request body

application/json

Example Value	Schema
<pre>{ "id": 0, "name": "string", "surname": "string", "patronymic": "string", "phone": "string", "address": "string", "representativeName": "string", "representativeSurname": "string", "representativePatronymic": "string", "representativePhone": "string", "gender": "string", "roomId": 0, "groupId": 0, "statusId": 0, "room": { "id": 0, "number": "string" }, "group": { "id": 0, "name": "string" } }</pre>	

```
},
"status": {
  "id": 0,
  "name": "string"
},
"attendanceLogs": [
```

Responses

Code	Description	Links
200	Success	No link

PUT /Students Изменение студента

Parameters

Try it out

No parameters

Request body

application/json

Example Value Schema

```
{
  "id": 0,
  "name": "string",
  "surname": "string",
  "patronymic": "string",
  "phone": "string",
  "address": "string",
  "representativeName": "string",
  "representativeSurname": "string",
  "representativePatronymic": "string",
  "representativePhone": "string",
  "gender": "string",
  "roomId": 0,
  "groupId": 0,
  "statusId": 0,
  "room": {
    "id": 0,
    "number": "string"
  },
  "group": {
    "id": 0,
    "name": "string"
  },
  "status": {
    "id": 0,
    "name": "string"
  },
  "attendanceLogs": [
```

Responses

Code	Description	Links
200	Success	No links

GET /Students/{room} Получение студентов по указанной комнате

Parameters

Try it out

Name	Description
room * required string (path)	room

Responses

Code	Description	Links
200	Success	No links

Media type

text/plain

Controls Accept header.

Example Value Schema

```
[
  {
    "id": 0,
    "name": "string",
    "surname": "string",
    "patronymic": "string",
    "phone": "string",
    "address": "string",
    "representativeName": "string",
    "representativeSurname": "string",
    "representativePatronymic": "string",
    "representativePhone": "string",
    "gender": "string",
    "roomId": 0,
    "groupId": 0,
    "statusId": 0,
    "room": {
      "id": 0,
      "number": "string"
    },
    "group": {
      "id": 0,
      "name": "string"
    },
    "status": {
      "id": 0,
      "name": "string"
    }
  },
]
```


Code	Description	Links
GET	/Students/{room}/{fio} Получение студента по комнате и ФИО	Try it out
Name	Description	
room * required string (path)	room	
fio * required string (path)	fio	
Responses		
Code	Description	Links
200	Success Media type text/plain Controls Accept header. Example Value Schema <pre>{ "id": 0, "name": "string", "surname": "string", "patronymic": "string", "phone": "string", "address": "string", "representativeName": "string", "representativeSurname": "string", "representativePatronymic": "string", "representativePhone": "string", "gender": "string", "roomId": 0, "groupId": 0, "statusId": 0, "room": { "id": 0, "number": "string" }, "group": { "id": 0, "name": "string" }, "status": { "id": 0, "name": "string" }, }</pre>	No links

Code

Description

Links

DELETE

/Students/{room}/{fio}

Удаление студента

^

Parameters

Try it out

Name

Description

room

* required

string

(path)

room

fio

* required

string

(path)

fio

Responses

Code

Description

Links

200

Success

No links

Users

GET

/Users/{login}

Получение пользователя по логину

^

Parameters

Try it out

Name

Description

login

* required

string

(path)

login

Responses

Code

Description

Links

200

Success

No links

Code	Description	Links
	Media type text/plain Controls Accept header. Example Value Schema <pre>{ "id": 0, "name": "string", "surname": "string", "patronymic": "string", "login": "string", "image": "string", "role": { "id": 0, "name": "string" }}</pre>	

DELETE /Users/{login} Удаление пользователя

Parameters

Try it out

Name	Description
login * required string (path)	login

Responses

Code	Description	Links
200	Success	No links

GET /Users Получение всех пользователей

Parameters

Try it out

No parameters

Responses

Code	Description	Links
200	Success Media type text/plain Controls Accept header. Example Value Schema <pre>[{ "id": 0, "name": "string", "surname": "string", "patronymic": "string", "login": "string", "image": "string", "role": { "id": 0, "name": "string" } }]</pre>	No links

POST

/Users

Добавление нового пользователя

^

Parameters

Try it out

No parameters

Request body

application/json

Example Value

Schema

```
{  "id": 0,  "name": "string",  "surname": "string",  "patronymic": "string",  "password": "string",  "login": "string",  "image": "string",  "role": {    "id": 0,    "name": "string"  }}
```

Responses

Code	Description	Links
200	Success	No links

PUT

/Users

Обновление пользователя

^

Parameters

Try it out

No parameters

Request body

application/json

Example Value

Schema

```
{
  "id": 0,
  "name": "string",
  "surname": "string",
  "patronymic": "string",
  "password": "string",
  "login": "string",
  "image": "string",
  "role": {
    "id": 0,
    "name": "string"
  }
}
```

Responses

Code	Description	Links
200	Success	No links

Schemas

^

AttendanceLog

{

id

studentId

date

marker

integer(\$int32)

integer(\$int32)

string(\$date-time)

string

nullable: true

}

```
DutySchedule {
  id integer($int32)
  studentId integer($int32)
  date string($date-time)
  student Student {...}
}
```

```
EventO {
  id integer($int32)
  name string
  description string
  location string
  organizer string
  date string($date-time)
}
```

```
Group {
  id integer($int32)
  name string
}
```

```
PurityRaidLog {
  id integer($int32)
  roomId integer($int32)
  date string($date-time)
  marker integer($int32)
  description string
  room Room {...}
}
```

Role

```
Room {
  id integer($int32)
  number string
}
```

```
Status {
  id integer($int32)
  name string
}
```

Student

```
UserChangedDTO {
  id          integer($int32)
  name        string
              nullable: true
  surname     string
              nullable: true
  patronymic  string
              nullable: true
  password    string
              nullable: true
  login       string
              nullable: true
  image       string($byte)
              nullable: true
  role        Role    {...}
}
```

```
UserDTO {
  id          integer($int32)
  name        string
              nullable: true
  surname     string
              nullable: true
  patronymic  string
              nullable: true
  login       string
              nullable: true
  image       string($byte)
              nullable: true
  role        Role    {...}
}
```