

Apex Diagnostics

Comprehensive Pre-Marital Health Report

Clinical Profile: Female UTI

Name: Ms. Kavita Desai		Age/Sex: 23 Yrs / F		Date: 02 Jun 2026, 03:50 PM		ID: ADX-28067	
BLOOD GROUP - ABO TYPING							
Parameter	Result	Reference	Unit				
Blood Group (A / B / AB / O)	O	-	-				
BLOOD GROUP - RH (RHESUS) TYPING							
Parameter	Result	Reference	Unit				
Rh Factor (Positive / Negative)	Positive	-	-				
COMPLETE BLOOD COUNT (CBC) / HEMOGRAM							
Parameter	Result	Reference	Unit				
Total Red Blood Cell Count (RBC)	4.7	4.0-5.2	mill/μL				
Hemoglobin (Hb)	13.4	12.0-15.5	g/dL				
Hematocrit / Packed Cell Volume (PCV)	40.9	36.0-46.0	%				
Mean Corpuscular Volume (MCV)	87.0	80.0-100.0	fL				
Mean Corpuscular Hemoglobin (MCH)	31.0	27.0-33.0	pg				
Mean Corpuscular Hemoglobin Concentration (MCHC)	32.8	32.0-36.0	g/dL				
Red Cell Distribution Width - CV (RDW-CV)	14.1	11.5-14.5	%				
Red Cell Distribution Width - SD (RDW-SD)	40.1	39.0-46.0	fL				
Total White Blood Cell Count (WBC / TLC)	6.7	4.5-11.0	thou/μL				
Neutrophils (%)	55.3	40-80	%				
Neutrophils - Absolute Count	3.71	2.0-7.0	thou/μL				
Lymphocytes (%)	26.4	20-40	%				
Lymphocytes - Absolute Count	2.01	1.0-3.0	thou/μL				
Monocytes (%)	5.0	2-10	%				
Monocytes - Absolute Count	0.4	0.2-1.0	thou/μL				
Eosinophils (%)	2.8	1-6	%				
Eosinophils - Absolute Count	0.19	0.02-0.5	thou/μL				
Basophils (%)	0.5	0-2	%				
Basophils - Absolute Count	0.03	0.0-0.1	thou/μL				
Immature Granulocytes (%)	0.2	0-0.5	%				
Immature Granulocytes - Absolute Count	0.01	0-0.03	thou/μL				
Nucleated Red Blood Cells (NRBC) - Absolute Count	0.0	0.0	thou/μL				
Nucleated Red Blood Cells (NRBC) %	0.0	0.0	%				
Platelet Count	270	150-450	thou/μL				
Mean Platelet Volume (MPV)	9.5	7.5-11.5	fL				
Platelet Distribution Width (PDW)	12.0	9.0-17.0	fL				
Plateletcrit (PCT)	0.25	0.15-0.35	%				
Platelet-Large Cell Ratio (P-LCR)	25.0	15.0-35.0	%				
ERYTHROCYTE SEDIMENTATION RATE (ESR)							
Parameter	Result	Reference	Unit				
Erythrocyte Sedimentation Rate (ESR)	10	< 15	mm/hr				
BLOOD SUGAR - FASTING (FBS / FBG)							
Parameter	Result	Reference	Unit				
Fasting Blood Glucose (FBG)	85.1	70-100	mg/dL				
BLOOD SUGAR - RANDOM (RBS / BSR)							
Parameter	Result	Reference	Unit				
Random Blood Sugar (RBS)	106.4	70-140	mg/dL				
GLYCATED HEMOGLOBIN (HBA1C)							
Parameter	Result	Reference	Unit				
HbA1c (%)	5.4	4.0-5.6	%				
Estimated Average Glucose (eAG)	108.3	70-126	mg/dL				
AVERAGE BLOOD GLUCOSE (ABG)							
Parameter	Result	Reference	Unit				
Average Blood Glucose (ABG)	100.1	< 117	mg/dL				
LIVER FUNCTION TEST (LFT) - TOTAL BILIRUBIN							
Parameter	Result	Reference	Unit				
Total Bilirubin	0.44	0.3-1.2	mg/dL				
Direct (Conjugated) Bilirubin	0.11	< 0.3	mg/dL				
Indirect (Unconjugated) Bilirubin	0.11	< 0.3	mg/dL				
LIVER FUNCTION TEST (LFT) - SGPT / ALT							
Parameter	Result	Reference	Unit				
Alanine Aminotransferase (SGPT / ALT)	22	< 41	U/L				
LIVER FUNCTION TEST (LFT) - SGOT / AST							
Parameter	Result	Reference	Unit				
Aspartate Aminotransferase (SGOT / AST)	29	< 40	U/L				
KIDNEY FUNCTION TEST (KFT)							
Parameter	Result	Reference	Unit				
Serum Creatinine	0.63	0.5-1.1	mg/dL				
Blood Urea Nitrogen (BUN)	13	7-20	mg/dL				
BUN / Creatinine Ratio	20.6	10-20	Ratio				
Serum Uric Acid	3.9	2.6-6.0	mg/dL				
Serum Urea	28	15-40	mg/dL				
Estimated Glomerular Filtration Rate (eGFR)	116	> 90	mL/min				
Serum Sodium (Na ⁺)	140	135-145	mEq/L				
Serum Potassium (K ⁺)	4.2	3.5-5.1	mEq/L				
Serum Chloride (Cl ⁻)	102	98-107	mEq/L				
Serum Bicarbonate (HCO ₃ ⁻)	26	22-29	mEq/L				
SERUM IRON							
Parameter	Result	Reference	Unit				
Serum Iron	95	50-170	μg/dL				
TOTAL IRON BINDING CAPACITY (TIBC)							
Parameter	Result	Reference	Unit				
Total Iron Binding Capacity (TIBC)	338	250-450	μg/dL				
UNSATURATED IRON BINDING CAPACITY (UIBC)							
Parameter	Result	Reference	Unit				
Unsaturated Iron Binding Capacity (UIBC)	243	110-370	μg/dL				
TRANSFERRIN SATURATION (%)							
Parameter	Result	Reference	Unit				
Transferrin Saturation (%)	28	20-50	%				
SERUM FERRITIN							
Parameter	Result	Reference	Unit				
Serum Ferritin	73	10-120	ng/mL				

HEMOGLOBIN HPLC / VARIANT ANALYSIS			
Parameter	Result	Reference	Unit
Hemoglobin A (HbA)	97.4	> 95.0	%
Hemoglobin A2 (HbA2)	2.7	1.5-3.5	%
Hemoglobin F (HbF / Fetal Hemoglobin)	0.5	< 2.0	%
Hemoglobin S (HbS)	0.0	0.0	%
Hemoglobin C (HbC)	0.0	0.0	%
Hemoglobin D (HbD)	0.0	0.0	%
Hemoglobin E (HbE)	0.0	0.0	%
Total Hemoglobin (g/dL)	13.4	12.0-16.0	g/dL
Unknown / Other Hemoglobin Fractions	0.0	0.0	%
Interpretation / Diagnosis	Normal Study	Normal Study	-

HEMOGLOBIN A2			
Parameter	Result	Reference	Unit
Hemoglobin A2 (HbA2) %	2.7	1.5-3.5	%

HEMOGLOBIN C			
Parameter	Result	Reference	Unit
Hemoglobin C (HbC) %	0.0	0.0	%

HEMOGLOBIN D			
Parameter	Result	Reference	Unit
Hemoglobin D (HbD) %	0.0	0.0	%

HEMOGLOBIN F			
Parameter	Result	Reference	Unit
Hemoglobin F / Fetal Hemoglobin (HbF) %	0.5	< 2.0	%

HEMOGLOBIN S			
Parameter	Result	Reference	Unit
Hemoglobin S (HbS) %	0.0	0.0	%

THYROID STIMULATING HORMONE (TSH)			
Parameter	Result	Reference	Unit
Thyroid Stimulating Hormone (TSH / uTSH)	1.74	0.4-4.0	µIU/mL
Triiodothyronine (T3) - Total	120	80-200	ng/dL
Thyroxine (T4) - Total	8.0	5.0-12.0	µg/dL
Free T3 (FT3)	3.1	2.3-4.2	pg/mL
Free T4 (FT4)	1.2	0.9-1.7	ng/dL

VITAMIN B12 (CYANOCOBALAMIN)			
Parameter	Result	Reference	Unit
Vitamin B12 (Cobalamin) - Serum	456	200-900	pg/mL

LIPID PROFILE / LIPID SCREEN			
Parameter	Result	Reference	Unit
Total Cholesterol	154	< 200	mg/dL
High-Density Lipoprotein Cholesterol (HDL-C)	61	> 50	mg/dL
Low-Density Lipoprotein Cholesterol (LDL-C)	70	< 100	mg/dL
Very Low-Density Lipoprotein (VLDL-C)	20	2-30	mg/dL
Triglycerides	83	< 150	mg/dL
Non-HDL Cholesterol	93	< 130	mg/dL
Total Cholesterol / HDL Ratio (TC:HDL)	2.5	< 5.0	Ratio
LDL / HDL Ratio	1.1	< 3.0	Ratio

SYPHILIS - VDRL / RPR			
Parameter	Result	Reference	Unit
VDRL / RPR Result (Reactive / Non-Reactive)	Non-Reactive	Non-Reactive	-
RPR Titre (if reactive)	Not Applicable	Not Applicable	-

HEPATITIS B SURFACE ANTIGEN (HBSAG)			
Parameter	Result	Reference	Unit
HBsAg - Qualitative Result (Reactive / Non-Reactive)	Non-Reactive	Non-Reactive	-
HBsAg - OD Value / Signal-to-Cutoff Ratio	0.2	< 0.9	S/CO

HEPATITIS C VIRUS ANTIBODY (ANTI-HCV)			
Parameter	Result	Reference	Unit
Anti-HCV Antibody - Qualitative Result (Reactive / Non-Reactive)	Non-Reactive	Non-Reactive	-
Anti-HCV - OD Value / Signal-to-Cutoff Ratio	0.1	< 0.9	S/CO

HIV 1 & 2 ANTIBODY TEST			
Parameter	Result	Reference	Unit
HIV 1 & 2 Antibody - Result (Reactive / Non-Reactive)	Non-Reactive	Non-Reactive	-
HIV ICT (Immunochromatographic Test) Result	Non-Reactive	Non-Reactive	-

HIV COMBO (P24 ANTIGEN + ANTIBODY) TEST			
Parameter	Result	Reference	Unit
HIV P24 Antigen - Result (Detected / Not Detected)	Not Detected	Not Detected	-
HIV 1 & 2 Antibody - Result (Reactive / Non-Reactive)	Non-Reactive	Non-Reactive	-
HIV Combo Assay - OD Value / S/CO Ratio	0.1	< 0.9	S/CO
HIV 1 Differentiation Result	Negative	Negative	-
HIV 2 Differentiation Result	Negative	Negative	-

RUBELLA VIRUS IGG ANTIBODY			
Parameter	Result	Reference	Unit
Rubella IgG Antibody - Quantitative (IU/mL)	48.7	> 10 (Immune)	IU/mL
Rubella IgG - Interpretation (Immune / Non-Immune)	Immune	Immune	-

URINE ROUTINE & MICROSCOPY EXAMINATION			
Parameter	Result	Reference	Unit
Colour	Pale Yellow	Pale Yellow	-
Appearance / Clarity / Turbidity	Clear	Clear	-
Specific Gravity	1.015	1.005-1.030	-
pH	6.0	4.5-8.0	-
Urinary Protein	Absent	Absent	-
Urinary Glucose	Absent	Absent	-
Urinary Ketones	Absent	Absent	-
Urinary Bilirubin	Absent	Absent	-
Urobilinogen	Normal	Normal	-
Blood / Haemoglobin in Urine	Absent	Absent	-
Nitrites	Positive	Absent	-
Leukocyte Esterase	Positive	Absent	-
Pus Cells (WBCs) per HPF	15-20	0-5	per HPF
Red Blood Cells (RBCs) per HPF	0-1	0-2	per HPF
Epithelial Cells	Rare	Rare	per HPF
Casts	29	< 40	U/L
Crystals	Absent	Absent	-
Bacteria	Present (++)	Absent	-
Yeast / Fungi	29	< 40	U/L
Mucus Threads	Absent	Absent	-
Amorphous Material	6.0	4.5-8.0	-