

Student:	Email:
Jalen Salgado	


Time on Task:	Progress:
2 hours, 29 minutes	72%

Report Generated: Saturday, July 26, 2025 at 2:10 PM

Section 1: Hands-On Demonstration

Part 1: Explore the Local Area Network


- 4. Make a screen capture showing the ipconfig results for the Student adapter on the vWorkstation.




Assessing the Network with Common Security Tools (3e)

Network Security, Firewalls, and VPNs, Third Edition - Lab 01

7. Make a screen capture showing the **ipconfig** results for the Student adapter on TargetWindows01.




15. Make a screen capture showing the updated ARP cache on the vWorkstation.



Assessing the Network with Common Security Tools (3e)


Network Security, Firewalls, and VPNs, Third Edition - Lab 01

19. Make a screen capture showing the **completed LAN tab** of the Network Assessment spreadsheet.




Part 2: Analyze Network Traffic

9. Make a screen capture showing the **ICMP filtered results** in Wireshark.



12. Make a screen capture showing the ARP filtered results in Wireshark.



18. Compare the Regular scan results for ICMP and ARP traffic with the results from the Ping scan.


1 ARP reply and request from the target IP 1 ICMP Echo replying scan was dozens of ARP requests with some replies and 70+ ECHO requests with a few replies

24. Compare the Intense scan results with the results from the Ping scan.

The intense scan generated 1 ARP request and 1 ARP reply from the target IP, along with 1 ICMP Echo Reply.

The ping scan resulted in dozens of ARP requests across the subnet with some ARP replies, and over 70 ICMP Echo Requests with a few Echo Replies.


28. Make a screen capture showing the contents of the Ports/Hosts tab.



Section 2: Applied Learning

Part 1: Explore the Wide Area Network

6. Make a screen capture showing the `ifconfig` results on `AttackLinux01`.



The screenshot shows a terminal window titled "AttackLinux01" with the command `ifconfig -a` executed. The output displays network configuration for the `eth0` and `lo` interfaces. The `eth0` interface is configured with IP `10.0.1.3`, netmask `255.255.255.0`, and broadcast `10.0.1.255`. It also shows MAC address `00:50:56:bd:54:d1` and various statistics. The `lo` interface is the loopback interface with IP `127.0.0.1` and netmask `255.0.0.0`.

```
root@AttackLinux01:~# ifconfig -a
eth0: flags=4163<UP,BROADCAST,RUNNING,MULTICAST>  mtu 1500
    inet 10.0.1.3  netmask 255.255.255.0  broadcast 10.0.1.255
    inet6 fe80::250:56ff:febd:54d1  prefixlen 64  scopeid 0x20<link>
    ether 00:50:56:bd:54:d1  txqueuelen 1000  (Ethernet)
    RX packets 38  bytes 6273 (6.1 KiB)
    RX errors 0  dropped 14  overruns 0  frame 0
    TX packets 33  bytes 2505 (2.4 KiB)
    TX errors 0  dropped 0  overruns 0  carrier 0  collisions 0

lo: flags=73<UP,LOOPBACK,RUNNING>  mtu 65536
    inet 127.0.0.1  netmask 255.0.0.0
    inet6 ::1  prefixlen 128  scopeid 0x10<host>
    loop txqueuelen 1000  (Local Loopback)
    RX packets 38  bytes 2158 (2.1 KiB)
    RX errors 0  dropped 0  overruns 0  frame 0
    TX packets 38  bytes 2158 (2.1 KiB)
    TX errors 0  dropped 0  overruns 0  carrier 0  collisions 0

root@AttackLinux01:~#
```

12. Make a screen capture showing the ipconfig results on RemoteWindows01.

```
Select Administrator: Command Prompt
C:\Users\Administrator>ipconfig /all

Windows IP Configuration

Host Name . . . . . : RemoteWindows01
Primary Dns Suffix . . . . . : 
Node Type . . . . . : Hybrid
IP Routing Enabled. . . . . : No
WINS Proxy Enabled. . . . . : No

Ethernet adapter Student:

Connection-specific DNS Suffix . : 
Description . . . . . : vmxnet3 Ethernet Adapter #3
Physical Address. . . . . : 00-50-56-B0-A3-7B
DHCP Enabled. . . . . : No
Autoconfiguration Enabled . . . . : Yes
Link-Local IPv6 Address . . . . . : fe80::115b:1712:bca5:eab3%11(Preferred)
IPv4 Address. . . . . : 10.0.1.2(Preferred)
Subnet Mask . . . . . : 255.255.255.0
Default Gateway . . . . . : 10.0.1.1
DHCPv6 IAID . . . . . : 469782614
DHCPv6 Client DUID. . . . . : 00-01-00-01-2F-8F-0C-00-50-56-B0-A3-7B
DNS Servers . . . . . : fec0:08:ffff::1%1
                        fec0:08:ffff::2%1
NetBIOS over Tcpip. . . . . : Enabled

Ethernet adapter TrueLab:

Connection-specific DNS Suffix . : 
Description . . . . . : vmxnet3 Ethernet Adapter #2
Physical Address. . . . . : 00-50-56-B0-2E-29
DHCP Enabled. . . . . : No
Autoconfiguration Enabled . . . . : Yes
Link-Local IPv6 Address . . . . . : fe80::115b:1712:bca5:eab3%12(Preferred)
IPv4 Address. . . . . : 192.168.53.1(Preferred)
Subnet Mask . . . . . : 255.255.255.0
Default Gateway . . . . . : 192.168.53.254
NetBIOS over Tcpip. . . . . : Disabled

C:\Users\Administrator>
```

18. Make a screen capture showing the updated ARP cache on RemoteWindows01.

```
Select Administrator: Command Prompt
C:\Users\Administrator>arp -d


C:\Users\Administrator>arp -a

Interface: 10.0.1.2 --- 0xb
Internet Address      Physical Address      Type
10.0.1.1              00-50-56-bd-c8-c1    dynamic
224.0.0.22            01-00-5e-00-00-16    static

Interface: 192.168.53.1 --- 0xb
Internet Address      Physical Address      Type
192.168.53.254        00-50-56-ab-11-71    dynamic
224.0.0.22            01-00-5e-00-00-16    static

C:\Users\Administrator>
```

22. **Make a screen capture showing the completed WAN tab of the Network Assessment spreadsheet.**



Part 2: Analyze Network Traffic

9. **Make a screen capture showing tcpdump echo back the captured packets.**

Incomplete

12. **Make a screen capture showing the attempted three-way handshake in tcpdump.**

Incomplete

17. **Make a screen capture showing the results of the get command.**

Incomplete

Section 3: Challenge and Analysis

Part 1: Explore the DMZ

Make a screen capture showing the **completed DMZ tab of the NetworkAssessment spreadsheet**.

Incomplete

Part 2: Perform Reconnaissance on the Firewall

Briefly summarize and analyze your findings in a technical memo to your boss.

Incomplete