EVIDENCE · SCATTER · SERIES

radar

Native radar / spider chart — items rated across multiple axes.

SCALE · 0–10

How we stack up across the buying criteria.



SCALE · 0–100

Where we are against the quarter plan.



SCALE · 0–10

What moved over the half, and which way.



SCALE · 0–10

Are we inside the pack, or outside it.



SCALE · 0–5

Our capability profile, read by theme.



SCALE · 0–10

Four product lines, the same five criteria.



SCALE · 0–10

The same comparison, fills dropped.



SCALE · 0–10

Stress test — eight criteria, three vendors.



SCALE · 0–10

How we stack up across the buying criteria.



SCALE · 0–10

How we stack up across the buying criteria.



SCALE · 0–10

How we stack up across the buying criteria.



When NOT to reach for radar.

More than four series. Five overlapping polygons become a tangle of edges. Trim to the two or three options the audience is actually choosing between; the rest belong in an appendix table.

Three or fewer axes. Three axes makes a triangle — barely a shape. Below four criteria, the spider collapses and the slide should be a `cards-grid` or `verdict-grid` instead.

Mixed scales across axes. If one axis is 0–10 and another is 0–10,000, the larger axis dominates the polygon and the comparison is misleading. Normalise everything to a shared scale first.

See also.

RELATED COMPONENTS

`quadrant` — two axes are enough — the other six dimensions drop out
`verdict-grid` — the criteria are categorical (pass/fail), not graded
`kpi` — the comparison is one option's metrics, not multi-option
`compare-table` — a precise tabular comparison reads better than a shape
`piechart` — the question is part-to-whole, not multi-criterion