

COMPARISON · LEDGER · PROSE

compare-table

Multi-row comparison table with consistent columns.

How the three planning rituals compare.

RITUAL	CADENCE	OUTPUT	READ AFTER THE MEETING
Strategy offsite	Yearly	An 80-slide deck	The title slide
Quarterly business review	Quarterly	A scorecard	The red cells
Weekly signal review	Weekly	A decision-log entry	Whoever wrote it

How the three planning rituals compare.

RITUAL	CADENCE	OUTPUT	READ AFTER THE MEETING
Strategy offsite	Yearly	An 80-slide deck	The title slide
Quarterly business review	Quarterly	A scorecard	The red cells
Weekly signal review	Weekly	A decision-log entry	Whoever wrote it

How the three planning rituals compare.

RITUAL	CADENCE	OUTPUT	READ AFTER THE MEETING
Strategy offsite	Yearly	An 80-slide deck	The title slide
Quarterly business review	Quarterly	A scorecard	The red cells
Weekly signal review	Weekly	A decision-log entry	Whoever wrote it

How the three planning rituals compare.

RITUAL	CADENCE	OUTPUT	READ AFTER THE MEETING
Strategy offsite	Yearly	An 80-slide deck	The title slide
Quarterly business review	Quarterly	A scorecard	The red cells
Weekly signal review	Weekly	A decision-log entry	Whoever wrote it

When NOT to reach for compare-table.

Cells full of prose. Long sentences in a table cell wrap awkwardly and force the column wider. Move to `verdict-grid` for criteria with body text, or `cards-stack` for full prose rows.

More than 6 rows. Past 6 rows the table density crowds the slide. Split into two slides or summarise the rows that don't differentiate.

State-marker rows. When most cells are pass/fail/partial badges, the right layout is `obligation-matrix` or `verdict-grid`. `compare-table` is for textual values.

See also.

RELATED COMPONENTS

- `compare-prose` — exactly two options with prose bodies
- `verdict-grid` — options scored against criteria with pass/partial/fail badges
- `obligation-matrix` — many regimes compared against shared obligations
- `cards-stack` — each row needs full-prose breathing room rather than a tabular cell