



LATTICE · DISCREET BRAND MARK IN ONE LINE OF FRONT MATTER

Custom Logo

A grayscale watermark in the top-right corner — brightness adapts to dark and light canvases without per-author variants.



HOW IT WORKS

A filter, not a fork.

CSS desaturates the injected image to a faint grayscale watermark and inverts the brightness on dark-canvas layouts so the mark stays legible on every theme.



How it lands in the DOM.

A build-stage rewriter injects an `img` element with class `deck-logo` as the first child of every selected section — same shape Marp uses for `header` and `footer`. CSS positions it absolutely top-right and applies the filter chain. A real DOM element rather than a `::before` pseudo is what lets the logo compose with `::before`-based chrome like the SVG-mark backgrounds.

```
logo: ./acme-logo.svg
logo-style: auto | brand      # optional, default `auto`
logo-on: all | title          # optional, default `all`
```

Build-time only. The directive does not render in the marp-vscode preview pane because the extension does not load workspace `marp.config.js` plugins.



When to use which style.

AUTO · DEFAULT

A faint grayscale watermark, brightness inverted on dark-canvas layouts so the mark stays legible on every theme. Best for marks you want present but not loud — a watermark, not a statement.



BRAND

Original colours preserved on a soft surface plate. Best for logos whose colours carry meaning — government insignia, university crests, marks that *are* the brand.



Body slide on a light canvas with `bg-sweep`.

The watermark darkens automatically on light canvases. Same SVG, same rule — the filter just inverts brightness based on the layout class. Gradient backgrounds (`bg-sweep` , `bg-spotlight` , `bg-vignette` , the corner gradients) all compose cleanly with the logo because they paint on the section background, not through `::before` .



SVG-mark background and logo coexist.

`bg-orbit-br` draws its concentric-ring accent through `section::before`. Earlier iterations of this feature put the logo on `::before` too — and the two collided. The current implementation injects the logo as a real `img` element, so it sits on a different render layer. Every `bg-` class — gradients and SVG marks alike — composes with the logo.





LATTICE · CUSTOM LOGO

**One line of front matter. One CSS
rule. Every theme.**