

INVENTORY • GRID • STRUCTURE

cards-grid

2-4 parallel items, similar weight, scannable in a grid.

The framework has four components.

Signal Intake.

Weekly structured collection across customer conversations, market data, and competitive moves. Normalized into a common schema before scoring.

Scoring Model.

Each signal scored on three dimensions — confidence, recency, and strategic relevance. Weights are team-configurable and reviewed quarterly.

Decision Log.

Every decision recorded with the signals that informed it, the options considered, and the criteria applied. Feeds the calibration loop.

Calibration Loop.

Monthly retrospective that compares predicted outcomes to actual outcomes and adjusts scoring weights accordingly.

Four phases, four owners.

Intake.

PM. Collect raw signals.

Score.

Analyst. Apply weights.

Decide.

Lead. Pick the call.

Calibrate.

Team. Compare to actuals.

The framework has three components.

Signal Intake.

Weekly structured collection across customer conversations, market data, and competitive moves. Normalized into a common schema.

Scoring Model.

Each signal scored on three dimensions — confidence, recency, strategic relevance. Weights are reviewed quarterly.

Decision Log.

Every decision recorded with the signals that informed it, the options considered, and the criteria applied.

Signal Intake produces three outputs.

1

Weekly Signal Brief

A ranked list of the top 10 signals from the prior week, with confidence scores and source attribution. Distributed to product leads every Monday.

2

Anomaly Alerts

Real-time flags when a signal exceeds the 2σ threshold on any dimension. Routed to the accountable PM with a 4-hour response SLA.

3

Monthly Signal Index

The source of truth for the calibration loop. Required reading before each retrospective.

Mirror is a no-op here.

First card.

Same position with or without `mirror`.

Second card.

Same position with or without `mirror`.

Third card.

Symmetric grids have nothing to flip.

Fourth card.

This slide renders identically to the default.

The framework has four components.

Signal Intake.

Weekly structured collection across customer conversations, market data, and competitive moves. Normalized into a common schema before scoring.

Scoring Model.

Each signal scored on three dimensions — confidence, recency, and strategic relevance. Weights are team-configurable and reviewed quarterly.

Decision Log.

Every decision recorded with the signals that informed it, the options considered, and the criteria applied. Feeds the calibration loop.

Calibration Loop.

Monthly retrospective that compares predicted outcomes to actual outcomes and adjusts scoring weights accordingly.

The framework has four components.

Signal Intake.

Weekly structured collection across customer conversations, market data, and competitive moves. Normalized into a common schema before scoring.

Scoring Model.

Each signal scored on three dimensions — confidence, recency, and strategic relevance. Weights are team-configurable and reviewed quarterly.

Decision Log.

Every decision recorded with the signals that informed it, the options considered, and the criteria applied. Feeds the calibration loop.

Calibration Loop.

Monthly retrospective that compares predicted outcomes to actual outcomes and adjusts scoring weights accordingly.

The framework has four components.

Signal Intake.

Weekly structured collection across customer conversations, market data, and competitive moves. Normalized into a common schema before scoring.

Scoring Model.

Each signal scored on three dimensions — confidence, recency, and strategic relevance. Weights are team-configurable and reviewed quarterly.

Decision Log.

Every decision recorded with the signals that informed it, the options considered, and the criteria applied. Feeds the calibration loop.

Calibration Loop.

Monthly retrospective that compares predicted outcomes to actual outcomes and adjusts scoring weights accordingly.

When NOT to reach for cards-grid.

More than 4 items. Split into multiple slides instead. The grid loses scannability past 4 cards.

Order carries meaning. Use list-steps or list-criteria. cards-grid is for parallel options, not sequences.

Lopsided density. Equalize the prose when one card has three sentences and the rest have one. Otherwise change layout.

Inline-code-only body. A body bullet containing only `code` gets promoted to an eyebrow label. Mix it with surrounding prose.

See also.

RELATED COMPONENTS

- `list-steps` — items carry an explicit sequence
- `cards-stack` — items stack vertically as full-width rows
- `cards-side` — two-card horizontal comparison
- `cards-stack` — two to four full-width rows for longer prose per item
- `verdict-grid` — comparing options against shared criteria