

EVIDENCE • SCATTER • SERIES


# quadrant

Native 2×2 scatter chart — items plotted on two continuous axes.

EFFORT 0-10 → REACH 0-100

# Where to put the next quarter, before someone reorganises the teams again.

*Effort in analyst-weeks; reach as the percent of teams that would adopt it, optimistically.*



EFFORT 0-10 → REACH 0-100

# Where to put the next dollar — sized by revenue nobody has booked yet.




EFFORT 0-10 → REACH 0-100

How each bet moved after one quarter — mostly to the left, where the work is cheaper to describe.



EFFORT 0-10 → REACH 0-100

# Where to put the next dollar — clustered by theme, themed by whoever owns the slide.



EFFORT 0-10 → REACH 0-100 · TARGETS 5, 50

Against the go/no-go thresholds nobody has agreed to enforce.



COMPLETENESS OF VISION 0-100 → ABILITY TO EXECUTE 0-100

# The decision-tooling Magic Quadrant, in which the tool we built is a Leader.



EFFORT 0-10 → REACH 0-100

# Where to put the next dollar — unadorned, like the budget that funds it.





EFFORT 0-10 → REACH 0-100


# Stress test — fourteen initiatives, dense labels, one owner.



EFFORT 0-10 → REACH 0-100

# Where to put the next quarter, before someone reorganises the teams again.


*Effort in analyst-weeks; reach as the percent of teams that would adopt it, optimistically.*



EFFORT 0-10 → REACH 0-100

# Where to put the next quarter, before someone reorganises the teams again.

*Effort in analyst-weeks; reach as the percent of teams that would adopt it, optimistically.*



EFFORT 0-10 → REACH 0-100

# Where to put the next quarter, before someone reorganises the teams again.

*Effort in analyst-weeks; reach as the percent of teams that would adopt it, optimistically.*



## When NOT to reach for quadrant.

### Static categorical 2x2.

If the quadrants are fixed labels (Important × Urgent, Build × Buy × Partner × Defer) and items are placed by category not coordinate, use

matrix-  
2x2

is  
quadrant data-driven;

matrix-  
2x2 is conceptual.

### Single axis matters.

If one axis is decorative and only the other carries meaning, you have a ranking, not a scatter. Use

progress

for  
percent-complete  
or

kpi

for ranked metrics with status.

### Coordinates without an audience-shared scale.

If  $\begin{matrix} 8 \\ 80 \end{matrix}$  requires a footnote to interpret, the slide doesn't pay off. Either label the axis units in the eyebrow (

Effort 0-10 → Reach 0-100

) or normalise to a familiar scale before authoring.

RELATED COMPONENTS

# See also.

`matrix-2x2` — the 2×2 is categorical, not coordinate-based

`radar` — items rated across more than two criteria

`progress` — percent-complete on a single axis

`piechart` — part-to-whole, not bivariate position

`verdict-grid` — comparing options against shared categorical criteria