

COMPARISON · MATRIX · STRUCTURE

matrix-2x2

Static 2×2 quadrant grid with author-placed items per cell.

Where each component substance lives.

Author-driven · DOM output.

prose — headings + paragraphs
structure — nested lists

Author-driven · SVG output.

series — tabular DSL
graph — external language

Data-driven · DOM output.

(Lattice does not target this cell)

Data-driven · SVG output.

chart-family kernels — radar, quadrant, piechart, gantt, kanban,
progress, timeline-list

Where each component substance lives.

Author-driven · DOM output.

prose — headings + paragraphs
structure — nested lists

Author-driven · SVG output.

series — tabular DSL
graph — external language

Data-driven · DOM output.

(Lattice does not target this cell)

Data-driven · SVG output.

chart-family kernels — radar, quadrant, piechart, gantt, kanban,
progress, timeline-list

Where each component substance lives.

Author-driven · DOM output.

prose — headings + paragraphs
structure — nested lists

Author-driven · SVG output.

series — tabular DSL
graph — external language

Data-driven · DOM output.

(Lattice does not target this cell)

Data-driven · SVG output.

chart-family kernels — radar, quadrant, piechart, gantt, kanban,
progress, timeline-list

Where each component substance lives.

Author-driven · DOM output.

prose — headings + paragraphs
structure — nested lists

Author-driven · SVG output.

series — tabular DSL
graph — external language

Data-driven · DOM output.

(Lattice does not target this cell)

Data-driven · SVG output.

chart-family kernels — radar, quadrant, piechart, gantt, kanban,
progress, timeline-list

When NOT to reach for matrix-2x2.

Continuous-axis data. If items have x/y coordinates rather than quadrant labels, use `quadrant`. matrix-2x2 is author-placed categorical, not plotted.

Empty quadrants left blank. An empty cell still needs a label or an explicit (none) placeholder. A missing card breaks the 2×2 symmetry.

More than 4 items per cell. Each quadrant holds 1–4 items. Past that the cells crowd. Promote inner items to their own slide if needed.

See also.

RELATED COMPONENTS

`quadrant` — items have continuous x/y coordinates rather than discrete quadrant labels

`verdict-grid` — options scored across more than two dimensions

`obligation-matrix` — many rows × many columns of state-marker cells

`cards-grid` — the items don't divide along two axes