

EVIDENCE · SCATTER · SERIES


quadrant

Native 2×2 scatter chart — items plotted on two continuous axes.

EFFORT 0-10 → REACH 0-100

Where to put the next dollar.


Effort estimated in story-points; reach as percent of addressable users.



EFFORT 0-10 → REACH 0-100

Where to put the next dollar.


Effort estimated in story-points; reach as percent of addressable users.



EFFORT 0-10 → REACH 0-100

Where to put the next dollar.


Effort estimated in story-points; reach as percent of addressable users.



EFFORT 0-10 → REACH 0-100

Where to put the next dollar.

Effort estimated in story-points; reach as percent of addressable users.



When NOT to reach for quadrant.

Static categorical 2×2. If the quadrants are fixed labels (Important × Urgent, Build × Buy × Partner × Defer) and items are placed by category not coordinate, use `matrix-2x2`. `quadrant` is data-driven; `matrix-2x2` is conceptual.

Single axis matters. If one axis is decorative and only the other carries meaning, you have a ranking, not a scatter. Use `progress` for percent-complete or `kpi` for ranked metrics with status.

Coordinates without an audience-shared scale. If `8, 80` requires a footnote to interpret, the slide doesn't pay off. Either label the axis units in the eyebrow (`Effort 0-10 → Reach 0-100`) or normalise to a familiar scale before authoring.

See also.

RELATED COMPONENTS

- `matrix-2x2` — the 2×2 is categorical, not coordinate-based
- `radar` — items rated across more than two criteria
- `progress` — percent-complete on a single axis
- `piechart` — part-to-whole, not bivariate position
- `verdict-grid` — comparing options against shared categorical criteria