

EVIDENCE · SCATTER · SERIES


quadrant

Native 2×2 scatter chart — items plotted on two continuous axes.

EFFORT 0-10 → REACH 0-100


Where to put the next quarter.

Effort in analyst-weeks; reach as the percent of teams that would adopt it.



EFFORT 0-10 → REACH 0-100

Where to put the next dollar — sized by revenue at stake.




EFFORT 0-10 → REACH 0-100

How each bet moved after one quarter.




EFFORT 0-10 → REACH 0-100

Where to put the next dollar — clustered by theme.




EFFORT 0-10 → REACH 0-100 · TARGETS 5, 50

Against the go/no-go thresholds.




COMPLETENESS OF VISION 0-100 → ABILITY TO EXECUTE 0-100

The agentic-platform Magic Quadrant.




EFFORT 0-10 → REACH 0-100

Where to put the next dollar — unadorned.



EFFORT 0-10 → REACH 0-100


Stress test — fourteen initiatives, dense labels.



EFFORT 0-10 → REACH 0-100

Where to put the next quarter.


Effort in analyst-weeks; reach as the percent of teams that would adopt it.



EFFORT 0-10 → REACH 0-100

Where to put the next quarter.


Effort in analyst-weeks; reach as the percent of teams that would adopt it.



EFFORT 0-10 → REACH 0-100

Where to put the next quarter.

Effort in analyst-weeks; reach as the percent of teams that would adopt it.



When NOT to reach for quadrant.

Static categorical 2×2. If the quadrants are fixed labels (Important × Urgent, Build × Buy × Partner × Defer) and items are placed by category not coordinate, use `matrix-2x2`. `quadrant` is data-driven; `matrix-2x2` is conceptual.

Single axis matters. If one axis is decorative and only the other carries meaning, you have a ranking, not a scatter. Use `progress` for percent-complete or `kpi` for ranked metrics with status.

Coordinates without an audience-shared scale. If `8, 80` requires a footnote to interpret, the slide doesn't pay off. Either label the axis units in the eyebrow (`Effort 0-10 → Reach 0-100`) or normalise to a familiar scale before authoring.

See also.

RELATED COMPONENTS

`matrix-2x2` — the 2×2 is categorical, not coordinate-based

`radar` — items rated across more than two criteria

`progress` — percent-complete on a single axis

`piechart` — part-to-whole, not bivariate position

`verdict-grid` — comparing options against shared categorical criteria